

Supplemental Item: Table II. Ligand Binding Properties of Fibulin Family Members

Category	Ligand Name	Fibulin-1	Fibulin-2	Fibulin-3	Fibulin-4	Fibulin-5	Fibulin-6
Basement Membrane Proteins	Laminin-1 ($\alpha 1\beta 1\gamma 1$)	+/- (Brown et al., 1994)					
	Laminin-4 ($\alpha 2\beta 2\gamma 1$)	+ (Brown et al., 1994)					
	Laminin-5 ($\alpha 3\beta 3\gamma 2$)	+ (Sasaki et al., 2001)	+ (Sasaki et al., 2001)				
	Laminin $\alpha 1$ chain		+ (Utani et al., 1997)				
	Laminin $\alpha 2$ chain	+ (Talts et al., 1999)	+ (Talts et al., 1999)				
	Laminin $\alpha 4$ chain	+ (Talts et al., 2000)	+ (Talts et al., 2000)				
	Laminin $\gamma 2$ chain	+ (Sasaki et al., 2001)	+ (Sasaki et al., 2001; Utani et al., 1997)				
	Nidogen-1	+ (Adam et al., 1997)	+ (Salmivirta et al., 2002; Sasaki et al., 1995)				
	Nidogen-2		+ (Salmivirta et al., 2002)				
	Perlecan		+ (Hopf et al., 1999; Sasaki et al., 1995)				
Type IV collagen		+ (Sasaki et al., 1995)					
Loose Connective Tissue Matrix Proteins	Fibronectin	+ (Balbona et al., 1992)	+ (Sasaki et al., 1995)				
	Tropoelastin	+ (Sasaki et al., 1999)	+ (Sasaki et al., 1999)			+ (Nakamura et al., 2002; Yanagisawa et al., 2002)	
	Aggrecan	+ (Aspberg et al., 1999)	+ (Olin et al., 2001)				
	Versican	+ (Aspberg et al., 1999)	+ (Olin et al., 2001)				
	Brevican		+ (Olin et al., 2001)				
	Type VI collagen		+ (Sasaki et al., 1995)				
	Fibrillin-1		+ (Reinhardt et al., 1996)				
Endostatin (XVIII)	+ (Sasaki et al., 1998)	+ (Sasaki et al., 1998)					
Other	Fibrinogen	+ (Tran et al., 1995)					
	NOVH (CCN3)	+ (Perbal et al., 1999)					
	HB-EGF	+ (Brooke et al., 2002)					
	Papillomavirus E6 protein	+ (Du et al., 2002)					
	β -Amyloid Precursor Protein	+ (Ohsawa et al., 2001)					
	DA41				+ (Ozaki et al., 1997)		
Mutant p53					+ (Gallagher et al., 1999)		
	Apolipoprotein(a)					+ (Kapetanopoulos et al., 2002)	

References for Table II:

- Adam, S., Gohring, W., Wiedemann, H., Chu, M.L., Timpl, R. and Kostka, G. (1997) Binding of fibulin-1 to nidogen depends on its C-terminal globular domain and a specific array of calcium-binding epidermal growth factor-like (EG) modules. *J Mol Biol*, **272**, 226-236.
- Aspberg, A., Adam, S., Kostka, G., Timpl, R. and Heinegard, D. (1999) Fibulin-1 is a ligand for the C-type lectin domains of aggrecan and versican. *J Biol Chem*, **274**, 20444-20449.
- Balbona, K., Tran, H., Godyna, S., Ingham, K.C., Strickland, D.K. and Argraves, W.S. (1992) Fibulin binds to itself and to the carboxyl-terminal heparin-binding region of fibronectin. *J Biol Chem*, **267**, 20120-20125.
- Brooke, J.S., Cha, J.H. and Eidels, L. (2002) Latent transforming growth factor beta-binding protein-3 and fibulin-1C interact with the extracellular domain of the heparin-binding EGF-like growth factor precursor. *BMC Cell Biol*, **3**, 2.
- Brown, J.C., Wiedemann, H. and Timpl, R. (1994) Protein binding and cell adhesion properties of two laminin isoforms (AmB1eB2e, AmB1sB2e) from human placenta. *J Cell Sci*, **107**, 329-338.
- Du, M., Fan, X., Hong, E. and Chen, J.J. (2002) Interaction of oncogenic papillomavirus E6 proteins with fibulin-1. *Biochem Biophys Res Commun*, **296**, 962-969.
- Gallagher, W.M., Argentini, M., Sierra, V., Bracco, L., Debussche, L. and Conseiller, E. (1999) MBP1: a novel mutant p53-specific protein partner with oncogenic properties. *Oncogene*, **18**, 3608-3616.
- Hopf, M., Gohring, W., Kohfeldt, E., Yamada, Y. and Timpl, R. (1999) Recombinant domain IV of perlecan binds to nidogens, laminin-nidogen complex, fibronectin, fibulin-2 and heparin. *Eur J Biochem*, **259**, 917-925.
- Nakamura, T., Lozano, P.R., Ikeda, Y., Iwanaga, Y., Hinek, A., Minamisawa, S., Cheng, C.F., Kobuke, K., Dalton, N., Takada, Y., Tashiro, K., Ross Jr, J., Honjo, T. and Chien, K.R. (2002) Fibulin-5/DANCE is essential for elastogenesis in vivo. *Nature*, **415**, 171-175.
- Ohsawa, I., Takamura, C. and Kohsaka, S. (2001) Fibulin-1 binds the amino-terminal head of beta-amyloid precursor protein and modulates its physiological function. *J Neurochem*, **76**, 1411-1420.
- Olin, A.I., Morgelin, M., Sasaki, T., Timpl, R., Heinegard, D. and Aspberg, A. (2001) The proteoglycans aggrecan and Versican form networks with fibulin-2 through their lectin domain binding. *J Biol Chem*, **276**, 1253-1261.
- Ozaki, T., Kondo, K., Nakamura, Y., Ichimiya, S., Nakagawara, A. and Sakiyama, S. (1997) Interaction of DA41, a DAN-binding protein, with the epidermal growth factor-like protein, S(1-5). *Biochem Biophys Res Commun*, **237**, 245-250.
- Perbal, B., Martinerie, C., Sainson, R., Werner, M., He, B. and Roizman, B. (1999) The C-terminal domain of the regulatory protein NOVH is sufficient to promote interaction with fibulin 1C: A clue for a role of NOVH in cell-adhesion signaling [In Process Citation]. *Proc Natl Acad Sci U S A*, **96**, 869-874.
- Reinhardt, D.P., Sasaki, T., Dzamba, B.J., Keene, D.R., Chu, M.L., Gohring, W., Timpl, R. and Sakai, L.Y. (1996) Fibrillin-1 and fibulin-2 interact and are colocalized in some tissues. *J Biol Chem*, **271**, 19489-19496.
- Salmivirta, K., Talts, J.F., Olsson, M., Sasaki, T., Timpl, R. and Ekblom, P. (2002) Binding of mouse nidogen-2 to basement membrane components and cells and

- its expression in embryonic and adult tissues suggest complementary functions of the two nidogens. *Exp Cell Res*, **279**, 188-201.
- Sasaki, T., Fukai, N., Mann, K., Gohring, W., Olsen, B.R. and Timpl, R. (1998) Structure, function and tissue forms of the C-terminal globular domain of collagen XVIII containing the angiogenesis inhibitor endostatin. *EMBO J*, **17**, 4249-4256.
- Sasaki, T., Gohring, W., Mann, K., Brakebusch, C., Yamada, Y., Fassler, R. and Timpl, R. (2001) Short arm region of laminin-5 gamma2 chain: structure, mechanism of processing and binding to heparin and proteins. *J Mol Biol*, **314**, 751-763.
- Sasaki, T., Gohring, W., Miosge, N., Abrams, W.R., Rosenbloom, J. and Timpl, R. (1999) Tropoelastin binding to fibulins, nidogen-2 and other extracellular matrix proteins. *FEBS Lett*, **460**, 280-284.
- Sasaki, T., Gohring, W., Pan, T.C., Chu, M.L. and Timpl, R. (1995) Binding of mouse and human fibulin-2 to extracellular matrix ligands. *J Mol Biol*, **254**, 892-899.
- Talts, J.F., Andac, Z., Gohring, W., Brancaccio, A. and Timpl, R. (1999) Binding of the G domains of laminin alpha1 and alpha2 chains and perlecan to heparin, sulfatides, alpha-dystroglycan and several extracellular matrix proteins. *Embo J*, **18**, 863-870.
- Talts, J.F., Sasaki, T., Miosge, N., Gohring, W., Mann, K., Mayne, R. and Timpl, R. (2000) Structural and functional analysis of the recombinant G domain of the laminin alpha4 chain and its proteolytic processing in tissues. *J Biol Chem*, **275**, 35192-35199.
- Tran, H., Tanaka, A., Litvinovich, S.V., Medved, L.V., Haudenschild, C.C. and Argraves, W.S. (1995) The interaction of fibulin-1 with fibrinogen. A potential role in hemostasis and thrombosis. *J Biol Chem*, **270**, 19458-19464.
- Utani, A., Nomizu, M. and Yamada, Y. (1997) Fibulin-2 binds to the short arms of laminin-5 and laminin-1 via conserved amino acid sequences. *J. Biol. Chem.*, **272 (5)**, 2814-2820.
- Yanagisawa, H., Davis, E.C., Starcher, B.C., Ouchi, T., Yanagisawa, M., Richardson, J.A. and Olson, E.N. (2002) Fibulin-5 is an elastin-binding protein essential for elastic fibre development in vivo. *Nature*, **415**, 168-171.