

Table 2. Paleointensity values and virtual dipole moment (VDM) calculations for plagioclase crystals based on a paleolatitude of 71° (calculated from the mean directions of 37 lava units)

Unit	N	Averaged μT	Averaged VDM, Am^2	Unaveraged μT	Unaveraged VDM, Am^2
BC-1	5	88.7 ± 6.2	12.0 ± 0.8	92.8 ± 15.0	12.5 ± 2.0
DC-10	8	89.6 ± 2.2	12.1 ± 0.3	90.2 ± 4.5	12.2 ± 0.6
DC-15a	10	92.6 ± 13.2	12.5 ± 1.8	91.1 ± 10.4	12.3 ± 1.4
DC-17	5	98.6 ± 5.5	13.3 ± 0.7	93.5 ± 6.7	12.6 ± 0.9
AF-6	6	98.3 ± 6.3	13.3 ± 0.9	95.0 ± 3.0	12.8 ± 0.4
AF-12	7	86.5 ± 6.9	11.7 ± 0.9	88.5 ± 13.3	12.0 ± 1.8
EF-1 (sill)	5	96.1 ± 8.0	13.0 ± 1.1	98.8 ± 12.4	13.3 ± 1.7
EF-8a	5	100.2 ± 5.4	13.5 ± 0.7	101.3 ± 2.3	13.7 ± 0.3
All	8	93.8 ± 5.2	12.7 ± 0.7	93.9 ± 4.3	12.7 ± 0.6

Errors are 1σ .