

Appendix 1: Parental Care and Egg Size References

Alford, R. 1999. Ecology: resource use, competition, and predation. In R. McDiarmid and R. Altig (eds.), *Tadpoles: The Biology of Anuran Larvae*, pp. 240-278. University of Chicago Press, Chicago.

Anstis, M. 2002. Tadpoles of South-eastern Australia. New Holland, Sydney.

Barker, J. & Grigg, G. 1977. A Field Guide to Australian Frogs. Rigby Limited, Adelaide.

Bartlett, R.D. & Bartlett, P.P. 1998. A Field Guide to Florida Reptiles & Amphibians. Houston, Limited.

Bartlett, R.D. & Barlett, P.P. 1999. A Field Guide to Texas Reptiles & Amphibians. Houston, TaylorWilson Publishing.

Bell, B.D. 1978. Observations on the ecology and reproduction of the New Zealand leiopelmid frogs. *Herpetologica* 34:340-354.

Blommers-Schlösser, R.M.A. 1975. Observations on the larval development of some Malagasy frogs, with notes on their ecology and biology (Anura: Discophinae, Scaphiophrynidae and Cophylinae). *Beaufortia* 24:7-26.

Blommers-Schlösser, R.M.A. 1979. Biosystematics of the Malagasy frogs, I. Mantellinae (Ranidae). *Beaufortia* 29:1-75.

Boulenger, G.A. & Sterling, K.B. 1978. The Tailless Batrachians of Europe. Manchester, Ayer Publishing.

Bourne, G.R., Collins, A.C., Holder, A.M. & McCarthy, C.L. 2001. Vocal communication and reproductive behavior of the frog *Colostethus bebee* in Guyana. *J. Herpetol.* 35:272-281.

- Brust, D. 1993. Maternal brood care by female *Dendrobates pumilio*, a frog that feeds its young. *Journal of Herpetology*, 27:96-98.
- Busse, K. 1970. Care of the young by male *Rhinoderma darwini*. *Copeia* 1970:395.
- Campbell, J.A. 1999. *Amphibians & Reptiles of Northern Guatemala, the Yucatan & Belize*
Norman, University of Oklahoma Press.
- Case, T. & Fisher, R. 1997. *A Field Guide to Reptiles & Amphibians of Coastal Southern California*. La Jolla : Ted Case.
- Coe, M. 1974. Observations on the ecology and breeding biology of the genus *Chiromantis* (Amphibia: Rhacophoridae). *J. Zool. Lond.* 172:13-34.
- Cogger, H.G. 2000. *Reptiles & Amphibians of Australia*
Sanibel, Ralph Curtis Publishing.
- Collins, J.T., Collins, S.L. & Hayes, J. 1993. *Amphibians & Reptiles in Kansas*.
Lawrence, University Press of Kansas.
- Coloma, L. A. 1995. Ecuadorian frogs of the genus *Colostethus* (Anura: Dendrobatidae).
University of Kansas Museum of Natural History Occasional Papers, 87: 1-72.
- Cook, C.L., Ferguson, J.W.H. & Telford. 2001. Adaptive male parental care in the giant bullfrog, *Pyxicephalus adspersus*. *J. Herpetol.*
- Corben, C.J., Ingram, G.J. & Tyler, M.J. 1974. Gastric brooding: a unique form of parental care in an Australian frog. *Science* 186:94 6-947.
- Corkran, CC & Thoms, C. 1996. *Amphibians of Oregon, Washington and British Columbia*. Lone Pine, Edmonton.

- Crump, M. 1974. Reproductive strategies in a tropical anuran community. *Miscellaneous Publications of the Museum of Natural History of the University of Kansas*, 61:1-68.
- Crump, M. 1992. Cannibalism in amphibians. In M. Elgar and B. Crespi (eds.), *Cannibalism: Ecology and Evolution Among Diverse Taxa*, pp. 256-276. Oxford University Press, Oxford.
- De la Riva, I. 1995. A new reproductive mode for the genus *Adenomera* (Amphibia: Anura: Leptodactylidae): taxonomic implications for certain Bolivian and Paraguayan populations. *Studies on Neotropical Fauna and Environment* 30:15-29.
- Degenhardt, W.G., Painter, C.W. & Price, A.H. 1996. *Amphibians & Reptiles of New Mexico*. Albuquerque, University of New Mexico Press.
- DeGraaf, R.M. & Rudis, D.D. 1983. *Amphibians & Reptiles of New England Habitats & Natural History*. Amherst : University of Massachusetts Press.
- Deuchar, E.M. *Xenopus: The South African Clawed Frog*. Ann Arbor, Books on Demand.
- Dixon, J.R. & Rivero-Blanco, C. 1985. A new dendrobatid frog (*Colostethus*) from Venezuela with notes on its natural history and that of related species. *J. Herpetol.* 19:177-184.
- Dixon, J.R. 2000. *Amphibians & Reptiles of Texas*. College Station, Texas A & M University Press,
- Downie, J.R. 1996. A new example of female parental behavior in *Leptodactylus validus*, a frog of the leptodactylid '*melanotus*' species group. *Herp. J.* 6:32-34.
- Duellman, W.E. 1978. The biology of an equatorial herpetofauna in Amazonian Ecuador. *Misc. Publ. Mus. Nat. Hist. Univ. Kansas* 65:1-352.

- Duellman, W.E. & Manness, S.J. 1980. The reproductive behavior of some hyloid marsupial frogs. *J. Herpetol.* 14:213-222.
- Duellman, W.E. & Gray, P. 1983. Developmental biology and systematics of the egg-brooding hyloid frogs, genera *Flectonotus* and *Fritziana*. *Herpetologica* 39:333-359.
- Duellman, W. E., and L. Trueb. 1986. *Biology of Amphibians*. McGraw-Hill, New York.
- Duellman, W.E. 1992. Reproductive strategies of frogs. *Sci. Amer.* 1992:80-87.
- Dundee, H.A., Rossman, D.E. & Beckham, E.C. 1996. *Amphibians & Reptiles of Louisiana*. Baton Rouge : Louisiana State University Press.
- Duellman, W.E. 2001. Hyloid frogs of Middle America, Vol. 1. *Contributions to Herpetology*, Vol. 18. Society for the Study of Amphibians and Reptiles, Ithaca, New York.
- Du Preez, L.H. 1996. Field guide and key to the frogs & toads of the Free State. Dept. of Zoology & Entomology, University of the Orange Free State.
- Ehmann, H. & Swan, G. 1985. Reproduction and development in the marsupial frog, *Assa darlingtoni* (Leptodactylidae, Anura). Pp. 279-285 In: *Biology of Australasian Frogs and Reptiles* (Grigg, G., Shine, R. & Ehmann, H. eds.). Royal Zool. Soc. Of New South Wales, Mosman.
- Ellis, M.M. & Henderson, J. 2000. *The Amphibia & Reptilia of Colorado*. Landisville : Arment Biological Press.
- Gibbons, J. W. & Semlitsch, R.D. 1991. *Guide to the Reptiles & Amphibians of the Savannah River Site*. Athens, University of Georgia Press.
- Gibson, R.C. & Buley, K.R. 2004. Maternal care and obligatory oophagy in *Leptodactylus fallax*: a new reproductive mode in frogs. *Copeia* 2004:128-135.

- Glaw, F. & Vences, M. 1994. A Field Guide to the Amphibians and Reptiles of Madagascar, 2nd Ed. Moos Druck, Germany.
- Glaw, F. & Vences, M. 1996. Neue ergebnisse zur *Boophis goudoti*-gruppe aus Madagaskar: bioakustik, fortpflanzungsstrategien und beschreibung von *Boophis rufioculis* sp. nov. Salamandra 32:225-242.
- Goicoechea, O., Garrdo, O. & Jorquera, B. 1986. Evidence for a trophic paternal-larval relationship in the frog *Rhinoderma darwinii*. J. Herpetol. 20:168-178.
- Grandison, A.G.C. 1978. The occurrence of *Nectophrynoides* (Anura: Bufonidae) in Ethiopia. A new concept of the genus with a description of a new species. Monit. Zool. Italiano Suppl. 11:119-172.
- Green, DM & Campbell, RW. 1984. The Amphibians of British Columbia. British Columbia Provincial Museum, Victoria.
- Harding, J.H. 1997. Amphibians & Reptiles of the Great Lakes Region. Ann Arbor, University of Michigan Press.
- Henderson, R.W. & Schwartz, A. 1984. A Guide to the Identification of the Amphibians & Reptiles of Hispaniola. Milwaukee, Milwaukee Public Museum.
- Henderson, Robert W. ; Schwartz, A., Garity, M.M., Leber, D. 1985. A Guide to the Amphibians & Reptiles of the West Indies, Exclusive of Hispaniola. Milwaukee, Milwaukee Public Museum.
- Henkel, F.-W., Schmidt, W. & Kaiser, H. 1998. Amphibians & Reptiles of Madagascar & the Mascarene, Seychelles, & the Comoro Islands. Melbourne, Krieger.
- Heselhaus, R. 1992. Poison-Arrow Frogs. Blandford, London.
- Hodge, R.P. 1976. Amphibians & Reptiles in Alaska, the Yukon & Northwest Territories

Seattle, Alaska Northwest Books.

Hunter, M.L., Calhoun, A.J. & McColloch, M. 1999. Maine Amphibians & Reptiles
Orono, University of Maine Press.

Ibanez, R.D., Rand, A.S., & Jaramillo, C.A. 1999. The Amphibians of Barro Colorado
National Monument, Soberania National Park, and Adjacent Areas. D'Vinni Editorial
Limited, Bogota

Inger, R.F., Voris, H.K. & Walker, P. 1986. Larval transport in a Bornean ranid frog.
Copeia 1986:523-525.

Inger, R.F. & Voris, H.K. 1988. Taxonomic status and reproductive biology of Bornean
tadpole-carrying frogs. *Copeia* 1988:1060-1061.

Inger, R.F. ; Stuebing, R.B. 1997. A field guide to the frogs of Borneo. Kota Kinabalu,
Natural History Publications.

Ingram, G.J., Anstis, M. & Corben, C.J. 1975. Observations on the Australian
leptodactylid frog, *Assa darlingtoni*. *Herpetologica* 31:425-429.

Jacobson, S.K. 1985. Reproductive behavior and male mating success in two species of
glass frogs (Centrolenidae). *Herpetologica* 41:396-404.

Jungfer, K.-H. 1996. Reproduction and parental care of the coronated treefrog, *Anothea*
spinosa (Steindacher, 1864) (Anura: Hylidae). *Herpetologica* 52:25-32.

Jungfer, K-H & Schiesari, L.C. 1995. Description of a Central Amazonian and Guianan
tree frog, genus *Osteocephalus* (Anura, Hylidae), with oophagous tadpoles
Alytes 13:1-13.

Jungfer, K.-H. & Weygoldt, P. 1999. Biparental care in the tadpole feeding Amazonian
treefrog, *Osteocephalus oophagus*. *Amphibia-Reptilia* 20:235-249.

- Kam, Y.C., Chuang, Z.S. & Yen, C.F. 1996. Reproduction, oviposition-site selection, and tadpole oophagy of an arboreal nester, *Chirixalus eiffingeri* (Rhacophoridae), from Taiwan. *J. Herpetol.* 30:52-59.
- Kaminsky, S.K., Linsenmair, E. & Ulmar Grafe, T. 1999. Reproductive timing, nest construction and tadpole guidance in the African pig-nosed frog, *Hemisus marmoratus*. *J. Herpetol.* 33:119-123.
- Kenney, J.S. 1969. The Amphibia of Trinidad. *Stud. Fauna Curacao & other Caribbean Islands*, Vol. XXIX, 1969. Martinus Nijhoff, The Hague.
- Klemens, MW. 1993. *Amphibians and Reptiles of Connecticut and Adjacent Regions*. State Geological and Natural History Survey of Connecticut, Hartford, CT.
- Kok, D, Du Preez, L.H. & Channing, A. 1989. Channel construction by the African bullfrog: another anuran parental care strategy. *J. Herpetol.* 23:435-437.
- Krugel, P. & Richter, S. 1995. *Syncope antenori* - A bromeliad breeding frog with free-swimming, nonfeeding tadpoles (Anura, microhylidae). *Copeia* 4:955-963.
- Kuramoto, M. 1978. Correlations of quantitative parameters of fecundity in amphibians. *Evolution* 32:287-296.
- Lang, C. 1995. Size-fecundity relationships among stream-breeding hylid frogs. *Herp. Nat. Hist.* 3:193-197.
- Lannoo, M.J., Townsend, D.S. & Wassersug, R.J. 1987. Larval life in the leaves: arboreal tadpole types, with special attention to the morphology, ecology and behavior of the oophagous *Osteopilus brunneus* (Hylidae) larva. *Fieldiana Zoology* 38:1-31.
- Lee, JC. 2000. *A Field Guide to the Amphibians and Reptiles of the Maya World*. Cornell University Press, Ithaca.

- Leonard, W.P., Brown, H.A., Jones, L.L. & McAllister, K.R. 1996. Amphibians of Washington & Oregon. Seattle, Seattle Audubon Society.
- Liu, C.C. 1950. Amphibians of Western China. 422 pp. Chicago Natural History Museum, Chicago.
- Livezey, R.L. & Wright, A.H. 1947. A syntopic key to the salientian eggs of the United States. *Amer. Midl. Nat.* 37:179-222.
- Lynch, J.D., Ruiz, P.M. & Rueda, J.V. 1983. Notes on the distribution and reproductive biology of *Centrolene geckoideum* Jimenez de la Espada in Colombia and Ecuador (Amphibia: Centrolenidae). *Studies on the Neotropical Fauna and Environment* 18:239-243.
- Malhotra, A. & Thorpe, R.S. 1999. Reptiles & Amphibians of the Eastern Caribbean. BPR Publishers.
- McDiarmid, R.W. & Gorzula, S. 1989. Aspects of the reproductive ecology and behavior of the Tepui toads, genus *Oreophrynella*. *Copeia* 1989:445-451.
- McPeak, R.H. 1999. Amphibians & Reptiles of Baja California Skyline Forest, Monterey.
- Minton, S. 1999. Amphibians & Reptiles of Indiana. Indianapolis, Indiana Academy of Science.
- Mitchell, N. & Swan, R. 1996. Terrestrial development in the Tasmanian frog, *Bryobatrachus nimbus* (Anura: Myobatrachidae): larval development and a field staging table. *Proc. Roy. Soc. Tasmania* 130:75-80.
- Moore, J.A. 1969. The frogs of Eastern New South Wales. *Bull. Am. Mus. Nat. Hist.* 121(3). 385 pp.

Morrison, P. 1994. Mammals, Reptiles, & Amphibians of Britain & Europe. London, Pan Books Limited.

Oldfield, B. Moriarty, J.J., Breckenridge, W. J. 1994. Amphibians & Reptiles Native to Minnesota. Minneapolis, University of Minnesota Press.

Ovencdon, A. & Burton, J.S. 1978. A Field Guide to Reptiles & Amphibians of Britain & Europe. London, Hammersmith.

Paris, M.G. 1985. Anfibios de Espana. Extension Agraria Corazon de Maria, Madrid.

Passmore, N.I. & Carruthers, V.C. 1995. South African Frogs: A Complete Guide. Witwatersrand University Press, Johannesburg.

Pickwell, G. 1987. Amphibians & Reptiles of the Pacific States
Magnolia, Peter Smith Publisher, Incorporated.

Pienaar, U.V., Passmore, N.I., & Carruthers, V.C. 1976. The Frogs of the Kruger National Park. Sigma Press, Pretoria.

Prado, C.P. de A., Uetanabaro, M., & Lopes, F.S. 2000. Reproductive strategies of *Leptodactylus chaquensis* and *L. podicipinus* in the Pantanal, Brazil. J. Herpetol. 34:135-139.

Prado, C.P. de A., Uetanabaro, M. & Haddad, C.F.B. 2002. Description of a new reproductive mode in *Leptodactylus* (Anura: Leptodactylidae), with a review of the reproductive specialization toward terrestriality in the genus. Copeia 2002:1128-1133.

Pyburn, W.F. 1975. A new species of microhylid frog of the genus *Synapturanus* from southeastern Colombia. Herpetologica 31:439-443.

Richter, J.D. 1999. A Comparative Methods of Approach to the Study of Oocytes & Embryos. New York, Oxford University Press.

- Roberts, J.D. 1984. Terrestrial egg deposition and direct development in *Arenophryne rotunda* Tyler, a myobatrachid frog from coastal sand dunes at Shark Bay, W.A. Aust. Wildl. Res. 11:191-200.
- Rodel, M.O. 1998. A reproductive mode so far unknown in African ranids: *Phrynobatrachus guineensis* Guibe and Lamotte, 1961 breeds in treeholes. Herpetozoa 11:19-26.
- Rodel, M.-O. 2000. Herpetofauna of West Africa, Vol. I. Chimaira, Frankfurt.
- Rodel, M.-O., Kosuch, J., Veith, M., & Ernst, R. 2003. First record of the genus *Acanthixalus* Laurent, 1944 from the upper guinean rain forest, West Africa, with a description of a new species. J. Herpetol. 37: 43-52.
- Rodriguez, L.O. & Duellman, W.E. 1994. Guide to the Frogs of the Iquitos Region, Amazonian Peru. Natural History Museum, University of Kansas, Lawrence, KS.
- Salthe, S., and W. Duellman. 1973. Quantitative constraints associated with reproductive mode in anurans. In J. Vial (ed.), *Evolutionary Biology of the Anurans: Contemporary Research on Major Problems*, pp. 229-249. University of Missouri Press, Columbia.
- Savage, J. 2002. *The Amphibians and Reptiles of Costa Rica*. University of Chicago Press, Chicago.
- Scheel, J.J. 1970. Notes on the biology of the African tree-toad, *Nectophryne afra* Buchholz and Peters, 1875 (Bufonidae, Anura) from Fernando Poo. Rev. Zool. Bot. Afr. 81:225-236.
- Schleich, H.H., Kastle, W. & Kabisch, K. 1995. Amphibians & Reptiles of North Africa. Koeltz Scientific Books.

- Sheridan, D. 1997. Key-Guide to the Reptiles & Amphibians of the Central California Coast. Los Osos : Aryan I. Roest.
- Schiotz, A. 1999. Treefrogs of Africa. Frankfurt am Main, Meckenheim, Germany.
- Schwartz, A. & Henderson, R.W. 1991. Amphibians and Reptiles of the West Indies. University of Florida Press, Gainesville, Florida.
- Stebbins, RC. 1954. Amphibians and Reptiles of Western North America. McGraw-Hill, New York.
- Stephenson, E.M. & Stephenson, N.G. 1957. Field observations on the New Zealand frog, *Leiopelma* Fitzinger. Trans. Roy. Soc. New Zealand 84:867-882.
- Stewart, MM. 1967. Amphibians of Malawi. State University of New York Press, Albany.
- Taylor, J. & Rorer, A. 1993. The Amphibians & Reptiles of New Hampshire. Concord, New Hampshire Fish & Game Department.
- Thompson, R.L. 1996. Larval habitat, ecology and parental investment of *Osteopilus brunneus* (Hylidae). In: Contributions to West Indian herpetology: a tribute to Albert Schwartz. (Powell, R. & Henderson, R.W., eds.). Contributions to Herpetology Vol. 12. Society for the Study of Amphibians and Reptiles, Ithaca, New York.
- Tyler, M.J. 1994. Australian Frogs: A Natural History. Cornell University Press, Ithaca.
- van Dijk, D.E. 1997. Parental care in *Hemisus* (Anura: Hemisotidae). S. Afr. J. Zool. 32:56-57.
- Vaz-Ferreira, R. & Gehrau, A. 1974. Proteccion de la prole en leptodactylidos. Rev. Biol. Uruguay 2:59-62.

- Vences, M., Glaw, F. & Zapp, C. 1999. Bemerkungen zu eizahlen und eigroben bei madagassischen froschen der gattugen *Tomopterna*, *Aglyptodactylus*, *Boophis* und *Mantidactylus* (Amphibia: Ranidae). *Salamandra* 35:77-82.
- Vogt, R.C., Hine, R. & Nickerson, M. 1981. Natural History of Amphibians & Reptiles of Wisconsin. Milwaukee, Milwaukee Public Museum.
- Wager, V.A. 1986. Frogs of South Africa. Delta Books Ltd., Craighall.
- Wells, K. D. 1980. Behavioral ecology and social organization of a Dendrobatid frog (*Colostethus inguinalis*). *Behavioral Ecology and Sociobiology*, 6:199-209.
- Weygoldt, P. 1980. Complex brood care and reproductive behaviour in captive poison-arrow frogs, *Dendrobates pumilio* O. Schmidt. *Behavioral Ecology and Sociobiology*, 7:329- 332.
- Weygoldt, P. 1987. Evolution of parental care in dart poison frogs (Amphibia: Dendrobatidae). *Zeitschrift Zoologische Systematik:Evolution-forsch.van der Meijden*,

Genus	Species	EggSize	PC
<i>Acanthixalus</i>	<i>sonjae</i>	3.22	1
<i>Acris</i>	<i>crepitans</i>	1.5333	0
<i>Acris</i>	<i>gryllus</i>	1.05	0
<i>Adelotus</i>	<i>brevis</i>	1.975	1
<i>Adenomera</i>	<i>andreae</i>	3	0
<i>Adenomera</i>	<i>hylaedactyla</i>	3	0
<i>Afrixalus</i>	<i>brachycnemis</i>	1.2	0
<i>Afrixalus</i>	<i>fornasinii</i>	1.6	0
<i>Agalychnis</i>	<i>annae</i>	3.3	0
<i>Agalychnis</i>	<i>calcalifer</i>	4	0
<i>Aglyptodactylus</i>	<i>laticeps</i>	1	0
<i>Aglyptodactylus</i>	<i>madagascariensi</i>	1.35	0
<i>Allobates</i>	<i>femoralis</i>	1.9	1
<i>Alytes</i>	<i>cisternasii</i>	3.25	1
<i>Alytes</i>	<i>muletensis</i>	4.5	1
<i>Alytes</i>	<i>obstetricans</i>	3.55	1
<i>Amalops</i>	<i>jerboa</i>	1.3	0
<i>Anhydrophryne</i>	<i>rattrayi</i>	2.6	1
<i>Anotheca</i>	<i>spinosa</i>	1.62	1
<i>Arenophryne</i>	<i>rotunda</i>	5.5	0
<i>Arthroleptella</i>	<i>hewitti</i>	3	0
<i>Arthroleptella</i>	<i>lightfooti</i>	4.25	0
<i>Arthroleptis</i>	<i>stenodactylus</i>	2	1
<i>Arthroleptis</i>	<i>wahlbergii</i>	2.5	1
<i>Ascaphus</i>	<i>truei</i>	4.3333	0
<i>Assa</i>	<i>darlingtoni</i>	2.45	1
<i>Atelopus</i>	<i>carbonerensis</i>	1.5	0
<i>Atelopus</i>	<i>spmarius</i>	2	0
<i>Bombina</i>	<i>bombina</i>	2	0
<i>Bombina</i>	<i>maxima</i>	3.8	0
<i>Boophis</i>	<i>albilabris</i>	2.5	0
<i>Boophis</i>	<i>erythrodactylus</i>	2	0
<i>Boophis</i>	<i>luteus</i>	2.25	0
<i>Boophis</i>	<i>madagascariensis</i>	3	0
<i>Brachycephalus</i>	<i>ephippum</i>	5.2	0
<i>Breviseps</i>	<i>adsperus</i>	4.5	1
<i>Breviseps</i>	<i>fuscus</i>	5	1
<i>Bryobatrachus</i>	<i>nimbus</i>	3.5	1
<i>Bufo</i>	<i>alvarius</i>	1.4	0
<i>Bufo</i>	<i>americanus</i>	1.2	0
<i>Bufo</i>	<i>angusticeps</i>	1.75	0
<i>Bufo</i>	<i>asper</i>	1.1	0
<i>Bufo</i>	<i>boreas</i>	1.65	0
<i>Bufo</i>	<i>bufo</i>	2	0
<i>Bufo</i>	<i>calamita</i>	1.5	0
<i>Bufo</i>	<i>canorus</i>	2.1	0
<i>Bufo</i>	<i>cognatus</i>	1.1833	0
<i>Bufo</i>	<i>coniferus</i>	1.8	0
<i>Bufo</i>	<i>debilis</i>	1	0
<i>Bufo</i>	<i>dombensis</i>	1.7	0
<i>Bufo</i>	<i>fastidiosus</i>	4.3	0
<i>Bufo</i>	<i>fenouheti</i>	1.8	0
<i>Bufo</i>	<i>garmani</i>	1.2	0
<i>Bufo</i>	<i>granulosus</i>	1	0
<i>Bufo</i>	<i>gutteralis</i>	1.45	0
<i>Bufo</i>	<i>maculatus</i>	1.3	0
<i>Bufo</i>	<i>marinus</i>	1.55	0
<i>Bufo</i>	<i>mauritanicus</i>	1.5	0

<i>Bufo</i>	<i>microscaphus</i>	1.55	0
<i>Bufo</i>	<i>quercicus</i>	0.995	0
<i>Bufo</i>	<i>rangeri</i>	1.3	0
<i>Bufo</i>	<i>regularis</i>	1.15	0
<i>Bufo</i>	<i>taitanus</i>	2.5	0
<i>Bufo</i>	<i>terrestris</i>	1.2	0
<i>Bufo</i>	<i>valliceps</i>	1.215	0
<i>Bufo</i>	<i>vertebralis</i>	1.8	0
<i>Bufo</i>	<i>viridis</i>	1.25	0
<i>Bufo</i>	<i>woodhousei</i>	1.25	0
<i>Cacosternum</i>	<i>boettgeri</i>	0.75	0
<i>Cacosternum</i>	<i>capense</i>	1	0
<i>Callulops</i>	<i>robusta</i>	6.75	1
<i>Capensibufo</i>	<i>rosei</i>	2.6	0
<i>Capensibufo</i>	<i>tradouwi</i>	2	0
<i>Centrolene</i>	<i>geckoideum</i>	3.75	1
<i>Ceratophrys</i>	<i>cornuta</i>	2	0
<i>Chiasmocleis</i>	<i>bassleri</i>	1	0
<i>Chiasmocleis</i>	<i>ventrimaculata</i>	1.25	0
<i>Chiraxalus</i>	<i>eiffingeri</i>	2.5	1
<i>Chiraxalus</i>	<i>idiootocus</i>	1.95	0
<i>Chiromantis</i>	<i>rufescens</i>	2.8	0
<i>Chiromantis</i>	<i>xerampelina</i>	1.9	1
<i>Cochranella</i>	<i>granulosa</i>	1.5	0
<i>Cochranella</i>	<i>munozorum</i>	1.5	0
<i>Colostethus</i>	<i>beebei</i>	2	1
<i>Colostethus</i>	<i>bromelicola</i>	1.7	1
<i>Colostethus</i>	<i>marchesianus</i>	1.75	1
<i>Colostethus</i>	<i>sauli</i>	1.5	1
<i>Colostethus</i>	<i>stephensi</i>	2	1
<i>Colostethus</i>	<i>trinitatis</i>	3.5	1
<i>Colostethus</i>	<i>vertebralis</i>	3	1
<i>Cophixalus</i>	<i>neglectus</i>	4.3	1
<i>Cophixalus</i>	<i>parkeri</i>	3.5	1
<i>Crinia</i>	<i>georgiana</i>	2.25	0
<i>Crinia</i>	<i>glauteri</i>	1.15	0
<i>Crinia</i>	<i>insignifera</i>	1.3	0
<i>Crinia</i>	<i>parainsignifera</i>	1.15	0
<i>Crinia</i>	<i>psuedoinsignifera</i>	1.45	0
<i>Crinia</i>	<i>signifera</i>	1.475	0
<i>Crinia</i>	<i>tasmaniensis</i>	2.2025	0
<i>Crinia</i>	<i>tinnula</i>	1.15	0
<i>Cryptobatrachus</i>	<i>boulengeri</i>	4	1
<i>Cryptobatrachus</i>	<i>fuhrmanni</i>	4	1
<i>Cyclorana</i>	<i>alboguttata</i>	1.3	0
<i>Cyclorana</i>	<i>brevipes</i>	1.3	0
<i>Cyclorana</i>	<i>longipes</i>	1.35	0
<i>Cyclorana</i>	<i>novaeollandiae</i>	1.5	0
<i>Dendrobates</i>	<i>auratus</i>	2	1
<i>Dendrobates</i>	<i>histrionicus</i>	1.5	1
<i>Dendrobates</i>	<i>lehmanni</i>	1.5	1
<i>Dendrobates</i>	<i>leucomelas</i>	3.93	1
<i>Dendrobates</i>	<i>pumilio</i>	1.1	1
<i>Dendrobates</i>	<i>reticulatus</i>	2	1
<i>Dendrobates</i>	<i>ventrimaculatus</i>	2	1
<i>Discoglossus</i>	<i>pictus</i>	1.625	0
<i>Duellmanohyla</i>	<i>rufiocullis</i>	2.36	0
<i>Duellmanohyla</i>	<i>uranochoa</i>	2.59	0
<i>Elastocleis</i>	<i>bicolor</i>	1	0

<i>Eleutherodactylus</i>	<i>angelicus</i>	6.8	1
<i>Eleutherodactylus</i>	<i>cundalli</i>	4.2	1
<i>Eleutherodactylus</i>	<i>jasperi</i>	3.3	1
<i>Eleutherodactylus</i>	<i>johnstonei</i>	2.965	1
<i>Eleutherodactylus</i>	<i>latrans</i>	6.75	1
<i>Epipedobates</i>	<i>parvulus</i>	3	1
<i>Epipedobates</i>	<i>pictus</i>	2	1
<i>Epipedobates</i>	<i>silverstonei</i>	2	1
<i>Epipedobates</i>	<i>trivittatus</i>	3	1
<i>Fejervarya</i>	<i>limnocharis</i>	1.13	0
<i>Flectonotus</i>	<i>fissilis</i>	3	1
<i>Flectonotus</i>	<i>fitzgeraldi</i>	3	1
<i>Flectonotus</i>	<i>pygmaeus</i>	3	1
<i>Fritziana</i>	<i>goeldi</i>	4	1
<i>Gastrophryne</i>	<i>carolinesis</i>	1.1	0
<i>Gastrophryne</i>	<i>olivacea</i>	1.075	0
<i>Gastrotheca</i>	<i>argenteovirens</i>	3	1
<i>Gastrotheca</i>	<i>cornuta</i>	9.8	1
<i>Gastrotheca</i>	<i>fissipes</i>	10	1
<i>Gastrotheca</i>	<i>galeata</i>	5	1
<i>Gastrotheca</i>	<i>marsupiata</i>	2	1
<i>Gastrotheca</i>	<i>microdisca</i>	8	1
<i>Gastrotheca</i>	<i>monticola</i>	3	1
<i>Gastrotheca</i>	<i>ovifera</i>	8	1
<i>Gastrotheca</i>	<i>plumbea</i>	4	1
<i>Gastrotheca</i>	<i>riobambae</i>	3	1
<i>Geocrinia</i>	<i>laevis</i>	2.475	0
<i>Geocrinia</i>	<i>leai</i>	1.85	0
<i>Geocrinia</i>	<i>rosea</i>	2.35	0
<i>Geocrinia</i>	<i>victoriana</i>	3.1	0
<i>Hamptophryne</i>	<i>boliviana</i>	1	0
<i>Heleophryne</i>	<i>purcelli</i>	3.8	0
<i>Heleophryne</i>	<i>regis</i>	3.6	0
<i>Hemiphractus</i>	<i>fasciatus</i>	7	1
<i>Hemiphractus</i>	<i>panamensis</i>	6	1
<i>Hemiphractus</i>	<i>probocideus</i>	2.5	1
<i>Hemiphractus</i>	<i>scutatus</i>	10	1
<i>Hemisis</i>	<i>guttatus</i>	2.5	1
<i>Hemisis</i>	<i>marmorata</i>	3.4167	1
<i>Heterixalus</i>	<i>alboguttaus</i>	1.5	0
<i>Heterixalus</i>	<i>betsileo</i>	1.6	0
<i>Hoplobatrachus</i>	<i>occipitalis</i>	5	0
<i>Hoplophryne</i>	<i>sp.</i>	4.75	0
<i>Hyla</i>	<i>alboguttata</i>	1.5	0
<i>Hyla</i>	<i>andersoni</i>	1.3	0
<i>Hyla</i>	<i>arborea</i>	1.5	0
<i>Hyla</i>	<i>arborescandens</i>	2.15	0
<i>Hyla</i>	<i>arenicolor</i>	2.085	0
<i>Hyla</i>	<i>avivoca</i>	1.17	0
<i>Hyla</i>	<i>bifurca</i>	1.5	0
<i>Hyla</i>	<i>boans</i>	2	1
<i>Hyla</i>	<i>calcarata</i>	1.5	0
<i>Hyla</i>	<i>calypsa</i>	3.6	0
<i>Hyla</i>	<i>chrysofelis</i>	1.15	0
<i>Hyla</i>	<i>cinerea</i>	1.2	0
<i>Hyla</i>	<i>ebraccata</i>	1.3	0
<i>Hyla</i>	<i>femoralis</i>	1	0
<i>Hyla</i>	<i>geographica</i>	1	0
<i>Hyla</i>	<i>gratiosa</i>	1.45	0

<i>Hyla</i>	<i>juanitae</i>	2.19	0
<i>Hyla</i>	<i>lancasteri</i>	4.3	0
<i>Hyla</i>	<i>lanciformis</i>	2	0
<i>Hyla</i>	<i>leucophyllata</i>	1.5	0
<i>Hyla</i>	<i>marmorata</i>	1.5	0
<i>Hyla</i>	<i>meridionalis</i>	1.3	0
<i>Hyla</i>	<i>minuta</i>	1	0
<i>Hyla</i>	<i>multifasciata</i>	1	0
<i>Hyla</i>	<i>parviceps</i>	1	0
<i>Hyla</i>	<i>phyllognatha</i>	3.08	0
<i>Hyla</i>	<i>pictipes</i>	2.44	0
<i>Hyla</i>	<i>platydactyla</i>	2.5	1
<i>Hyla</i>	<i>pseudopuma</i>	1.7	0
<i>Hyla</i>	<i>raniceps</i>	1	0
<i>Hyla</i>	<i>regilla</i>	1.3	0
<i>Hyla</i>	<i>rivularis</i>	2.36	0
<i>Hyla</i>	<i>rosenbergi</i>	1.95	1
<i>Hyla</i>	<i>sarayacuensis</i>	2	0
<i>Hyla</i>	<i>squirella</i>	0.9	0
<i>Hyla</i>	<i>sumichrasti</i>	1.61	0
<i>Hyla</i>	<i>taeniopus</i>	2.19	0
<i>Hyla</i>	<i>tica</i>	2.32	0
<i>Hyla</i>	<i>triangulum</i>	1.5	0
<i>Hyla</i>	<i>versicolor</i>	1.35	0
<i>Hylinobatrachium</i>	<i>colymbiphyllum</i>	1.5	1
<i>Hylinobatrachium</i>	<i>fleischmanni</i>	2	1
<i>Hylinobatrachium</i>	<i>valeroi</i>	2	1
<i>Hymenochirus</i>	<i>boettgeri</i>	0.75	0
<i>Hyperolius</i>	<i>argus</i>	1	0
<i>Hyperolius</i>	<i>nasutus</i>	0.975	0
<i>Hyperolius</i>	<i>semidiscus</i>	1	0
<i>Hyperolius</i>	<i>tuberlinguis</i>	1.5	0
<i>Hypopachus</i>	<i>cuneus</i>	1	0
<i>Hypopachus</i>	<i>variolosus</i>	1	0
<i>Kaloula</i>	<i>macropicta</i>	1.5	0
<i>Kaloula</i>	<i>rugifera</i>	1.5	0
<i>Kassina</i>	<i>maculata</i>	1.5	0
<i>Kassina</i>	<i>senegalensis</i>	1.7	0
<i>Kyarranus</i>	<i>sphagnicolus</i>	3.35	1
<i>Lechriodus</i>	<i>fletcheri</i>	1.7	0
<i>Leiopelma</i>	<i>archeyi</i>	4.5	1
<i>Leiopelma</i>	<i>hochstetteri</i>	5.5	1
<i>Lepidobatrachus</i>	<i>laevis</i>	2.5	0
<i>Leptodactylus</i>	<i>chaquensis</i>	1.5	1
<i>Leptodactylus</i>	<i>fallax</i>	1.6	1
<i>Leptodactylus</i>	<i>fuscus</i>	2	1
<i>Leptodactylus</i>	<i>labialis</i>	1.775	0
<i>Leptodactylus</i>	<i>melanotus</i>	1.25	0
<i>Leptodactylus</i>	<i>mystaceus</i>	2.4	0
<i>Leptodactylus</i>	<i>pentadactylus</i>	2.7	0
<i>Leptodactylus</i>	<i>podicipinus</i>	1.1	1
<i>Leptodactylus</i>	<i>rhodomystax</i>	3	0
<i>Leptopelis</i>	<i>natalensis</i>	3	1
<i>Limnodynastes</i>	<i>dumerilli</i>	1.7	0
<i>Limnodynastes</i>	<i>interioris</i>	1.7	0
<i>Limnodynastes</i>	<i>ornatus</i>	1.11	0
<i>Limnodynastes</i>	<i>peronii</i>	1.5	0
<i>Limnodynastes</i>	<i>spenceri</i>	1.5	0
<i>Limnodynastes</i>	<i>tasmaniensis</i>	1.14	0

<i>Limnonectes</i>	<i>blythii</i>	1.55	1
<i>Limnonectes</i>	<i>macrodon</i>	1.4	0
<i>Limnonectes</i>	<i>microdisca</i>	4.5	1
<i>Limnonectes</i>	<i>palavensis</i>	2.29	1
<i>Limnonectes</i>	<i>finchi</i>	1.96	1
<i>Lithodytes</i>	<i>lineatus</i>	2	0
<i>Litoria</i>	<i>caerula</i>	1.31	0
<i>Litoria</i>	<i>freycineti</i>	1.5	0
<i>Litoria</i>	<i>genimaculata</i>	2.35	0
<i>Litoria</i>	<i>inermis</i>	1.35	0
<i>Litoria</i>	<i>lesueuri</i>	1.44	0
<i>Litoria</i>	<i>nasuta</i>	1.15	0
<i>Litoria</i>	<i>pallida</i>	1.3	0
<i>Litoria</i>	<i>pearsoniana</i>	1.2	0
<i>Litoria</i>	<i>peronii</i>	1.5	0
<i>Litoria</i>	<i>phyllochroa</i>	1.23	0
<i>Litoria</i>	<i>rothii</i>	1.35	0
<i>Litoria</i>	<i>rubella</i>	1.05	0
<i>Litoria</i>	<i>spenceri</i>	1.6	0
<i>Litoria</i>	<i>subglandulosa</i>	1.6	0
<i>Litoria</i>	<i>tornieri</i>	1.4	0
<i>Litoria</i>	<i>verreauxi</i>	1.21	0
<i>Litoria</i>	<i>wotjulumensis</i>	1.75	0
<i>Mantella</i>	<i>aurantiaca</i>	1.75	0
<i>Mantidactylus</i>	<i>betsileanus</i>	2.5	0
<i>Mantidactylus</i>	<i>bicalcaratus</i>	1.9	1
<i>Mantidactylus</i>	<i>depressiceps</i>	3	0
<i>Mantidactylus</i>	<i>punctatus</i>	1.9	0
<i>Mantidactylus</i>	<i>ulcerosus</i>	2.5	1
<i>Megistolotis</i>	<i>lignarius</i>	1.85	0
<i>Microhyla</i>	<i>carolinensis</i>	1.2	0
<i>Microhyla</i>	<i>inornata</i>	2.1	0
<i>Myersiella</i>	<i>microps</i>	3	1
<i>Myobatrachus</i>	<i>gouldii</i>	5.06	0
<i>Nectophryne</i>	<i>afra</i>	3.5	1
<i>Nectophrynoides</i>	<i>malcomi</i>	2.6	1
<i>Nectophrynoides</i>	<i>tornieri</i>	3.5	1
<i>Neobatrachus</i>	<i>sudelli</i>	1.54	0
<i>Oreophryne</i>	<i>anulata</i>	3.4	1
<i>Oreophrynella</i>	<i>quelchii</i>	3	1
<i>Osteocephalus</i>	<i>buckleyii</i>	1	0
<i>Osteocephalus</i>	<i>oophagus</i>	1.74	1
<i>Osteocephalus</i>	<i>taurinus</i>	1	0
<i>Osteopilus</i>	<i>brunneus</i>	0.71	1
<i>Osteopilus</i>	<i>septentrionalis</i>	3	0
<i>Paracrinia</i>	<i>haswelli</i>	1.64	0
<i>Paratelmatobius</i>	<i>cardusoii</i>	1.66	0
<i>Paratelmatobius</i>	<i>lutzii</i>	1.9	0
<i>Pelobates</i>	<i>cultripes</i>	2	0
<i>Pelodytes</i>	<i>punctatus</i>	1.75	0
<i>Philoria</i>	<i>frosti</i>	3.9	1
<i>Phrynobatrachus</i>	<i>guineensis</i>	3	0
<i>Phrynobatrachus</i>	<i>latifrons</i>	0.8	0
<i>Phrynohyas</i>	<i>coriacea</i>	2	0
<i>Phrynohyas</i>	<i>resinifictrix</i>	1.58	1
<i>Phrynohyas</i>	<i>zonata</i>	2.75	0
<i>Phrynomantis</i>	<i>bifasciatus</i>	1.3	0
<i>Phyllobates</i>	<i>terribilis</i>	2.5	1
<i>Phyllobates</i>	<i>vittatus</i>	2.5	1

<i>Phyllodytes</i>	<i>luteolus</i>	1.1	1
<i>Phyllomedusa</i>	<i>medinai</i>	2	0
<i>Phyllomedusa</i>	<i>psilopygion</i>	4.3	0
<i>Phyllomedusa</i>	<i>tomopterna</i>	3.25	0
<i>Phyllomedusa</i>	<i>trinitatis</i>	3	0
<i>Phyllomedusa</i>	<i>vallianti</i>	2.25	0
<i>Physalaemus</i>	<i>cuvieri</i>	1.9	0
<i>Physalaemus</i>	<i>ephippifer</i>	1.5	0
<i>Physalaemus</i>	<i>petersi</i>	1	0
<i>Pipa</i>	<i>pipa</i>	6	1
<i>Platymantis</i>	<i>guentheri</i>	8.7	1
<i>Platymantis</i>	<i>meyeri</i>	7	1
<i>Platypelis</i>	<i>grandis</i>	4	1
<i>Plectrohyla</i>	<i>acanthodes</i>	2.9	0
<i>Plectrohyla</i>	<i>guatemalensis</i>	2	0
<i>Plectrohyla</i>	<i>harwegi</i>	2.5	0
<i>Plectrohyla</i>	<i>sagorum</i>	1.7	0
<i>Plethodontohyla</i>	<i>notosticta</i>	3.05	1
<i>Plethodontohyla</i>	<i>tuberata</i>	3.75	1
<i>Polypedates</i>	<i>leucomystax</i>	1.85	0
<i>Probreviceps</i>	<i>rhodesianus</i>	5	1
<i>Pseudacris</i>	<i>nigrita</i>	0.95	0
<i>Pseudacris</i>	<i>ocularis</i>	0.7	0
<i>Pseudacris</i>	<i>streckeri</i>	1.38	0
<i>Pseudophryne</i>	<i>australis</i>	2.775	1
<i>Pseudophryne</i>	<i>bibroni</i>	2.125	1
<i>Pseudophryne</i>	<i>corroboree</i>	3.25	1
<i>Psuedacris</i>	<i>brachyphona</i>	1.55	0
<i>Psuedacris</i>	<i>crucifer</i>	1.175	0
<i>Psuedacris</i>	<i>ocularis</i>	0.95	0
<i>Psuedacris</i>	<i>triseriata</i>	1.03	0
<i>Ptychadena</i>	<i>bibroni</i>	1.675	0
<i>Ptychadena</i>	<i>mascariensis</i>	1.1	0
<i>Ptychadena</i>	<i>oxyrhychus</i>	1.3	0
<i>Ptychadena</i>	<i>schubotzi</i>	1.3	0
<i>Ptychohyla</i>	<i>hypomykter</i>	2.38	0
<i>Pyxicephalus</i>	<i>adpersus</i>	2	1
<i>Rana</i>	<i>aurora</i>	2.475	0
<i>Rana</i>	<i>boylei</i>	2.125	0
<i>Rana</i>	<i>cancrivora</i>	1.625	0
<i>Rana</i>	<i>cascade</i>	2.225	0
<i>Rana</i>	<i>catesbiana</i>	1.3	0
<i>Rana</i>	<i>japonica</i>	1.75	0
<i>Rana</i>	<i>nigromaculata</i>	1.8	0
<i>Rana</i>	<i>porosa</i>	1.62	0
<i>Rana</i>	<i>pretiosa</i>	2.135	0
<i>Rana</i>	<i>ridibunda</i>	1.63	0
<i>Rana</i>	<i>saharica</i>	1.5	0
<i>Rana</i>	<i>slyvatica</i>	1.9667	0
<i>Rana</i>	<i>temporaria</i>	2.5	0
<i>Rhacophorus</i>	<i>arualis</i>	2.5	0
<i>Rhacophorus</i>	<i>pardalis</i>	3	0
<i>Rheobatrachus</i>	<i>silus</i>	4.7	1
<i>Rhinoderma</i>	<i>darwini</i>	4	1
<i>Rhinoderma</i>	<i>rufum</i>	2.5	1
<i>Scaphiophryne</i>	<i>calcarata</i>	1	0
<i>Scaphiopus</i>	<i>couchii</i>	1.45	0
<i>Scaphiopus</i>	<i>holbrookii</i>	1.7	0
<i>Schismaderma</i>	<i>carens</i>	2.05	0

<i>Scinax</i>	<i>boesmani</i>	1	0
<i>Scinax</i>	<i>boulengeri</i>	1.55	0
<i>Scinax</i>	<i>cruentomma</i>	1	0
<i>Scinax</i>	<i>dayi</i>	2.45	0
<i>Scinax</i>	<i>funerea</i>	1.1	0
<i>Scinax</i>	<i>garbei</i>	1.25	0
<i>Scinax</i>	<i>nebulosa</i>	1	0
<i>Scinax</i>	<i>rubra</i>	1.25	0
<i>Semnodactylus</i>	<i>wealii</i>	1.7	0
<i>Smilisca</i>	<i>baudinii</i>	1.3	0
<i>Smilisca</i>	<i>cyanosticta</i>	1.2	0
<i>Spea</i>	<i>bombifrons</i>	1.43	0
<i>Spea</i>	<i>hammondi</i>	1.305	0
<i>Spea</i>	<i>multiplicata</i>	1.34	0
<i>Sphaenorynchus</i>	<i>carneus</i>	1	0
<i>Sphaenorynchus</i>	<i>lacteus</i>	1	0
<i>Stauroids</i>	<i>chunganensis</i>	2.8	0
<i>Stefania</i>	<i>evansi</i>	9	1
<i>Stephopaedes</i>	<i>anotis</i>	2.5	0
<i>Synapturanus</i>	<i>mirandaribeiroi</i>	2.635	1
<i>Syncope</i>	<i>anteneri</i>	1.6	1
<i>Taudactylus</i>	<i>eugellensis</i>	2.4	0
<i>Taudactylus</i>	<i>liemi</i>	2.1	0
<i>Tomopterna</i>	<i>cryptotis</i>	1.5	0
<i>Tomopterna</i>	<i>delelandiii</i>	1.5	0
<i>Tomopterna</i>	<i>krugerensis</i>	1.2	0
<i>Tomopterna</i>	<i>marmorata</i>	2	0
<i>Uperoleia</i>	<i>crassa</i>	2	0
<i>Uperoleia</i>	<i>rugosa</i>	1.25	0

Appendix 2: Species in the comparative analyses, with data on egg size and parental care. Parental care categories: PC = parental care present (1), or absent (0).