

These are electronic appendices to the paper by Hausmann *et al.* 2003 *Proc. R. Soc. Lond. B* (ISSN 0962 8452): No. 1510, pp. 61—67.

Electronic appendices are refereed with the text. However, no attempt has been made to impose a uniform editorial style on the electronic appendices.

APPENDIX A. Test for an association between UV Colours and courtship displays

family	common name (§ species used in genus-level analysis)	scientific name	UV Colours in displayed regions? (+ yes, - no)	UV Colours in non-displayed regions? (+ yes, - no)
kingfishers	azure kingfisher	(<i>Alcedo azurea</i>)	+	+
	forest kingfisher	(<i>Halcyon macleayii</i>)	+	+
	sacred kingfisher §	(<i>Halcyon sancta</i>)	+	-
parrots	budgerigar	(<i>Melopsittacus undulatus</i>)	+	-
	king parrot	(<i>Alistreus scaoularis</i>)	-	+
	red-capped parrot	(<i>Purpureicephalus spurius</i>)	+	+
	blue bonnet	(<i>Northeriella haematogaster</i>)	+	-
	red-winged parrot	(<i>Aprosmictus erythropterus</i>)	+	+
	turquoise parrot	(<i>Neophema pulchella</i>)	+	-
	scarlet-chested parrot	(<i>Neophema splendida</i>)	+	-
	Bourke's parrot	(<i>Neophema bourkii</i>)	+	+
	blue-winged parrot	(<i>Neophema chrysostoma</i>)	+	-
	rock parrot	(<i>Neophema petrophilla</i>)	+	+
	ring-necked parrot	(<i>Platycercus zanarius</i>)	+	-
	crimson rosella	(<i>Platycercus elegans</i>)	+	-
	eastern rosella §	(<i>Platycercus eximicus</i>)	+	-
	Alexandra's parrot	(<i>Polytelis alexandrae</i>)	+	+
	regent parrot	(<i>Polytelis anthopeplus</i>)	+	+
	superb parrot	(<i>Polytelis swainsonii</i>)	+	+

rainbow lorikeet	(<i>Trichoglossus haematodus</i>)	+	+
pigeons			
crested pigeon §	(<i>Ocyphaps lopholes</i>)	+	+
rose-crowned fruit-dove	(<i>Ptilinopus regina</i>)	-	+
pittas			
noisy pitta §	(<i>Pitta versicolour</i>)	+	-
bowerbirds			
green catbird §	(<i>Ailuroedus crassirostris</i>)	+	+
spotted bowerbird	(<i>Chlamydera maculata</i>)	+	-
fairy-wrens			
variegated fairy-wren	(<i>Malurus assimilis</i>)	+	-
splendid fairy-wren §	(<i>Malurus splendens</i>)	+	-
southern emu-wren	(<i>Stripityturus ruficeps</i>)	+	-
honeyeaters			
brown honeyeater §	(<i>Lichimera indistincta</i>)	+	-
rufous-throated honeyeater	(<i>Conopophila rufularis</i>)	+	-
robins			
rose robin	(<i>Petroica rosae</i>)	+	-
eastern yellow robin §	(<i>Eopsaltria australis</i>)	+	-
corvids			
golden whistler §	(<i>Pachycephala pectoralis</i>)	+	-
yellow-breasted boatbill	(<i>Machaerirhynchus flaviventer</i>)	-	+
shining flycatcher	(<i>Myiagra alecto</i>)	+	-
magnificent riflebird	(<i>Ptiloris magnificus</i>)	+	-
Victoria riflebird	(<i>Ptiloris victoriae</i>)	+	-
paradise riflebird	(<i>Ptiloris paradiseus</i>)	+	-
trumpet manucode	(<i>Manucodia keraudrenii</i>)	+	-
sunbirds			
yellow-breasted sunbird §	(<i>Nectarinia jugularia</i>)	+	-
estrilid finches			
gouldian finch §	(<i>Erythrura gouldiae</i>)	+	-

APPENDIX B Test for an association between Fluorescent plumage and courtship displays in parrots

genus	common name (§ species used in family-level analysis)	scientific name	Fluorescence in displayed regions? (+ yes, - no)	Fluorescence in non-displayed regions ? (+ yes, - no)
Calyptorhynchus	red tailed black cockatoo	(<i>Calyptorhynchus banksii</i>)	+	+
	glossy black cockatoo §	(<i>Calyptorhynchus lathami</i>)	+	-
	yellow tailed black cockatoo	(<i>Calyptorhynchus funereus</i>)	+	+
Callocephalon				
	gang gang cockatoo §	(<i>Callocephalon fimbriatum</i>)	+	+
Cacatua				
	little corella §	(<i>Cacatua sanguinea</i>)	+	-
	long billed corella	(<i>Cacatua tenuirostris</i>)	+	-
	western corella	(<i>Cacatua pastinator</i>)	+	+
	major mitchell's cockatoo	(<i>Cacatua leadbeateri</i>)	+	-
	sulphur crested cockatoo	(<i>Cacatua galerita</i>)	+	-
Nymphicus				
	cockateil §	(<i>Nymphicus hollandicus</i>)	+	+
Alisterus				
	australian king parrot §	(<i>Alisterus scapularis</i>)	+	-
Aprosmictus				
	red winged parrot §	(<i>Aprosmictus erythropterus</i>)	-	+
Polytelis				
	regent parrot §	(<i>Polytelis anthopeplus</i>)	+	-
	superb parrot	(<i>Polytelis swainsonii</i>)	+	-
	princess parrot	(<i>Polytelis alexandrae</i>)	+	-
Melopsittacus				
	budgerigar §	(<i>Melopsittacus undulatus</i>)	+	+
Purpureicephalus				
	red capped parrot §	(<i>Purpureicephalus spurius</i>)	+	+
Platycercus				

green rosella				+		(<i>Platycercus caledonicus</i>)
crimson rosella				-		(<i>Platycercus elegans</i>)
eastern rosella				+		(<i>Platycercus eximius</i>)
pale headed rosella				+		(<i>Platycercus adscitus</i>)
northern rosella §				+		(<i>Platycercus venustus</i>)
western rosella				+		(<i>Platycercus icterotis</i>)
Barnardius						
australian ring neck §				-		(<i>Barnardius zonarius</i>)
Psephotus						
red rumped parrot				-		(<i>Psephotus haemotonotus</i>)
mulga parrot §				-		(<i>Psephotus varius</i>)
golden shouldered parrots				-		(<i>Psephotus chrysopterygius</i>)
hooded parrot				-		(<i>Psephotus dissimilis</i>)
Northiella						
blue bonnet §				-		(<i>Northiella haematogaster</i>)
Neophema						
blue winged parrot				+		(<i>Neophema chrysostema</i>)
elegant parrot				+		(<i>Neophema elegans</i>)
turquoise parrot §				-		(<i>Neophema pulchella</i>)
scarlet chested parrot				-		(<i>Neophema splendida</i>)
