## Appendix table 1. CCR by husband's smoking (Reproduced from selected lines of Lee's table 3)

Index of husband's smoking	Level	n	Median CCR (ng/mg)
Current smoker	No	127	17.98
	Yes	137	11.51
Cigarettes smoked daily at home	1-5	49	10.93
(workdays)	6-10	52	16.38
	11+	28	5.74

Appendix Table 2. Variation in CCR (ng/mg) by number of cigarettes smoked and various indices of ETS exposure (Reproduced from the bottom lines of Lee's table 5)

Base	Index of exposure	Level	n	Median CCR (ng/mg)
Confirmed	Working in	No	122	16.72
non-smokers	preceding week	Yes	168	14.49
	Any exposure	No	55	17.56
	(home + work)	Yes	235	14.74

Appendix Table 3. Difference between self-reported smoking status and food intake frequency and lifestyle.

		current	passive	non	X <sup>2</sup> test p-value	
				P-N	P-N adjusted <sup>†</sup>	
Food intake fre	equency					
Eggs	· ·				0.605	0.818
	-1/w	15	21	19		
	1/w	65	48	45		
	2+/w	19	31	36		
Dark green veg	getables				0.164	0.191
G	-1/wk	17	9	5		
	2-3/wk	51	34	30		
	1/day	28	47	47		
	2+/day	4	10	17		
Carrot					0.069	0.094
	-1/wk	26	20	10		
	2-3/wk	59	54	57		
	+1/day	15	27	33		
Smoked fish					0.033	0.092
	no	43	63	61		
	less than 1/w	21	24	23		
	1/w	23	10	7		
	more than 2/w	13	2	10		
Fruits					0.080	0.066
	-1/wk	14	7	5		
	2-3/wk	37	24	18		
	1/day	40	52	49		
	2+/day	9	18	29		

Juice					0.042	0.038
Juice	no	18	31	43	0.012	0.030
	less than 1/w	18	24	16		
	1/w	8	15	11		
	2-3/w	33	15	20		
	every day	23	16	10		
Coffee					0.367	0.606
	no	4	15	18		
	-3/wk	10	34	26		
	1/day	27	26	33		
	+2/day	59	25	23		
T 'C . 1						
<u>Lifestyle</u> Taking breakfast with husband					0.009	0.010
	yes	47	63	76		
	no	53	37	24		
					0.070	0.040
Taking lunch	with husband	0	10	2.1	0.058	0.048
	yes	8	13	21		
	no	92	87	79		
Cooking					0.187	0.304
_	boiled	33	46	56		
	fried	54	47	39		
	baked	13				
Cooking hours					0.880	0.974
less than 30 minutes		23	6	7		
21-60 minutes		36	31	27		
61-90 minutes		18	33	35		
91 n	ninutes and over	23	30	32		

Ventilation hours					0.328	0.266	
10	less than 15 minutes		9	9			
1	16-90 minutes	49	36	28			
9	91 minutes and over	40	55	63			
Vehicle at the time when they go out				0.730	0.694		
	bicycle	53	58	63			
	car	40	22	20			
	others	6	19	18			
Hours husband at home					0.351	0.242	
le	less than 8 hours 29		12				
9	9-12 ours	46	56	55			
1	13-20 hours	22	24	23			
2	21 hours and over	3	5	10			
Income (ten thousand yen)						0.932	0.795
16	ess than 500	45	22	20			
5	501-700	22	25	24			
7	701-900	9	15	18			
9	901 and over	19	18	16			
n	nissing	5	20	22			
Hours hus  le  9  1  2  Income (t	bicycle car others  sband at home ess than 8 hours 29 9-12 ours 13-20 hours 21 hours and over ten thousand yen) ess than 500 501-700 701-900 901 and over	53 40 6 15 46 22 3 45 22 9 19	22 19 12 56 24 5 22 25 15 18	20 18 55 23 10 20 24 18 16		0.242	0.79

Originally 24 food items and 30 lifestyle items were compared among active smoker, passive smoker, and neither active nor passive smokers and between the latter two. Items showing some significant difference in these comparisons were presented.

Number indicates percentile.

P-N: comparison between non-smoker with and without ETS exposure

 $<sup>^\</sup>dagger p$  value when excluding non-smokers whose CCR value was over the relevant cut-off level of CCR 100ng/mg