

Table W1 Annual hip implantation rates/10⁵ inhabitants – national health authorities data

	1985 or the next later year	1990 or the next later year	1995 or the next later year	1998	Procedure	Data source
Australia				117	THR, partial hip replacements and revision procedures	Public and most private hospitals
Denmark	72	121	125	146	a)	National register
England		115	128	137	b)	Public hospitals *
Finland		109	133	145	Hip replacements	National register
France				192	c)	Public and private hospitals
Hungary			57	78 ⁺	d)	All hospitals
Ireland			110	107	e)	Public hospitals
New Zealand				80 ^{§ °}	Hip replacements	Public hospitals
Norway	110	131	140	145	Primary and revision THR [†]	National register
Poland	28	31	35		g)	Central hospital register
Portugal			41	60 ⁺	Total and partial hip replacements ^{h)}	Public hospitals
Singapore			23	27 ⁺	Hip implantations ⁱ⁾	All hospitals

Sweden	129	127	136	151	j)	National register
United States			99	102 [#]	e)	Non-federal hospitals
Wales			151	139	b)	Public hospitals

+ 1999 § 1997 # 1996

* [a](#) all patients admitted to NHS hospitals, including private patients treated in NHS Hospitals

° standardised discharge ratio (ratio of observed to expected discharge rates - age/gender standardised) of pacific people vs. total population: 0.3

- a) 1998: NFB, NFC Nomesco classification of surgical procedures
1990/1995: 70030-39, 70230-39, 70130-39, 70330-39
1985: 8270, 8274
- b) OPCS4: W37-W39, W46-W48
- c) W435-W454, W795
- d) International Classification of Procedures, WHO, 1978: 58150-58159, 5815A-F, 58169
- e) ICD-9-CM: 81.51, 81.52, 81.53
- f) Hemiprotheses not recorded
- g) 5-820
- h) ICD-9-CM: 81.51, 81.52
- i) Total and partial hip replacement, for hip revision procedures no detailed information available
- j) ICD-9: 8410, 8413-15, 8419, NFB0-4, NFB9, NFC

