



Medial tibio-femoral joint space narrowing for women




Grade -5




Grade -4

Medial tibio-femoral joint space narrowing for women




Grade -3




Grade -2

Medial tibio-femoral joint space narrowing for women




Grade -1




Grade 0

Medial tibio-femoral joint space narrowing for women




Grade 1




Grade 2

Medial tibio-femoral joint space narrowing for women




Grade 3




Grade 4

Medial tibio-femoral joint space narrowing for women




Grade 5

Lateral tibio-femoral joint space narrowing for women




Grade -5




Grade -4

Lateral tibio-femoral joint space narrowing for women




Grade -2




Grade -3

Lateral tibio-femoral joint space narrowing for women




Grade -1




Grade 0

Lateral tibio-femoral joint space narrowing for women




Grade 1




Grade 2

Lateral tibio-femoral joint space narrowing for women




Grade 3




Grade 4

Lateral tibio-femoral joint space narrowing for women




Grade 5

Osteophytes in all tibio-femoral sites




Grade 0




Grade 1

Osteophytes in tibio-femoral sites




Grade 2




Grade 3

Osteophytes in all tibio-femoral sites




Grade 4




Grade 5

Lateral tibial osteophyte (optional shape)




Grade 0




Grade 1

Lateral tibial osteophyte (optional shape)




Grade 2




Grade 3

Lateral tibial osteophyte (optional shape)




Grade 4




Grade 5


Medial patello-femoral joint space narrowing for women




Grade -5



Grade -4




Grade -3




Grade -2


Medial patello-femoral joint space narrowing for women




Grade -1



Grade 0




Grade 1




Grade 2


Medial patello-femoral joint space narrowing for women



Grade 3




Grade 4




Grade 5


Lateral patello-femoral joint space narrowing for women




Grade -5



Grade -4




Grade -3




Grade -2


Lateral patello-femoral joint space narrowing for women




Grade -1



Grade 0




Grade 1




Grade 2


Lateral patello-femoral joint space narrowing for women



Grade 3




Grade 4




Grade 5


Osteophytes in all patello-femoral sites




Grade 0



Grade 1




Grade 2




Grade 3

Osteophytes in all patello-femoral sites




Grade 4




Grade 5


Medial femoral trochlear osteophyte (optional shape)




Grade 0



Grade 1




Grade 2




Grade 3

Medial femoral trochlear osteophyte (optional shape)




Grade 4




Grade 5

Medial tibio-femoral joint space narrowing for men




Grade -5




Grade -4

Medial tibio-femoral joint space narrowing for men




Grade -3




Grade -2

Medial tibio-femoral joint space narrowing for men




Grade -1




Grade 0

Medial tibio-femoral joint space narrowing for men




Grade 1




Grade 2

Medial tibio-femoral joint space narrowing for men




Grade 3




Grade 4


Medial tibio-femoral joint space narrowing for men



Lateral tibio-femoral joint space narrowing for men




Grade -4




Grade -5

Lateral tibio-femoral joint space narrowing for men




Grade -3




Grade -2

Lateral tibio-femoral joint space narrowing for men




Grade -1




Grade 0

Lateral tibio-femoral joint space narrowing for men




Grade 1




Grade 2

Lateral tibio-femoral joint space narrowing for men




Grade 3




Grade 4

Lateral tibio-femoral joint space narrowing for men




Grade 5

Osteophytes in all tibio-femoral sites




Grade 0




Grade 1

Osteophytes in tibio-femoral sites




Grade 2




Grade 3

Osteophytes in all tibio-femoral sites




Grade 4




Grade 5

Lateral tibial osteophyte (optional shape)




Grade 0




Grade 1

Lateral tibial osteophyte (optional shape)




Grade 2




Grade 3

Lateral tibial osteophyte (optional shape)




Grade 4




Grade 5


Medial patello-femoral joint space narrowing for men




Grade -5



Grade -4




Grade -3




Grade -2


Medial patello-femoral joint space narrowing for men




Grade -1



Grade 0




Grade 1




Grade 2


Medial patello-femoral joint space narrowing for men



Grade 3




Grade 4




Grade 5


Lateral patello-femoral joint space narrowing for men




Grade -5



Grade -4




Grade -3




Grade -2

Lateral patello-femoral joint space narrowing for men




Grade -1



Grade 0




Grade 1




Grade 2


Lateral patello-femoral joint space narrowing for men



Grade 3




Grade 4




Grade 5


Osteophytes in all patello-femoral sites




Grade 0



Grade 1




Grade 2




Grade 3

Osteophytes in all patello-femoral sites




Grade 4




Grade 5


Medial femoral trochlear osteophyte (optional shape)




Grade 0



Grade 1




Grade 2




Grade 3

Medial femoral trochlear osteophyte (optional shape)



Grade 4



Grade 5