

Treating patients with ventricular ectopic beats

GA Ng

Web only refs

1. Kostis JB. The prognostic significance of ventricular ectopic activity. *Am J Cardiol* 1992;70:807–8.
2. Lown B, Fakhro AM, Hood WB Jr, *et al*. The coronary care unit. New perspectives and directions. *JAMA* 1967;199:188–98.
3. Kennedy HL. Benign ventricular ectopic activity: evolving insights. *Cardiac Electrophysiology Review* 2001;5:319–22.
4. Kostis JB, McCrone K, Moreyra AE, *et al*. Premature ventricular complexes in the absence of identifiable heart disease. *Circulation* 1981;63:1351–6.
5. Kennedy HL, Whitlock JA, Sprague MK, *et al*. Long-term follow-up of asymptomatic healthy subjects with frequent and complex ventricular ectopy. *N Engl J Med* 1985;312:193–7.
6. Bigger JT Jr, Fleiss JL, Kleiger R, *et al*. The relationships among ventricular arrhythmias, left ventricular dysfunction, and mortality in the 2 years after myocardial infarction. *Circulation* 1984;69:250–8.
7. Abdalla IS, Prineas RJ, Neaton JD, *et al*. Relation between ventricular premature complexes and sudden cardiac death in apparently healthy men. *Am J Cardiol* 1987;60:1036–42.
8. Bikkina M, Larson MG, Levy D. Prognostic implications of asymptomatic ventricular arrhythmias: the Framingham Heart Study. *Ann Intern Med* 1992;117:990–6.
9. Kostis JB, Allen R, Berkson DM, *et al*. Correlates of ventricular ectopic activity in isolated systolic hypertension. SHEP Cooperative Research Group. *Am Heart J* 1994;127:112–21.
10. Fleg JL, Kennedy HL. Long-term prognostic significance of ambulatory electrocardiographic findings in apparently healthy subjects greater than or equal to 60 years of age. *Am J Cardiol* 1992;70:748–51.
11. The Cardiac Arrhythmia Suppression Trial (CAST) Investigators. Preliminary report: Effect of encainide and flecainide on mortality in a randomized trial of arrhythmia suppression after myocardial infarction. *N Engl J Med* 1989;321:406–12.
12. Messerli FH, Ventura HO, Elizardi DJ, *et al*. Hypertension and sudden death. Increased ventricular ectopic activity in left ventricular hypertrophy. *Am J Med* 1984;77:18–22.
13. Crow RS, Prineas RJ, Dias V, *et al*. Ventricular premature beats in a population sample. Frequency and associations with coronary risk characteristics. *Circulation* 1975;52:III211–III215.
14. Simpson RJ Jr, Cascio WE, Schreiner PJ, *et al*. Prevalence of premature ventricular contractions in a population of African American and white men and women: the Atherosclerosis Risk in Communities (ARIC) study. *Am Heart J* 2002;143:535–40.
15. Gordon T, Kannel WB. Premature mortality from coronary heart disease. The Framingham study. *JAMA* 1971;215:1617–25.
16. Simpson RJ Jr, Cascio WE, Crow RS, *et al*. Association of ventricular premature complexes with electrocardiographic-estimated left ventricular mass in a population of

- African-American and white men and women (The Atherosclerosis Risk in Communities [ARIC] Study). *Am J Cardiol* 2001;87:49–53.
17. Almendral J, Villacastin JP, Arenal A, et al. Evidence favoring the hypothesis that ventricular arrhythmias have prognostic significance in left ventricular hypertrophy secondary to systemic hypertension. *Am J Cardiol* 1995;76:60D–3D.
 18. Becker R, Haass M, Ick D, et al. Role of nonsustained ventricular tachycardia and programmed ventricular stimulation for risk stratification in patients with idiopathic dilated cardiomyopathy. *Basic Res Cardiol* 2003;98:259–66.
 19. Mehta A, Jain AC, Mehta MC, et al. Caffeine and cardiac arrhythmias. An experimental study in dogs with review of literature. *Acta Cardiol* 1997;52:273–83.
 20. Prineas RJ, Jacobs DR Jr, Crow RS, et al. Coffee, tea and VPB. *J Chronic Dis* 1980;33:67–72.
 21. Dobmeyer DJ, Stine RA, Leier CV, et al. The arrhythmogenic effects of caffeine in human beings. *N Engl J Med* 1983;308:814–6.
 22. Myers MG. Caffeine and cardiac arrhythmias. *Chest* 1988;94:4–5.
 23. Graboys TB, Blatt CM, Lown B. The effect of caffeine on ventricular ectopic activity in patients with malignant ventricular arrhythmia. *Arch Intern Med* 1989;149:637–9.
 24. Newby DE, Neilson JM, Jarvie DR, et al. Caffeine restriction has no role in the management of patients with symptomatic idiopathic ventricular premature beats. *Heart* 1996;76:355–7.
 25. DeBacker G, Jacobs D, Prineas R, et al. Ventricular premature contractions: a randomized non-drug intervention trial in normal men. *Circulation* 1979;59:762–9.
 26. Bourne G. An attempt at the clinical classification of premature ventricular beats. *Q J Med* 1927;20:219–43.
 27. McHenry PL, Morris SN, Kavalier M, et al. Comparative study of exercise-induced ventricular arrhythmias in normal subjects and patients with documented coronary artery disease. *Am J Cardiol* 1976;37:609–16.
 28. Busby MJ, Shefrin EA, Fleg JL. Prevalence and long-term significance of exercise-induced frequent or repetitive ventricular ectopic beats in apparently healthy volunteers. *J Am Coll Cardiol* 1989;14:1659–65.
 29. Jouven X, Zureik M, Desnos M, et al. Long-term outcome in asymptomatic men with exercise-induced premature ventricular depolarizations. *N Engl J Med* 2000;343:826–33.
 30. Morshedi-Meibodi A, Evans JC, Levy D, et al. Clinical correlates and prognostic significance of exercise-induced ventricular premature beats in the community: the Framingham Heart Study. *Circulation* 2004;109:2417–22.
 31. Frolkis JP, Pothier CE, Blackstone EH, Lauer MS. Frequent ventricular ectopy after exercise as a predictor of death. *N Engl J Med* 2003;348:781–90.
 32. O'Neill JO, Young JB, Pothier CE, et al. Severe frequent ventricular ectopy after exercise as a predictor of death in patients with heart failure. *J Am Coll Cardiol* 2004;44:820–6.
 33. Ng GA, Brack KE, Coote JH. Autonomic modulation of electrical restitution and ventricular fibrillation initiation in isolated rabbit hearts. *Journal of Physiology-London* 2001;533:45P–6P.
 34. Jouven X, Ducimetiere P. Exercise testing: do frequent premature ventricular depolarizations represent a new criterion of positivity? *Eur Heart J* 2001;22:1759–61.

35. Joshi S, Wilber DJ. Ablation of idiopathic right ventricular outflow tract tachycardia: current perspectives. *J Cardiovasc Electrophysiol* 2005;16(Suppl 1):S52–S58.
36. Lerman BB, Stein K, Engelstein ED, et al. Mechanism of repetitive monomorphic ventricular tachycardia. *Circulation* 1995;92:421–9.
37. Fontaine G, Fontaliran F, Hebert JL, et al. Arrhythmogenic right ventricular dysplasia. *Annu Rev Med* 1999;50:17–35.
38. Ng E, Adlam D, Keal RP, et al. Recurrent ventricular tachycardia of non-ischaemic origin. *J R Soc Med* 2004;97:23–5.
39. Verma A, Kilicaslan F, Schweikert RA, et al. Short- and long-term success of substrate-based mapping and ablation of ventricular tachycardia in arrhythmogenic right ventricular dysplasia. *Circulation* 2005;111:3209–16.
40. Wellens HJ. Radiofrequency catheter ablation of benign ventricular ectopic beats: a therapy in search of a disease? *J Am Coll Cardiol* 1995;26:850–1.
41. Globits S, Kreiner G, Frank H, et al. Significance of morphological abnormalities detected by MRI in patients undergoing successful ablation of right ventricular outflow tract tachycardia. *Circulation* 1997;96:2633–40.
42. Gaita F, Giustetto C, Di Donna P, et al. Long-term follow-up of right ventricular monomorphic extrasystoles. *J Am Coll Cardiol* 2001;38:364–70.
43. Zweytick B, Pignoni-Mory P, Zweytick G, et al. Prognostic significance of right ventricular extrasystoles. *Europace* 2004;6:123–9.
44. Lemery R, Brugada P, Bella PD, et al. Nonischemic ventricular tachycardia. Clinical course and long-term follow-up in patients without clinically overt heart disease. *Circulation* 1989;79:990–9.
45. Duffee DF, Shen WK, Smith HC. Suppression of frequent premature ventricular contractions and improvement of left ventricular function in patients with presumed idiopathic dilated cardiomyopathy. *Mayo Clin Proc* 1998;73:430–3.
46. Takemoto M, Yoshimura H, Ohba Y, et al. Radiofrequency catheter ablation of premature ventricular complexes from right ventricular outflow tract improves left ventricular dilation and clinical status in patients without structural heart disease. *J Am Coll Cardiol* 2005;45:1259–65.
47. Noda T, Shimizu W, Taguchi A, et al. Malignant entity of idiopathic ventricular fibrillation and polymorphic ventricular tachycardia initiated by premature extrasystoles originating from the right ventricular outflow tract. *J Am Coll Cardiol* 2005;46:1288–94.
48. Viskin S, Rosso R, Rogowski O, et al. The “short-coupled” variant of right ventricular outflow ventricular tachycardia: a not-so-benign form of benign ventricular tachycardia? *J Cardiovasc Electrophysiol* 2005;16:912–6.
49. Viskin S, Antzelevitch C. The cardiologists’ worst nightmare sudden death from “benign” ventricular arrhythmias. *J Am Coll Cardiol* 2005;46:1295–7.
50. Haissaguerre M, Shah DC, Jais P, et al. Role of Purkinje conducting system in triggering of idiopathic ventricular fibrillation. *Lancet* 2002;359:677–8.
51. Haissaguerre M, Shoda M, Jais P, et al. Mapping and ablation of idiopathic ventricular fibrillation. *Circulation* 2002;106:962–7.
52. Haissaguerre M, Extramiana F, Hocini M, et al. Mapping and ablation of ventricular fibrillation associated with long-QT and Brugada syndromes. *Circulation* 2003;108:925–8.

53. Francis J, Sankar V, Nair VK, *et al*. Catecholaminergic polymorphic ventricular tachycardia. *Heart Rhythm* 2005;2:550–4.
54. Stevenson WG. Catheter ablation of monomorphic ventricular tachycardia. *Curr Opin Cardiol* 2005;20:42–7.
55. Reiter MJ, Reiffel JA. Importance of beta blockade in the therapy of serious ventricular arrhythmias. *Am J Cardiol* 1998;82:9I–19I.
56. Sanders GD, Hlatky MA, Owens DK. Cost-effectiveness of implantable cardioverter-defibrillators. *N Engl J Med* 2005;353:1471–80.
57. Katritsis DG, Camm AJ. Nonsustained ventricular tachycardia: where do we stand? *Eur Heart J* 2004;25:1093–9.