References to studies included in the review (web only)

- W1. Close J, Ellis M, Hooper R, al e. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial. Lancet 1999;353:93-97.
- W2. Coleman EA, Grothaus LC, Sandhu N, Wagner EH. Chronic care clinics: a randomized controlled trial of a new model of primary care for older frail adults. J Am Geriatr Soc 1999;47:775-783.
- W3. Davison J, Bond J, Dawson P, Steen IN, Kenny RA. Patients with recurrent falls attending accident & emergency benefit from multifactorial intervention -- a randomised controlled trial. Age and Ageing 2005;34(2):162-8.
- W4. Fabacher D, Josephson K, Pietruszka F, Linderborn K, Morley JE, Rubenstien LZ. An inhome preventive assessment program for independent older adults: a randomized controlled trial. J Am Geriatr Soc 1994;42:630-638.
- W5. Gallagher EM, Brunt H. Head over heels: impact of a health promotion program to reduce falls in the elderly. Can J Aging 1996;15(1):84-96.
- W6. Gill TM, Baker DI, Gottschalk M, Peduzzi PN, Allore H, Byers A. A program to prevent functional decline in physically frail, elderly persons who live at home. N Engl J Med 2002;347(14):1068-1074.
- W7. Hogan DA, MacDonald FA, Betts J, Bricker S, Ebly EM, Delarue B, et al. A randomized controlled trial of a comunity-based consultation service to prevent falls. CMAJ 2001;165(5):537-543.
- W8. Huang T-T, Acton GJ. Effectiveness of home visit falls prevention strategy for Taiwanese community-dwelling elders: randomized trial. Public Health Nursing 2004;21(3):247-56.
- W9. Jitapunkul S. A randomised controlled trial of regular surveillance an Thai elderly using a simple questionnaire administered by non-professional personnel. Journal of the Medical Association of Thailand 1998;81(5):352-356.
- W10. Lightbody E, Watkins C, Leathley M, Sharma A, Lye M. Evaluation of a nurse-led falls prevention programme versus usual care: a randomized controlled trial. Age and Ageing 2002;31:203-210.

- W11. Lord SR, Tiedemann A, Chapman K, Munro B, Murray SM, et al. The effect of an individualized fall prevention program on fall risk and falls in older people: a randomized, controlled trial. J Am Geriatr Soc 2005;53(8):1296-304.
- W12. Newbury J, Marley JE, Beilby JJ. A randomised controlled trial of the outcome of health assessment of people aged 75 years and over. Med J Aus 2001;175:104-107.
- W13. Pardessus V, Puisieux F, BDi Pompeo C, Gaudefroy C, Thevenon A, Dewailly P.

 Benefits of home visits for falls and autonomy in the elderly. A randomized trial study.

 Am J Phys Med Rehabil 2002;81(4):247-252.
- W14. Rubenstein LZ, Alessi CA, Josephson KR, Trinidad Hoyl M, Harker JO, Pietruszka FM.
 A randomized trial of a screening, case finding, and referral system for older veterans in primary care. J Am Geriatr Soc 2007; 55: 166-174.
- W15. Shaw FE, Bond J, Richardson DA, Dawson P, Steen IN, McKeith IG, et al. Multifactorial intervention after a fall in older people with cognitive impairment and dementia presenting to the accident and emergency department: randomised controlled trial.

 BMJ 2003;326(7380):73-.
- W16. Tinetti ME, Baker DI, McAvay G, Claus EB, Garrett P, Gottschalk M, et al. A multifactorial intervention to reduce the risk of falling among elderly people living in the community. N Engl J Med 1994;331(13):821-827.
- W17. Van Haastregt JCM, Diedericks JPM, van Rossum E, de Witte LP, Voorhoeve PM, Crebolder HFJM. Effects of a programme of multifactorial home visits on falls and mobility impairments in elderly people at risk: randomised controlled trial. BMJ 2000;321:994-998.
- W18. Wagner EH, LaCroix AZ, Grothaus LC, Leveille SG, Hecht JA, Artz K, et al. Preventing disability and falls in older adults: a population-based randomized trial. Am J Public Health 1994;84(11):1800-1806.
- W19. Whitehead C, Wundke R, Crotty M, Finucane P. Evidence-based clinical practice in falls prevention: a randomised controlled trial of a falls prevention service. Aust Health Rev 2003;26(3):88-97.

References to studies excluded from the review (web only)

- W20. Barr RJ, Stewart A, Torgerson DJ, Seymour DG, Reid DM. Screening elderly women for risk of future fractures - Participation rates and impact on incidence of falls and fractures. Calcif Tissue Int 2005;76(4):243-248.
- W21. Campbell AJ, Robertson MC, La Grow SJ, Kerse NM, Sanderson GF, Jacobs RJ, et al.

 Randomised controlled trial of prevention of falls in people aged >=75 with severe

 visual impairment: The VIP trial. BMJ 2005;331(7520):817-820.
- W22. Clemson L, Cumming RG, Kendig H, Swann M, Heard R, Taylor K. The effectiveness of a community-based program for reducing the incidence of falls in the elderly: a randomized trial. J Am Geriatr Soc 2004;52(9):1487-94.
- W23. Crome P, Hill S, Mossman J, Stockdale P. A randomised controlled trial of a nurse-led falls prevention clinic (abstract). J Am Geriatr Soc 2000;48(8):S78.
- W24. Cumming RG, Thomas M, Szonyi G, Salkeld G, O'Neill E, Westbury C. Home visits by an occupational therapist for assessment and modification of environmentl hazards: a randomized trial of falls prevention. J Am Geriatr Soc 1999;47(12):1397-1402.
- W25. Day L, Fildes B, Gordon I, Fitzharris M, Flamer H, Lord S. Randomised factorial trial of falls prevention among older people living on their own homes. BMJ 2002;325:128-131.
- W26. Gitlin LN, Winter L, Dennis MP, Corcoran M, Schinfeld S, Hauck WW. A randomized trial of a multicomponent home intervention to reduce functional difficulties in older adults. J Am Geriatr Soc 2006;54(5):809-816.
- W27. Haines TP, Bennell KL, Osborne RH, Hill KD. Effectiveness of targeted falls prevention programme in subacute hospital setting: randomised controlled trial. BMJ 2004;328(7441):676-9.
- W28. Hall N, De Beck P, Johnson D, Mackinnon K, Gutman G, Glick N. Randomized trial of a prevention program for frail elders. Can J Aging 1992;11:72-91.
- W29. Hebert R, Robichaud L, Roy PM, Bravo G, Voyer L. Efficacy of a nurse-led multidimensional preventive programme for older people at risk of functional decline. A randomized controlled trial. Age and Ageing 2001;30:147-153.

- W30. Hendriks MRC, van Haastregt JCM, Diederiks JPM, Evers S, Crebolder H, van Eijk JTM. Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial ISRCTN64716113. BMC Public Health 2005;5.
- W31. Hornbrook MC, Stevens VJ, Wingfield DJ, Hollis JF, Greenlick MR, Ory MG. Preventing falls among community-dwelling older persons: results from a randomized trial.

 Gerontologist 1994;34:16-23.
- W32. Kingston P, Jones M, Lally F, Crome P. Older people and falls: a randomized controlled trial of a health visitor (HV) intervention. Rev Clin Gerontol 2001;11:209-214.
- W33. Masud T, Coupland C, Drummond A, Gladman J, Kendrick D, Sach T, Harwood R, Kumar P, Morris R, Taylor R, Youde J, Conroy S. Multifactorial day hospital intervention to reduce falls in high risk older people in primary care: a multi-centre randomised controlled trial [ISRCTN 46584556]. Trials 2006; 7: 5.
- W34. McEwan RT, Davison N, Forster DP, Pearson P, Stirling E. Screening elderly people in primary care: a randomized controlled trial. Br J Gen Pract 1990;40:94-97.
- W35. Nikolaus T, Bach M. Preventing falls in community-dwelling frail older people using a home intervention team (HIT): results from the Randomized Falls-HIT Trial. J Am Geriatr Soc 2003;51(3):300-5.
- W36. Reuben DB, Frank JC, Hirsch SH, McGuigan KA, Maly RC. A randomized clinical trial of outpatient comprehensive geriatric assessment coupled with an intervention to increase adherence to recommendations. J Am Geriatr Soc 1999;47:269-276.
- W37. Robson E, Edwards J, Gallagher E, Baker D. Steady as you go (SAYGO): A falls-prevention program for seniors living in the community. Can J Aging 2003;22(2):207-216.
- W38. Rubenstein LZ, Robbins AS, Josephson KR, Schulman BL, Osterweil D. The value of assessing falls in an elderly population. Ann Intern Med 1990;113:308-316.
- W39. Steadman J, Donaldson N, Kalra L. A randomized controlled trial of an enhanced balance training program to improve mobility and reduce falls in elderly patients. J Am Geriatr Soc 2003;51(6):847-52.

- W40. Steinberg M, Cartwright C, Peel N, Williams G. A sustainable programme to prevent falls and near falls in community dwelling older people: results of a randomised trial. J Epidemiol Community Health 2000;54:227-232.
- W41. Stenvall M, Olofsson B, Lundstrom M, Englund U, Borssen B, Svensson O, Nyberg L, Gustafson Y. A multidisciplinary, multifactorial intervention pogram reduced postoperative falls and injuries after femoral neck fracture. Osteoporos Int 2007; 18: 167-175.
- W42. Stevens M, Holman CDJ, Bennett N, de Klerk N. Preventing falls in older people: outcome evaluation of a randomized controlled trial. J Am Geriatr Soc 2001;49:1448-1455.
- W43. van Rossum E, Frederiks CMA, Philipsen H, Portengen K, Wiskerke J, Knipschild P. Effects of preventive home visits to elderly people. BMJ 1993;307:27-32.
- W44. Yates SM, Dunnagan TM. Evaluating the effectiveness of a home-based fall risk reduction program for rural community dwelling older adults. J Gerontol Med Sci 2001;56A(4):M226-M230.