

### Supplement Table 1: MET criteria

The score is 0 if no criterion is met and 1 if a criterion is met.

Criteria	Airway
Airway	Threatened
Breathing	All respiratory arrests Respiratory rate < 5 per minute Respiratory rate > 36 per minute
Circulation	All cardiac arrests Pulse rate < 40 per minute Pulse rate > 140 per minute
Neurology	Sudden fall in level of consciousness (Fall in Glasgow Coma Score of > 2 points) Repeated or prolonged seizures
Other	Any patient who does not fit the criteria above, but whom you are seriously worried about

### Supplement Table 2: Modified Early Warning Score

	3	2	1	0	1	2	3
Systolic Blood pressure (mmHg)	<70	71-80	81-100	101-199		>=200	
Heart rate (bpm)		<40	41-50	51-100	101-110	111-129	>=130
Respiratory rate (bpm)		<9		9-14	15-20	21-29	>=30
Temperature (°C)		<35		35-38.4		>=38.5	
AVPU score				Alert	Reacting to Voice	Reacting to Pain	Unresponsive

**Supplement Table 3: Assessment Score for Sick Patient Identification and Step-up in Treatment (ASSIST)**

	4	2	1	0	1	2	4
Blood pressure (systolic)	<85	85-90	91-99	100-220			>220
Pulse rate	<50		50-60	61-100	101-120	121-140	>140
Respiratory Rate	<10			10-25	26-30	31-40	>35
Neurological Score				Alert & Orientated	Confused <sup>1</sup> or Agitated	Drowsy but easily rousable	Not rousable or only by Nail pressure
Age (years)				< 70	≥ 70		
<sup>1</sup> Confusion should not be charted in patients with previously documented dementia							
<b>Assessment Score for Sick patient Identification and Step-up in Treatment</b>							