

APPENDICES

Appendix 1

Appraisal table for diagnostic studies.

REFERENCE STANDARD	Test(s) blinded to CTPA
PATIENTS	Consecutive recruiting Details of recruitment process Number of centres Prevalence of PE
INCLUDED PATIENTS	Inclusion criteria Inpatient/outpatient mix Co-morbidity Record of all previous diagnostic tests
EXCLUDED PATIENTS	Exclusion criteria Demographics of those excluded
CTPA	Interpreted blind to reference standard Description of technique and CT model Description of diagnostic criteria for PE Interpreted by at least two radiologists

CTPA: computer tomography pulmonary angiogram, CT: computer tomography, PE: pulmonary embolism.

Appendix 2

Appraisal table for follow-up studies

FOLLOW-UP	Outcomes are both PE and DVT Uniform approach, all patients underwent the same assessment following the CTPA Details of all additional tests given Involves personal contact with the patient Lasted a minimum of three months Deaths assessed by a panel of experts
PATIENTS	Consecutive recruiting Details of recruitment process Number of centres Prevalence of PE
INCLUDED PATIENTS	Inclusion criteria Inpatient/outpatient mix Co-morbidity Record of all previous diagnostic tests
EXCLUDED PATIENTS	Exclusion criteria Demographics of those excluded
CTPA	Description of technique and CT model Description of diagnostic criteria for PE

CTPA: computer tomography pulmonary angiogram, CT: computer tomography, PE: pulmonary embolism, DVT: deep vein thrombosis.