

# **Multi-Component One-pot Synthesis of the Tumor-Associated Carbohydrate Antigen Globo-H Based on Pre-activation of Thioglycosyl Donors**

## **Supporting Information**

Zhen Wang,<sup>†</sup> Luyuan Zhou,<sup>†</sup> Kheireddine El-Boubou,<sup>†</sup> Xin-shan Ye,<sup>§</sup> and Xuefei Huang<sup>†\*</sup>

<sup>†</sup>Department of Chemistry, The University of Toledo, 2801 W. Bancroft Street, MS 602, Toledo, Ohio 43606

<sup>§</sup>The State Key Laboratory of Natural and Biomimetic Drugs, School of Pharmaceutical Sciences, Peking University, Xue Yuan Rd. 38, Beijing 100083, China

[Xuefei.huang@utoledo.edu](mailto:Xuefei.huang@utoledo.edu)

## **Table of content**

General experimental procedures	S10
<sup>1</sup> H-NMR of compound <b>6</b> (600 MHz, CDCl <sub>3</sub> )	S11
<sup>13</sup> C-NMR of compound <b>6</b> (150 MHz, CDCl <sub>3</sub> )	S12

$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>6</b> (600 MHz, $\text{CDCl}_3$ )	S13
$^1\text{H}$ -NMR of compound <b>8</b> (600 MHz, $\text{CDCl}_3$ )	S14
$^{13}\text{C}$ -NMR of compound <b>8</b> (150 MHz, $\text{CDCl}_3$ )	S15
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>8</b> (600 MHz, $\text{CDCl}_3$ )	S16
$^1\text{H}$ -NMR of compound <b>12<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S17
$^{13}\text{C}$ -NMR of compound <b>12<math>\beta</math></b> (150 MHz, $\text{CDCl}_3$ )	S18
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>12<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S19
$^1\text{H}$ - $^{13}\text{C}$ gHMQC of compound <b>12<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S20
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>12<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S21
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>12<math>\beta</math></b> (enlarged) (600 MHz, $\text{CDCl}_3$ )	S22
$^1\text{H}$ - $^{13}\text{C}$ gHMBC of compound <b>12<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S23
$^1\text{H}$ -NMR of compound <b>12<math>\alpha</math></b> (600 MHz, $\text{CDCl}_3$ )	S24
$^{13}\text{C}$ -NMR of compound <b>12<math>\alpha</math></b> (150 MHz, $\text{CDCl}_3$ )	S25
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>12<math>\alpha</math></b> (600 MHz, $\text{CDCl}_3$ )	S26
$^1\text{H}$ - $^{13}\text{C}$ gHMQC of compound <b>12<math>\alpha</math></b> (600 MHz, $\text{CDCl}_3$ )	S27

$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>12a</b> (600 MHz, $\text{CDCl}_3$ )	S28
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>12a</b> (enlarged) (600 MHz, $\text{CDCl}_3$ )	S29
$^1\text{H}$ - $^{13}\text{C}$ gHMBC of compound <b>12a</b> (600 MHz, $\text{CDCl}_3$ )	S30
$^1\text{H}$ - $^{13}\text{C}$ gHMBC of compound <b>12a</b> (enlarged) (600 MHz, $\text{CDCl}_3$ )	S31
$^1\text{H}$ -NMR of compound <b>13</b> (600 MHz, $\text{CDCl}_3$ )	S32
$^{13}\text{C}$ -NMR of compound <b>13</b> (150 MHz, $\text{CDCl}_3$ )	S33
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>13</b> (600 MHz, $\text{CDCl}_3$ )	S34
$^1\text{H}$ -NMR of compound <b>14</b> (600 MHz, $\text{CDCl}_3$ )	S35
$^{13}\text{C}$ -NMR of compound <b>14</b> (150 MHz, $\text{CDCl}_3$ )	S36
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>14</b> (600 MHz, $\text{CDCl}_3$ )	S37
$^1\text{H}$ -NMR of compound <b>19</b> (600 MHz, $\text{CDCl}_3$ )	S38
$^{13}\text{C}$ -NMR of compound <b>19</b> (150 MHz, $\text{CDCl}_3$ )	S39
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>19</b> (600 MHz, $\text{CDCl}_3$ )	S40
$^1\text{H}$ -NMR of compound <b>15</b> (600 MHz, $\text{CDCl}_3$ )	S41
$^{13}\text{C}$ -NMR of compound <b>15</b> (150 MHz, $\text{CDCl}_3$ )	S42

$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>15</b> (600 MHz, $\text{CDCl}_3$ )	S43
$^1\text{H}$ -NMR of compound <b>21</b> (600 MHz, $\text{CDCl}_3$ )	S44
$^{13}\text{C}$ -NMR of compound <b>21</b> (100 MHz, $\text{CDCl}_3$ )	S45
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>21</b> (600 MHz, $\text{CDCl}_3$ )	S46
$^1\text{H}$ -NMR of compound <b>16</b> (600 MHz, $\text{CDCl}_3$ )	S47
$^{13}\text{C}$ -NMR of compound <b>16</b> (150 MHz, $\text{CDCl}_3$ )	S48
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>16</b> (600 MHz, $\text{CDCl}_3$ )	S49
$^1\text{H}$ - $^{13}\text{C}$ gHMQC of compound <b>16</b> (600 MHz, $\text{CDCl}_3$ )	S50
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>16</b> (600 MHz, $\text{CDCl}_3$ )	S51
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>16</b> (enlarged) (600 MHz, $\text{CDCl}_3$ )	S52
$^1\text{H}$ - $^{13}\text{C}$ gHMBC of compound <b>16</b> (600 MHz, $\text{CDCl}_3$ )	S53
$^1\text{H}$ -NMR of compound <b>17</b> (600 MHz, $\text{CDCl}_3$ )	S54
$^{13}\text{C}$ -NMR of compound <b>17</b> (150 MHz, $\text{CDCl}_3$ )	S55
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>17</b> (600 MHz, $\text{CDCl}_3$ )	S56
$^1\text{H}$ -NMR of compound <b>18</b> (600 MHz, $\text{CDCl}_3$ )	S57
$^{13}\text{C}$ -NMR of compound <b>18</b> (150 MHz, $\text{CDCl}_3$ )	S58

$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>18</b> (600 MHz, $\text{CDCl}_3$ )	S59
$^1\text{H}$ -NMR of compound <b>20<math>\alpha</math></b> (600 MHz, $\text{CDCl}_3$ )	S60
$^{13}\text{C}$ -NMR of compound <b>20<math>\alpha</math></b> (150 MHz, $\text{CDCl}_3$ )	S61
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>20<math>\alpha</math></b> (600 MHz, $\text{CDCl}_3$ )	S62
$^1\text{H}$ - $^{13}\text{C}$ gHMQC of compound <b>20<math>\alpha</math></b> (600 MHz, $\text{CDCl}_3$ )	S63
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>20<math>\alpha</math></b> (600 MHz, $\text{CDCl}_3$ )	S64
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>20<math>\alpha</math></b> (enlarged) (600 MHz, $\text{CDCl}_3$ )	S65
$^1\text{H}$ -NMR of compound <b>20<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S66
$^{13}\text{C}$ -NMR of compound <b>20<math>\beta</math></b> (150 MHz, $\text{CDCl}_3$ )	S67
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>20<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S68
$^1\text{H}$ - $^{13}\text{C}$ gHMQC of compound <b>20<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S69
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>20<math>\beta</math></b> (600 MHz, $\text{CDCl}_3$ )	S70
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>20<math>\beta</math></b> (enlarged) (600 MHz, $\text{CDCl}_3$ )	S71
$^1\text{H}$ -NMR of compound <b>2</b> (600 MHz, $\text{D}_2\text{O}$ )	S72
$^{13}\text{C}$ -NMR of compound <b>2</b> (150 MHz, $\text{D}_2\text{O}$ )	S73


$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>2</b> (600 MHz, D <sub>2</sub> O)	S74
$^1\text{H}$ - $^{13}\text{C}$ gHMQC of compound <b>2</b> (600 MHz, D <sub>2</sub> O)	S75
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>2</b> (600 MHz, D <sub>2</sub> O)	S76
$^1\text{H}$ - $^{13}\text{C}$ gHMQC (without $^1\text{H}$ decoupling) of compound <b>2</b> (enlarged) (600 MHz, D <sub>2</sub> O)	S77
$^1\text{H}$ -NMR of compound <b>S1</b> (600 MHz, CDCl <sub>3</sub> )	S78
$^{13}\text{C}$ -NMR of compound <b>S1</b> (100 MHz, CDCl <sub>3</sub> )	S79
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S1</b> (600 MHz, CDCl <sub>3</sub> )	S80
$^1\text{H}$ -NMR of compound <b>S2</b> (400 MHz, CDCl <sub>3</sub> )	S81
$^{13}\text{C}$ -NMR of compound <b>S2</b> (100 MHz, CDCl <sub>3</sub> )	S82
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S2</b> (600 MHz, CDCl <sub>3</sub> )	S83
$^1\text{H}$ -NMR of compound <b>S3</b> (600 MHz, CD <sub>3</sub> OD)	S84
$^{13}\text{C}$ -NMR of compound <b>S3</b> (100 MHz, CD <sub>3</sub> OD)	S85
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S3</b> (600 MHz, CD <sub>3</sub> OD)	S86
$^1\text{H}$ -NMR of compound <b>S4</b> (600 MHz, CDCl <sub>3</sub> )	S87
$^{13}\text{C}$ -NMR of compound <b>S4</b> (150 MHz, CDCl <sub>3</sub> )	S88
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S4</b> (600 MHz, CDCl <sub>3</sub> )	S89

$^1\text{H}$ -NMR of compound <b>S5</b> (600 MHz, $\text{CDCl}_3$ )	S90
$^{13}\text{C}$ -NMR of compound <b>S5</b> (150 MHz, $\text{CDCl}_3$ )	S91
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S5</b> (600 MHz, $\text{CDCl}_3$ )	S92
$^1\text{H}$ -NMR of compound <b>S6</b> (600 MHz, $\text{CDCl}_3$ )	S93
$^{13}\text{C}$ -NMR of compound <b>S6</b> (150 MHz, $\text{CDCl}_3$ )	S94
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S6</b> (600 MHz, $\text{CDCl}_3$ )	S95
$^1\text{H}$ -NMR of compound <b>S7</b> (600 MHz, $\text{CDCl}_3$ )	S96
$^{13}\text{C}$ -NMR of compound <b>S7</b> (100 MHz, $\text{CDCl}_3$ )	S97
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S7</b> (600 MHz, $\text{CDCl}_3$ )	S98
$^1\text{H}$ -NMR of compound <b>S8</b> (600 MHz, $\text{CDCl}_3$ )	S99
$^{13}\text{C}$ -NMR of compound <b>S8</b> (150 MHz, $\text{CDCl}_3$ )	S100
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S8</b> (600 MHz, $\text{CDCl}_3$ )	S101
$^1\text{H}$ -NMR of compound <b>S9</b> (600 MHz, $\text{CD}_3\text{OD}$ )	S102
$^{13}\text{C}$ -NMR of compound <b>S9</b> (150 MHz, $\text{CD}_3\text{OD}$ )	S103
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S9</b> (600 MHz, $\text{CD}_3\text{OD}$ )	S104
$^1\text{H}$ -NMR of compound <b>S10</b> (600 MHz, $\text{CD}_3\text{OD}$ )	S105


$^{13}\text{C}$ -NMR of compound <b>S10</b> (100 MHz, CD <sub>3</sub> OD)	S106
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S10</b> (600 MHz, CD <sub>3</sub> OD)	S107
$^1\text{H}$ -NMR of compound <b>S11</b> (600 MHz, CDCl <sub>3</sub> )	S108
$^{13}\text{C}$ -NMR of compound <b>S11</b> (100 MHz, CDCl <sub>3</sub> )	S109
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S11</b> (600 MHz, CDCl <sub>3</sub> )	S110
$^1\text{H}$ -NMR of compound <b>S12</b> (600 MHz, CDCl <sub>3</sub> )	S111
$^{13}\text{C}$ -NMR of compound <b>S12</b> (100 MHz, CDCl <sub>3</sub> )	S112
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S12</b> (600 MHz, CDCl <sub>3</sub> )	S113
$^1\text{H}$ -NMR of compound <b>S13</b> (600 MHz, CD <sub>3</sub> OD)	S114
$^{13}\text{C}$ -NMR of compound <b>S13</b> (150 MHz, CD <sub>3</sub> OD)	S115
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S13</b> (600 MHz, CD <sub>3</sub> OD)	S116
$^1\text{H}$ -NMR of compound <b>S14</b> (600 MHz, CD <sub>3</sub> OD)	S117
$^{13}\text{C}$ -NMR of compound <b>S14</b> (100 MHz, CD <sub>3</sub> OD)	S118
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S14</b> (600 MHz, CD <sub>3</sub> OD)	S119
$^1\text{H}$ -NMR of compound <b>S15</b> (600 MHz, CDCl <sub>3</sub> )	S120
$^{13}\text{C}$ -NMR of compound <b>S15</b> (150 MHz, CDCl <sub>3</sub> )	S121


$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S15</b> (600 MHz, $\text{CDCl}_3$ )	S122
$^1\text{H}$ -NMR of compound <b>S16</b> (600 MHz, $\text{CDCl}_3$ )	S123
$^{13}\text{C}$ -NMR of compound <b>S16</b> (150 MHz, $\text{CDCl}_3$ )	S124
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S16</b> (600 MHz, $\text{CDCl}_3$ )	S125
$^1\text{H}$ -NMR of compound <b>S17</b> (600 MHz, $\text{CDCl}_3$ )	S126
$^{13}\text{C}$ -NMR of compound <b>S17</b> (150 MHz, $\text{CDCl}_3$ )	S127
$^1\text{H}$ - $^1\text{H}$ gCOSY of compound <b>S17</b> (600 MHz, $\text{CDCl}_3$ )	S128
Structures of compounds <b>S1-S17</b>	S129

**General Experimental Procedures.** All reactions were carried out under nitrogen with anhydrous solvents in flame-dried glassware, unless otherwise noted. All glycosylation reactions were performed in the presence of molecular sieves, which were flame-dried right before the reaction under high vacuum. Glycosylation solvents were dried using an solvent purification system and used directly without further drying. Chemicals used were reagent grade as supplied except where noted. Analytical thin-layer chromatography was performed using silica gel 60 F254 glass plates; Compound spots were visualized by UV light (254 nm) and by staining with a yellow solution containing Ce(NH<sub>4</sub>)<sub>2</sub>(NO<sub>3</sub>)<sub>6</sub> (0.5 g) and (NH<sub>4</sub>)<sub>6</sub>Mo<sub>7</sub>O<sub>24</sub> 4H<sub>2</sub>O (24.0 g) in 6% H<sub>2</sub>SO<sub>4</sub> (500 mL). Flash column chromatography was performed on silica gel 60 (230–400 Mesh). NMR spectra were referenced using Me<sub>4</sub>Si (0 ppm), residual CHCl<sub>3</sub> ( $\delta$  <sup>1</sup>H-NMR 7.26 ppm, <sup>13</sup>C-NMR 77.0 ppm). Peak and coupling constant assignments are based on <sup>1</sup>H-NMR, <sup>1</sup>H-<sup>1</sup>H gCOSY and (or) <sup>1</sup>H-<sup>13</sup>C gHMQC and <sup>1</sup>H-<sup>13</sup>C gHMBC experiments. All optical rotations were measured at 25 °C using the sodium D line. ESI mass spectra were recorded in positive ion mode. High-resolution mass spectra were recorded on a Micromass electrospray mass spectrometer equipped with an orthogonal electrospray source (Z-spray) operated in positive ion mode.





<sup>1</sup>H-NMR (600 MHz, CDCl<sub>3</sub>)






<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)









gCOSY(600 MHz, CDCl<sub>3</sub>)





$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )




$^{13}\text{C}$ -NMR (150 MHz,  $\text{CDCl}_3$ )




gCOSY (600 MHz,  $\text{CDCl}_3$ )





<sup>1</sup>H-NMR (600 MHz, CDCl<sub>3</sub>)




<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)



gHMQC (600 MHz,  $\text{CDCl}_3$ )





gHMQC (without  $^1\text{H}$  decoupling)  
(600 MHz,  $\text{CDCl}_3$ )





gHMQC (without  $^1\text{H}$  decoupling)



(600 MHz,  $\text{CDCl}_3$ )





gHMBC (600 MHz, CDCl<sub>3</sub>)




$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )





$^{13}\text{C}$ -NMR (150 MHz,  $\text{CDCl}_3$ )





gCOSY (600 MHz,  $\text{CDCl}_3$ )





gHMQC (600 MHz,  $\text{CDCl}_3$ )





gHMQC (without  $^1\text{H}$  decoupling)  
(600 MHz,  $\text{CDCl}_3$ )





gHMQC (without  $^1\text{H}$  decoupling)  
(600 MHz,  $\text{CDCl}_3$ )




gHMBC (600 MHz,  $\text{CDCl}_3$ )




gHMBC (600 MHz,  $\text{CDCl}_3$ )





$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )





<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)





$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )





$^{13}\text{C}$ -NMR (150 MHz,  $\text{CDCl}_3$ )





gCOSY (600 MHz,  $\text{CDCl}_3$ )





$^1\text{H}$ -NMR (600 MHz,  $\text{CDCl}_3$ )




<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)








<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)








<sup>13</sup>C-NMR (100 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)





$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )





$^{13}\text{C}$ -NMR (150 MHz,  $\text{CDCl}_3$ )





gCOSY (600 MHz, CDCl<sub>3</sub>)





gHMQC (600 MHz,  $\text{CDCl}_3$ )





gHMQC (without  $^1\text{H}$  decoupling)  
(600 MHz,  $\text{CDCl}_3$ )




gHMQC (without  $^1\text{H}$  decoupling)  
 (600 MHz,  $\text{CDCl}_3$ )





gHMBC (600 MHz, CDCl<sub>3</sub>)









<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)





$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )





<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)



<sup>1</sup>H-NMR (600 MHz, CDCl<sub>3</sub>)




<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)




gCOSY (600 MHz, CDCl<sub>3</sub>)

20 $\alpha$




gHMQC (600 MHz,  $\text{CDCl}_3$ )  
 $20\alpha$




gHMQC (without  $^1\text{H}$  decoupling)  
(600 MHz,  $\text{CDCl}_3$ )

$20\alpha$





gHMQC (without  $^1\text{H}$  decoupling)  
(600 MHz,  $\text{CDCl}_3$ )


$20\alpha$




<sup>1</sup>H-NMR (600 MHz, CDCl<sub>3</sub>)




<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)



gCOSY (600 MHz, CDCl<sub>3</sub>)  
**20β**




gHMQC (600 MHz, CDCl<sub>3</sub>)  
20 $\beta$




gHMQC (without  $^1\text{H}$  decoupling)  
(600 MHz,  $\text{CDCl}_3$ )

**20 $\beta$**




gHMQC (without  $^1\text{H}$  decoupling)

(600 MHz,  $\text{CDCl}_3$ )




<sup>1</sup>H-NMR (600 MHz, D<sub>2</sub>O)



2




<sup>13</sup>C-NMR (150 MHz, D<sub>2</sub>O)




gCOSY (600 MHz, D<sub>2</sub>O)

2



gHMQC (600 MHz, D<sub>2</sub>O)


2



S75

gHMQC (without  $^1\text{H}$  decoupling)  
(600 MHz,  $\text{D}_2\text{O}$ )


2




gHMQC (without  $^1\text{H}$  decoupling)


(600 MHz,  $\text{D}_2\text{O}$ )


2







$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )







<sup>13</sup>C-NMR (100 MHz, CDCl<sub>3</sub>)







gCOSY(600 MHz, CDCl<sub>3</sub>)







<sup>1</sup>H-NMR (400 MHz, CDCl<sub>3</sub>)







<sup>13</sup>C-NMR (100 MHz, CDCl<sub>3</sub>)







gCOSY (600 MHz, CDCl<sub>3</sub>)







<sup>1</sup>H-NMR (600 MHz, CD<sub>3</sub>OD)







<sup>13</sup>C-NMR (100 MHz, CD<sub>3</sub>OD)







gCOSY (600 MHz, CD<sub>3</sub>OD)







<sup>1</sup>H-NMR (600 MHz, CDCl<sub>3</sub>)






$^{13}\text{C}$ -NMR (150 MHz,  $\text{CDCl}_3$ )









gCOSY (600 MHz, CDCl<sub>3</sub>)





$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )





<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz,  $\text{CDCl}_3$ )





$^1\text{H}$ -NMR (600 MHz,  $\text{CDCl}_3$ )





<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)





$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )





<sup>13</sup>C-NMR (100 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)





$^1\text{H}$ -NMR (600 MHz,  $\text{CDCl}_3$ )





<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY(600 MHz, CDCl<sub>3</sub>)





$^1\text{H}$ -NMR (600 MHz,  $\text{CD}_3\text{OD}$ )





<sup>13</sup>C-NMR (150 MHz, CD<sub>3</sub>OD)



gCOSY (600 MHz, CD<sub>3</sub>OD)





### <sup>1</sup>H-NMR (600 MHz, CD<sub>3</sub>OD)





S105

<sup>13</sup>C-NMR (100 MHz, CD<sub>3</sub>OD)





gCOSY (600 MHz, CD<sub>3</sub>OD)






<sup>13</sup>C-NMR (100 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)





S110

<sup>1</sup>H-NMR (600 MHz, CDCl<sub>3</sub>)





<sup>13</sup>C-NMR (100 MHz, CDCl<sub>3</sub>)





S112



gCOSY (600 MHz, CDCl<sub>3</sub>)




$^1\text{H}$ -NMR (600 MHz,  $\text{CD}_3\text{OD}$ )





<sup>13</sup>C-NMR (150 MHz, CD<sub>3</sub>OD)





gCOSY (600 MHz, CD<sub>3</sub>OD)





$^1\text{H-NMR}$  (600 MHz,  $\text{CD}_3\text{OD}$ )





<sup>13</sup>C-NMR (100 MHz, CD<sub>3</sub>OD)




gCOSY (600 MHz, CD<sub>3</sub>OD)




$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )





<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)





<sup>1</sup>H-NMR (600 MHz, CDCl<sub>3</sub>)





<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)





gCOSY (600 MHz, CDCl<sub>3</sub>)



$^1\text{H-NMR}$  (600 MHz,  $\text{CDCl}_3$ )



<sup>13</sup>C-NMR (150 MHz, CDCl<sub>3</sub>)



gCOSY (600 MHz,  $\text{CDCl}_3$ )

