



a

	IC70 titer															breadth potency score				
	A1	A2	A3	A4	A5	A6	A/D1	A/D2	D1	D2	D3	C1	C2	C3	B5	B15	mean	median	score	score
QA013 264 dpi	91	52				87	57										37	25	4	21.0
QC370 302 dpi	84																29	25	1	16.0
QA467 227 dpi	64	83		66	65	90	62	63		*auto	56			63	62		51	62	9	31.1
QD435 299 dpi																	25	25	0	15.3
QB008 303.5 dpi	55																27	25	0	15.7
QC406 379 dpi	156	55												*auto			35	25	2	17.1
QB099 283 dpi	80																28	25	0	16.0
QD370 278.5 dpi																	25	25	0	15.3
QA413 714 dpi	231	104	82					64									50	25	5	25.4
QC890 675 dpi	108	187				62											43	25	3	24.3
QA509 753 dpi	96																29	25	1	16.2
QC036 780 dpi	200																36	25	1	17.4
QB045 1680 dpi	55	144						61								65	39	25	3	23.4
QA281 1680 dpi																	25	25	0	15.3
QA692 1740 dpi	376											365	89				72	25	3	35.8
QB247 1667 dpi	242	274		60	67	76	73	92			63			117	215		89	65	10	50.5
QB726 1031 dpi	410	303	68														69	25	3	32.8
QC413 969.5 dpi	218	108	50	50			56					50					49	25	6	25.2
QA847 1043 dpi																	25	25	0	15.3
QB670 1005 dpi	55																27	25	0	15.7
QD022 1832 dpi	138																32	25	1	16.7
QA779 1888 dpi																	25	25	0	15.3
QA028 1767 dpi	1386	1016	92			112	65										184	25	5	79.3
QA538 1781 dpi																	25	25	0	15.3



Supplemental Figure 3. NAb responses by IC70 prior to superinfection.

(a) IC70 values for plasma/virus combinations are presented as described in the legend to Figure 2a. (b) Comparison of breadth scores calculated using IC70 values between superinfection cases and matched controls prior to superinfection, as for Figure 2b. (c) Comparison of potency scores calculated using IC70 values between superinfection cases and matched controls prior to superinfection, as for Figure 2c.