


a

	IC80 titer												mean	median	breadth score	potency score		
	A1	A2	A3	A4	A5	A6	A/D1	A/D2	D1	D2	D3	C1	C2	C3	B5	B15		
QA013 264 dpi	61														27	25	1	16.0
QC370 302 dpi	58														27	25	0	16.0
QA467 227 dpi				59					*auto						27	25	1	15.8
QD435 299 dpi															25	25	0	15.4
QB008 303.5 dpi															25	25	0	15.4
QC406 379 dpi	100														30	25	1	14.7
QB099 283 dpi	54														27	25	0	15.9
QD370 278.5 dpi															25	25	0	15.4
QA413 714 dpi	142	63	57												37	25	3	20.2
QC890 675 dpi	74	92													32	25	2	18.9
QA509 753 dpi	70														28	25	1	16.2
QC036 780 dpi	110														30	25	1	16.8
QB045 1680 dpi		85													25	29	1	17.8
QA281 1680 dpi															25	25	0	15.4
QA692 1740 dpi	201														51	25	3	28.3
QB247 1667 dpi	160	146						61							52	25	5	29.9
QB726 1031 dpi	284	184	52												53	25	3	27.2
QC413 969.5 dpi	187	117	59	51											64	47	5	25.8
QA847 1043 dpi															25	25	0	15.4
QB670 1005 dpi															25	25	0	15.4
QD022 1832 dpi	66														28	25	1	16.1
QA779 1888 dpi															25	25	0	15.4
QA028 1767 dpi	464	455	61		81										85	25	4	43.7
QA538 1781 dpi															25	25	0	15.4



Supplemental Figure 4. NAb responses by IC80 prior to superinfection.

(a) IC80 values for plasma/virus combinations are presented as described in the legend to Figure 2a. (b) Comparison of breadth scores calculated using IC80 values between superinfection cases and matched controls prior to superinfection, as for Figure 2b. (c) Comparison of potency scores calculated using IC80 values between superinfection cases and matched controls prior to superinfection, as for Figure 2c.