

Table S4. Cloned cDNA sequences

Cloned cDNA sequence	Product/Comments*
GGGGTTGCGTGTGCGGGGTTGTGGGATCTCT	23S rRNA fragment
GGGGTTGCGTGTGCGGGGTTGTGGGATCTCT	23S rRNA fragment
GAGCCTGCGAGTTGCGGTGTTGCGAGGTTAACCC	23S rRNA fragment
GCATGGCTGGTTGGCTACGTTCGGGAGGG	23S rRNA fragment
AGCGGGAAGCCTGCTTCGAGATGAGGAACCCCACC	23S rRNA fragment
CGGGACGGACGTAACTTGTTGCGCCAGTTGTCCTG	23S rRNA fragment
CGGGACGGACG~AACCTCTGGTGTGCCAGTTGTCCT	23S rRNA fragment
CCGTGAGGTGTGGAGGTGACCGGTACTAATAGGCCGA	23S rRNA fragment
CCGTGAGGTGTGGAGGTGACCGGTACTAATAGGCCGA	23S rRNA fragment
CCGTGAGGTGTGGAGGTGACCGGTACTAATAGGCCGA	23S rRNA fragment
TGTCCGTGCCGCAGCTAACGCATTAAGTGCCCGCC	16S rRNA fragment
GTCCGTGCCGCAGCTAACGCATTAAGTGCCCGCC	16S rRNA fragment
TGTGGGAGGGAGCTGTCGAAGGTGGACTGGCGATTGG	16S rRNA fragment
GGGAGGGAGCTGTCGAAGGTGGACTGGCGATTGG	16S rRNA fragment
GGGAGGGAGCTGTCGAAGGTGGACTGGCGATTGG	16S rRNA fragment
GTGGGAGGGAGCTGTCGAAGGTGGACTGGCGA	16S rRNA fragment
CCTCGGGGTGTTGGGACTCACGGGAGACCGCCGGG	16S rRNA fragment
CGGGGTGTTGGGACTCACGGGAGACCGCCGGG	16S rRNA fragment
CCTTCGGGGTGTGTTGGGACTCACGGGAGACCGCCGG	16S rRNA fragment
CGGGGTGTTGGGACTCACGGGAGACCGCCGGG	16S rRNA fragment
CGGGGTGTCGGGGACTCACGGGAGACCGCCGG	16S rRNA fragment
GGGACCCCTGTGGGAGAGTAGGACGCCGCCAACAA	5S rRNA fragment
GGGACCCCTGTGAGAGAGTAGGACGCCGCCAACAA	5S rRNA fragment
CGGCTCTGGCGGGTGCGTGGGGGGCGT	4.5S RNA fragment
CGGCTCTGGCGGGTGCGTGGGGGGCGT	4.5S RNA fragment
CGGCTCTGGCGGGTGCGTGGGGGGCGT	4.5S RNA fragment
CGGCTCTGGCGGGTGCGTGGGGGGCGT	4.5S RNA fragment
CGCGCGAGGTGGCCGGCCGGGTGGCGACAA	within SCO0388
GGTTCCGGTGGTCGGAGGCAGGGCGCCAGG	within SCO0401
CCGGGGCCTCGGTCTGCACGCCCGGTGATCCT	within SCO0513
GGTGGTGAGCGTGTGGTCCTACGACGCCGGTGG	within SCO0764
CGTCGCCTGCCCTGCGCCTCGGTGT	within SCO0860
CCCCGAGGTCAAGACACCCGCCGTGCA	IG region between SCO1550 and SCO1551
CGGCAACATGATCATGGTCCTCGGTCCGC	within <i>infC</i> (SCO1600)
CGGCAACATGATCATGGTCCTCGGTCCGC	within <i>infC</i> (SCO1600)
CGGGGGCCGGCGGGAGCGAG	IG region between SCO2100 and SCO2101
CGGGCTCGCGCAACAGGTGTACGGACCGA	within SCO2322
CGGAGGGGCCGGCGATGACGAAGAAGAC	antisense to SCO3287
CTACCCCCCGCAGTCCTGACCGCATTCCCC	within SCO3662
CCCCGCCTGGACGCCCTCAAGTGCTCGACCTG	within SCO3712
CCACCTACGAGCCCGCACCGTGCTACGACACC	within SCO4175
GCACCGGGATGCCAGTCCCAGCGGGGCCATGC	IG region between SCO4676 and SCO4677
GCACCAGGATGCCAGTCCCAGCGGGGCCATGC	IG region between SCO4676 and SCO4677
GCACCGGGATGCCAGTCCCAGCGGGGCCATGC	IG region between SCO4676 and SCO4677
CTCCAGGTGATCACGGACAAGAGCATCGTGA	within <i>rplQ</i> (SCO4730)
CGGGGCGGGTGCAGGTGATGACGGTGA	antisense to SCO4792
ATCCGGCTGCTGGCCGCCGACCGGAAACGGGCTCCG	within SCO5144
GCGGGGTGCAGGCCGGCGATCTGCGGCCGGAGATG	within SCO5264
CGATCTGCCTGCCCTGCTCACCGGGACCCCG	within <i>recX</i> (SCO5770)
CCCAGGGCGACCTGAGCCGGTGCACCGCATGAGCGAC	within <i>lexA</i> (SCO5803)

CCATCAGGTGGGACGACGAGGCCGGGG
GC-CGAGGTGT---TCGACCAGGAGGGGTTCG
CGCGTGCCTGCCTGTGTGAGCGGA
CCCACCAGGAGCCGTGAGAAAAGCACACCCCTTGCC

within SCO5953
within SCO6286
IG region between SCO6624 and SCO6625
between *ramC* (SCO6681) and *ramS* (SCO6682)

* Bold sequences are those that were verified by northern blot analysis