Supplementary Figure 1



Supplementary Figure 1. STIM1 and Orai1-3 expression in skeletal muscle cells. *A*) Representative RT-PCR results from total RNA isolated from primary skeletal myotubes (*upper*) and C2C12 cells (*lower*) using primers specific for Orai1 (lanes 2 and 3), Orai2 (lanes 4 and 5), Orai3 (lanes 6 and 7), and STIM1 (lanes 8 and 9). Lanes 1 and 10 are standards. RT-PCR reactions were run both in the presence (lanes 2, 4, 6, and 8) and absence of reverse transcriptase (RT-; lanes 3, 5, 7, and 9) to control for potential amplification of genomic DNA. *B*) Representative STIM1 Western blot in HEK293 cells (lane 1), naïve myotubes (lane 2), and dyspedic myotubes (lane 3). *C*) Representative Western blot for STIM1 expression in parallel cultures of naïve myotubes (lanes 1 and 3) and STIM1 siRNA-transfected myotubes (lanes 2 and 4). 5 μ g of total protein was added to lanes 1 and 2 and 10 μ g of total protein was added to lanes 3 and 4. STIM1 siRNAs transfection resulted in >90% reduction in STIM1 protein.

Supplementary Figure 2



Supplementary Figure 2. Efficiency of siRNA transfection of primary myotubes. Representative phase (*left*) and fluorescence (*right*) micrographs of Cy3-labeled siRNA transfected (*upper*) and mock transfected (*lower*) myotubes. Approximately 100% of Cy3-transfected myotubes are fluorescent during 543 nM excitation while non-transfected myotubes are not significantly fluorescent under identical conditions.

Supplementary Table 1

Table 1. siRNA Sequences

Target	siRNA sequences
STIM1	Sense: UACAGUGGCUCAUUACGUAUU
	Antisense: 5'-P.UACGUAAUGAGCCACUGUAUU
	Sense: GAUCGGAGCCACAGGCAGAUU
	Antisense: 5'-P.UCUGCCUGUGGCUCCGAUCUU
	Sense: AAACAUAGCACCUUCCAUGUU
	Antisense: 5'-P. CAUGGAAGGUGCUAUGUUUUU
	Sense: GAAGUAGGCAGACUAGGGUUU
	Antisense: 5'-P. ACCCUAGUCUGCCUACUUCUU
Negative Control	Sense: 5'-UAACGACGCGACGACGUAA-3'
	Antisense: 5'-UUACGUCGUCGCGUCGUUA-3'

Supplementary Table 2

Protein	Primers
STIM1	Forward: TGGAGCTGCCACAGTATGAG
	Reverse: CCCTTCCAGATCCTTCATCA
Orai1	Forward: GCCAGAGTTACTCCGAGGTG
	Reverse: ACCGAGTTGAGGTTGTGGAC
Orai2	Forward: CACTGTCCTGGAGGAAGCTC
	Reverse: CGAAGATGAGACCCACAGGT
Orai3	Forward: GCTAAGCTCAAAGCCTCCAG
	Reverse: TTCAGCCAGGAAGAGAAAGG

Table 2. Isoform-Specific STIM1 and Orai1 Primers