

	Patients without β_1 activation data			Patients with β_1 activation data			P-value ¹
	Pts	Median	Range	Pts	Median	Range	
α_4 % expr.	151	70.5%	5.4 – 99.7%	24	40.6%	6.2 – 97.8%	0.12
α_4 MFI	151	41.0	12.2 – 999.1	24	85.9	17.0 – 496.0	0.0002
α_4 comb. expr.	151	23.6	2.0 – 326.6	24	35.4	3.6 – 469.8	0.068
β_1 %expression	151	34.7%	0.2 – 99.2%	24	35.1%	9.8 – 89.0%	0.93
β_1 MFI	151	28.0	5.9 – 539.7	24	77.5	11.0 – 376.7	0.0002
β_1 comb. expr.	151	10.3	0.2 – 219.3	24	23.6	2.8 – 151.8	0.0016
CD34 % expr.	151	10.0%	0.2 – 90.4%	24	4.1%	0.2 – 65.3%	0.16
CD34 MFI	151	32.9	11.1 – 94.7	24	34.8	7.2 – 66.5	0.34
CD34 comb. expr.	151	2.8	0.1 – 85.6	24	1.4	0.1 – 24.4	0.21
CD117 % expr.	151	1.3%	0.0 – 63.0%	24	1.6%	0.1 – 7.9%	0.71
CD117 MFI	151	9.0	0.0 – 86.7	24	8.5	3.1 – 60.8	0.64
CD117 comb. expr.	151	0.1	0.00 – 6.6	24	0.1	0.0 – 0.6	0.96
sVCAM-1 % expr.	78	17.4%	2.0 – 96.8%	24	32.3	2.7 – 71.9	0.098
sVCAM-1 MFI	78	50.0	10.4 – 520.1	24	58.0	20.9 – 498.4	0.40
sVCAM-1 comb. expr.	78	11.7	0.3 – 290.2	24	18.9	1.3 – 139.2	0.12

¹ Two-tailed p-value based on Wilcoxon rank sum test.