

Supporting Information: Data Set for Figure 1 in Main Text and Figure S1

reference	community type	ecosystem typ	PB (gCm-2)	NPP (gC m-2 y-1 H	(gC m-2 y-1)	%NPP consumed	HB (gC m-2)	Nbiomass (%f Pbiomass (%DW)
Arndt et al. 1993, Behrendt 1990	communities of freshwater phytoplankton	aquatic	204.400000	153.300000	75.000000	.	.	6.300000 .
Cloern et al 1987	communities of freshwater phytoplankton	aquatic	3.625000	1976.110000	1758.935000	89.009974 .	.	.
Coveney et al. 1977	communities of freshwater phytoplankton	aquatic	5.080000	331.785000	84.680000	25.522552	2.16 .	.
Cushing 1976	communities of freshwater phytoplankton	aquatic	1.811000	275.575000	124.465000	45.165563 .	.	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	75.10768486 .	.	.	0.112413814 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	65.90231627 .	.	.	0.60988213 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	93.39505225 .	.	.	1.062256787 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	59.52995878 .	.	.	0.121687484 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	25.510000	1813.33 .	.	.	1.8 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	3.920000	724.3277317 .	.	.	10.30658424 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	438.97676336 .	.	.	2.346884996 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	146.525144 .	.	.	0.456054138 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	171.9152696 .	.	.	0.794328247 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	258.2110605 .	.	.	0.315036347 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	448.4646609 .	.	.	0.56340368 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	355.4507481 .	.	.	1.149888535 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	296.42388 .	.	.	1.180677137 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	441.996598 .	.	.	1.03455624 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	277.6651276 .	.	.	0.773614492 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	260.0934954 .	.	.	0.660194859 .	.
Cyr and Pace 1993	communities of freshwater phytoplankton	aquatic	.	236.6568305 .	.	.	0.626211903 .	.
Garnier and Mourelatos 1991	communities of freshwater phytoplankton	aquatic	1.408000	169.360000	113.150000	66.810345	0.534402966 .	.
Gliwicz and Hillbricht-Ilkowska 1972	communities of freshwater phytoplankton	aquatic	0.140000	121.545000	48.180000	39.639640 .	.	.
Gliwicz and Hillbricht-Ilkowska 1972	communities of freshwater phytoplankton	aquatic	0.107000	123.005000	28.214500	22.937685 .	.	.
Gliwicz and Hillbricht-Ilkowska 1972	communities of freshwater phytoplankton	aquatic	0.361000	190.895000	158.775000	83.173996 .	.	.
Gulati 1975	communities of freshwater phytoplankton	aquatic	4.800000	146.000000	124.100000	85.000000 .	.	.
Gulati 1975	communities of freshwater phytoplankton	aquatic	8.000000	547.500000	354.050000	64.666667 .	.	.
Gulati 1984	communities of freshwater phytoplankton	aquatic	4.700000	867.250000	.	.	0.760000 .	.
Jensen and Schwaerter 1988	communities of freshwater phytoplankton	aquatic	7.600000	840.960000	262.800000	31.250000 .	.	.
Jespersen et al. 1988	communities of freshwater phytoplankton	aquatic	6.900000	218.635000	102.930000	47.078464	2 .	4.6 .
Jewson et al. 1981	communities of freshwater phytoplankton	aquatic	7.000000	186.515000	73.000000	39.138943 .	.	.
Lampert 1978	communities of freshwater phytoplankton	aquatic	2.469600	379.600000	343.100000	90.384615 .	.	.
Nakanishi et al. 1992	communities of freshwater phytoplankton	aquatic	1.733000	430.700000	231.045000	53.644068	1.0167 .	5.76 .
Tilzer 1984	communities of freshwater phytoplankton	aquatic	1.447000	296.380000	222.650000	75.123153 .	.	.
Urabe et al. 1995	communities of freshwater phytoplankton	aquatic	.	294.190000	220.640000	74.999150 .	.	4.910000 .
Vadstein et al 1989	communities of freshwater phytoplankton	aquatic	4.305000	208.415000	117.530000	56.392294 .	.	.
Weisse et al 1990	communities of freshwater phytoplankton	aquatic	5.660000	448.950000	212.065000	47.235772	1.1788 .	6.63 .
Baird and Ulanowicz 1989	communities of marine phytoplankton	aquatic	3.500000	337.179700	73.000000	21.650176	1.062 .	7.04 .
Baird and Ulanowicz 1993	communities of marine phytoplankton	aquatic	0.413000	11.553710	7.665000	66.342326	0.0841 .	5.98 .
Baird and Ulanowicz 1993	communities of marine phytoplankton	aquatic	2.650000	37.726400	17.885000	47.407121	1.8045 .	5.3 .
Baird and Ulanowicz 1993	communities of marine phytoplankton	aquatic	3.730000	120.252900	94.900000	78.917016	8.7189 .	5.49 .
Baird and Ulanowicz 1993	communities of marine phytoplankton	aquatic	0.750000	103.747600	19.710000	18.998030	1.7398 .	7.25 .
Baird and Ulanowicz 1993 (phytoplankton average)	communities of marine phytoplankton	aquatic	5.490000 .	0.810000
Biengaq and Zieman 1992	communities of marine phytoplankton	aquatic	.	30.652700
Biengaq and Zieman 1992	communities of marine phytoplankton	aquatic	.	120.252900
Bishop et al 1977	communities of marine phytoplankton	aquatic	0.800000	54.750000	5.800000 .
Brown et al 1991	communities of marine phytoplankton	aquatic	8.250000	1266.032000	.	.	4.150000 .	.
Chavez et al. 1991	communities of marine phytoplankton	aquatic	.	426.779900	248.200000	58.156441 .	.	.
Durbin et al. 1975	communities of marine phytoplankton	aquatic	2.400691	507.350000	337.387750	66.500000 .	.	5.800000 .
Frost 1991	communities of marine phytoplankton	aquatic	1.010000	200.421500	160.600000	80.131124 .	.	.
Garber 1984	communities of marine phytoplankton	aquatic	.	308.000000
Harrison et al. 1993	communities of marine phytoplankton	aquatic	.	0.400843	0.302950	75.578219 .	.	.
Holligan et al. 1984	communities of marine phytoplankton	aquatic	7.000000	532.885400
Holligan et al. 1984	communities of marine phytoplankton	aquatic	0.800000	122.610800
Holligan et al. 1984	communities of marine phytoplankton	aquatic	30.000000	530.527500
Holligan et al. 1993	communities of marine phytoplankton	aquatic	.	42.442200
Holligan et al. 1993	communities of marine phytoplankton	aquatic	.	87.242300
Holligan et al. 1993	communities of marine phytoplankton	aquatic	.	54.231700	5.000500	9.220622 .	.	.
Holligan et al. 1993	communities of marine phytoplankton	aquatic	.	73.094900
Iriarte et al. 1991	communities of marine phytoplankton	aquatic	9.100000	1322.781900	5.590000 .
Jansson et al. 1984	communities of marine phytoplankton	aquatic	1.706048	201.721000 .	.	.	0.393635 .	.
Jensen et al. 1990	communities of marine phytoplankton	aquatic	.	1157.728900	5.490000 .
Johnson et al. 1981	communities of marine phytoplankton	aquatic	.	2315.457800	5.590000 .
Johnson et al. 1981	communities of marine phytoplankton	aquatic	.	2723.374500	0.760000 .
Johnson et al. 1981	communities of marine phytoplankton	aquatic	.	3671.250300
Joiris et al. 1982	communities of marine phytoplankton	aquatic	4.600000	516.380100	80.300000	15.550561 .	.	.
Kamiyama 1994	communities of marine phytoplankton	aquatic	.	1971.204400	295.650000	14.998445 .	.	.
Kemp and Boynton 1980	communities of marine phytoplankton	aquatic	.	690.864700
Kemp and Boynton 1980	communities of marine phytoplankton	aquatic	.	530.527500
Kenney et al. 1988	communities of marine phytoplankton	aquatic	.	162.695100
King et al. 1978	communities of marine phytoplankton	aquatic	.	75.452800

Knauer et al. 1979	communities of marine phytoplankton	aquatic	3.200000	73.000000	4.660000	0.592000
Kruse 1993	communities of marine phytoplankton	aquatic	400.843000
Kuparinen 1986	communities of marine phytoplankton	aquatic	141.474000
Lawes et al. 1988	communities of marine phytoplankton	aquatic	11.200000	742.738500	430.700000	57.988108
LeBorqne et al. 1989	communities of marine phytoplankton	aquatic	.	160.600000	158.990000	98.997509	.	4.870000	0.967700	
LeBorqne et al. 1997	communities of marine phytoplankton	aquatic	.	164.615000	27.370000	16.626674	.	3.230000	0.326000	
Lenz et al. 1993	communities of marine phytoplankton	aquatic	.	80.168600	80.168600	100.000000	.	.	.	
Lenz et al. 1993	communities of marine phytoplankton	aquatic	.	238.147900	127.750000	53.643135	.	.	.	
Lenz et al. 1993	communities of marine phytoplankton	aquatic	.	252.295300	127.750000	50.635109	.	.	.	
Lenz et al. 1993	communities of marine phytoplankton	aquatic	.	120.252900	58.400000	48.564317	.	.	.	
Lignell et al. 1993	communities of marine phytoplankton	aquatic	3.200000	288.350000	47.450000	16.455696	.	.	.	
Lindeboom et al. 1989	communities of marine phytoplankton	aquatic	2.100000	549.390700	
McLusky 1981	communities of marine phytoplankton	aquatic	.	63.663300	
Mee 1977	communities of marine phytoplankton	aquatic	.	2494.658200	
Menzel and Ryther 1960	communities of marine phytoplankton	aquatic	.	37.726400	
Muller and Suess 1979	communities of marine phytoplankton	aquatic	7.500000	160.001400	
Muller and Suess 1979	communities of marine phytoplankton	aquatic	0.860000	64.280150	
Muller and Suess 1979	communities of marine phytoplankton	aquatic	3.000000	59.998700	
Murray and Wetzel 1987	communities of marine phytoplankton	aquatic	.	188.632000	
Murray and Wetzel 1987	communities of marine phytoplankton	aquatic	.	315.958600	
Murray et al. 1994	communities of marine phytoplankton	aquatic	1.732000	430.700000	.	0.948600	.	.	.	
Nedwell et al. 1993	communities of marine phytoplankton	aquatic	4.240000	188.632000	
Newell et al. 1981	communities of marine phytoplankton	aquatic	.	448.950000	
Nixon and Pilson 1984	communities of marine phytoplankton	aquatic	.	299.453300	
Odum and Wilson 1962	communities of marine phytoplankton	aquatic	.	2565.395200	
Packard 1979	communities of marine phytoplankton	aquatic	.	679.075200	
Packard and Le B. Williams 1981	communities of marine phytoplankton	aquatic	0.630000	242.863700	
Packard and Le B. Williams 1981	communities of marine phytoplankton	aquatic	0.780000	214.568900	
Packard and le B. Williams 1981	communities of marine phytoplankton	aquatic	0.890000	221.642600	
Perry 1976	communities of marine phytoplankton	aquatic	0.439560	43.800000	.	5.690000	0.790000			
Pomeroy and Johannes 1968	communities of marine phytoplankton	aquatic	.	848.844000	.	5.590000	0.760000			
Pomeroy and Johannes 1968	communities of marine phytoplankton	aquatic	.	1242.613300	.	5.490000	0.810000			
Pomeroy and Johannes 1968	communities of marine phytoplankton	aquatic	.	4258.367400	
Pomeroy and Johannes 1968	communities of marine phytoplankton	aquatic	.	509.306400	
Pomeroy and Johannes 1968	communities of marine phytoplankton	aquatic	.	580.043400	
Pomeroy and Johannes 1968	communities of marine phytoplankton	aquatic	.	315.958600	.	5.490000	0.810000			
Pomeroy and Johannes 1968	communities of marine phytoplankton	aquatic	.	264.084800	
Poumba 1994	communities of marine phytoplankton	aquatic	2.500000	374.906100	
Prego 1993	communities of marine phytoplankton	aquatic	4.000000	127.326600	.	5.490000	0.810000			
Randall and Day 1987	communities of marine phytoplankton	aquatic	.	370.190000	.	5.490000	0.810000			
Randall and Day 1987	communities of marine phytoplankton	aquatic	.	233.432100	
Schlesinger 1997	communities of marine phytoplankton	aquatic	.	235.790000	.	0.512000	.	.	.	
Shin et al. 1987	communities of marine phytoplankton	aquatic	
Skjoldal and Lännergren 1978	communities of marine phytoplankton	aquatic	2.990000	1619.877300	175.200000	10.815634	0.098267	.	.	
Small et al. 1989	communities of marine phytoplankton	aquatic	1.270000	250.338000	
Smith 1977	communities of marine phytoplankton	aquatic	.	455.074700	
Smith 1977	communities of marine phytoplankton	aquatic	.	464.506300	
Smith 1992	communities of marine phytoplankton	aquatic	1.000000	37.726400	
Smith 1992	communities of marine phytoplankton	aquatic	1.000000	37.726400	
Smith 1992	communities of marine phytoplankton	aquatic	1.000000	37.726400	
Smith 1992	communities of marine phytoplankton	aquatic	1.000000	37.726400	
Smith and Hollibaugh 1993	communities of marine phytoplankton	aquatic	0.660000	247.579500	
Smith et al. 1986	communities of marine phytoplankton	aquatic	1.100000	221.642600	
Smith et al. 1986	communities of marine phytoplankton	aquatic	0.280000	294.737500	
Smith et al. 1986	communities of marine phytoplankton	aquatic	5.250000	858.275600	
Sorokin 1983	communities of marine phytoplankton	aquatic	0.715400	179.200400	127.750000	71.288903	4.6	5.08	1.14	
Strom and Welschemeyer 1991	communities of marine phytoplankton	aquatic	.	117.895000	51.100000	43.343653	.	.	.	
Suess 1980	communities of marine phytoplankton	aquatic	.	401.500000	
Suess 1980	communities of marine phytoplankton	aquatic	.	496.400000	
Tijseen 1979	communities of marine phytoplankton	aquatic	.	181.558300	
Tijseen and Eijgenraam 1982	communities of marine phytoplankton	aquatic	.	754.528000	
Velimirov and Walenta-Simon 1992	communities of marine phytoplankton	aquatic	.	297.095400	
Walsh 1988	communities of marine phytoplankton	aquatic	.	299.993500	100.010000	33.337389	.	.	.	
Walsh 1988	communities of marine phytoplankton	aquatic	.	166.002000	35.999950	21.686456	.	.	.	
Walsh 1988	communities of marine phytoplankton	aquatic	.	284.992000	87.016000	30.532787	.	.	.	
Walsh 1988	communities of marine phytoplankton	aquatic	.	99.973500	22.998650	23.004746	.	.	.	
Walsh 1988	communities of marine phytoplankton	aquatic	.	161.987000	67.999500	41.978369	.	.	.	
Walsh et al. 1988	communities of marine phytoplankton	aquatic	.	135.000000	
Welschemeyer and Lorenzen 1985	communities of marine phytoplankton	aquatic	1.947000	238.147900	182.500000	76.633050	.	.	.	
Welschemeyer and Lorenzen 1985	communities of marine phytoplankton	aquatic	0.324000	28.294800	26.061000	92.105263	6.900000	0.980000	.	

Zieman et al. 1993	communities of marine phytoplankton	aquatic	174.484600	65.700000	37.653753	.	.	.
Cattaneo 1983	freshwater benthic microalgal beds	aquatic	0.350000	0.876000	0.733650	83.750000	.	.
Flint and Goldman 1975	freshwater benthic microalgal beds	aquatic	0.239000	5.256000	1.752000	33.333333	.	.
Flint and Goldman 1975	freshwater benthic microalgal beds	aquatic	1.000000	25.440500	4.485850	17.632712	.	.
Hunter 1980	freshwater benthic microalgal beds	aquatic	.	2.839700	2.434550	85.732648	.	3.850000
Jacoby 1987	freshwater benthic microalgal beds	aquatic	0.875000	132.009550	102.200000	77.418641	.	.
Mason and Bryant 1975	freshwater benthic microalgal beds	aquatic	4.000000	7.811000	3.606200	46.168224	.	4.240000
Naiman 1976	freshwater benthic microalgal beds	aquatic	35.970000	1109.600000	.	.	2.090000	.
Stanley 1976	freshwater benthic microalgal beds	aquatic	0.912500	7.570100	1.073100	14.175506	.	.
Admiraal et al. 1983	marine benthic microalgal beds	aquatic	1.114000	274.012800	40.150000	14.652600	.	.
Andersen and Kristensen 1988	marine benthic microalgal beds	aquatic	.	137.006400
Baird and Ulanowicz 1989	marine benthic microalgal beds	aquatic	0.177000	56.414400	17.885000	31.702899	0.1127	7.04
Baird and Ulanowicz 1993	marine benthic microalgal beds	aquatic	0.895000	34.923200	34.923200	100.000000	0.0814	5.3
Baird and Ulanowicz 1993	marine benthic microalgal beds	aquatic	.	80.592000	65.700000	81.521739	.	0.81
Baird and Ulanowicz 1993 (microphytobenthos average)	marine benthic microalgal beds	aquatic	4.050000	0.459000
Burns et al. 1993	marine benthic microalgal beds	aquatic	.	150.438400
Cadee and Hegeman 1977	marine benthic microalgal beds	aquatic	.	85.008500
Carpenter 1986	marine benthic microalgal beds	aquatic	20.000000	577.576000	138.700000	24.014156	.	.
Darley et al. 1981	marine benthic microalgal beds	aquatic	1.160000	72.532800	29.565000	40.760870	.	.
Davis and Lee 1983	marine benthic microalgal beds	aquatic	.	515.788800	350.400000	67.934783	.	.
Davis and McIntire 1983	marine benthic microalgal beds	aquatic	.	91.600400
Gould and Gallagher 1990	marine benthic microalgal beds	aquatic	17.610000	1058.441600	343.100000	32.415582	.	.
Hansen et al. 1992	marine benthic microalgal beds	aquatic	.	67.160000
Hansen et al. 1992	marine benthic microalgal beds	aquatic	.	42.982400
Klumpp et al. 1992	marine benthic microalgal beds	aquatic	.	80.592000	20.440000	25.362319	.	1.760000
Kristensen 1993	marine benthic microalgal beds	aquatic	1.208000	110.142400
Lindeboom and Sande 1989	marine benthic microalgal beds	aquatic	.	265.953600
Lindeboom and Sande 1989	marine benthic microalgal beds	aquatic	.	179.988800
Lindeboom and Sande 1989	marine benthic microalgal beds	aquatic	.	222.971200
Lindeboom and Sande 1989	marine benthic microalgal beds	aquatic	.	131.633600
McLahlan and Bate 1984	marine benthic microalgal beds	aquatic	1.260000	198.793600	58.400000	29.377203	.	.
Merino et al. 1992	marine benthic microalgal beds	aquatic	.	1249.176000
Montagna 1984	marine benthic microalgal beds	aquatic	.	3153.833600	237.250000	7.522591	.	.
Murray and Wetzel 1987	marine benthic microalgal beds	aquatic	.	77.905600
Murray and Wetzel 1987	marine benthic microalgal beds	aquatic	.	166.556800
Nicotri 1977	marine benthic microalgal beds	aquatic	0.047300	0.209539	0.127750	60.967113	.	.
Nicotri 1977	marine benthic microalgal beds	aquatic	0.108000	0.564144	0.438000	77.639752	.	.
Nicotri 1977	marine benthic microalgal beds	aquatic	0.320000	2.955040	1.642500	55.583004	.	.
Ostergard and Kristensen 1992	marine benthic microalgal beds	aquatic	.	110.142400
Panatmat 1988	marine benthic microalgal beds	aquatic	.	107.456000
Rizzo and Wetzel 1985	marine benthic microalgal beds	aquatic	.	231.030400
Rizzo and Wetzel 1985	marine benthic microalgal beds	aquatic	.	99.396800
Rizzo and Wetzel 1985	marine benthic microalgal beds	aquatic	.	112.828800
Vidal 1991	marine benthic microalgal beds	aquatic	.	88.651200
Anderson et al. 1981	marine macroalgal beds	aquatic	481.264637	1500.150000	.	.	3.800000	.
Atkinson and Grigg 1984	marine macroalgal beds	aquatic	.	628.785500
Bach and Josselyn 1979	marine macroalgal beds	aquatic	.	1131.500000
Baird and Ulanowicz 1993	marine macroalgal beds	aquatic	318.340000	526.534400	167.900000	31.887755	15.9716	.
Baird and Ulanowicz 1993	marine macroalgal beds	aquatic	96.500000	513.102400	31.025000	6.046551	0.8823	.
Bak 1994	marine macroalgal beds	aquatic	.	435.813650	346.750000	79.563823	.	.
Bak 1994	marine macroalgal beds	aquatic	.	837.138450	452.600000	54.065131	.	.
Bak 1994	marine macroalgal beds	aquatic	.	1018.988750	540.200000	53.013343	.	.
Bak 1994	marine macroalgal beds	aquatic	.	683.506300	273.750000	40.050838	.	.
Bak 1994	marine macroalgal beds	aquatic	.	1078.560400	492.750000	45.685898	.	.
Birch et al. 1983	marine macroalgal beds	aquatic	.	216.007000	21.600700	10.000000	.	2.600000
Brouwer 1996	marine macroalgal beds	aquatic	260.000000	854.100000	.	.	3.210000	0.530000
Bustamante et al. 1995	marine macroalgal beds	aquatic	125.320000	1326.5	.	81.6	2.42	.
Bythell et al. 1993	marine macroalgal beds	aquatic	.	467.167150	43.800000	9.375659	.	.
Bythell et al. 1993	marine macroalgal beds	aquatic	.	467.167150	28.470000	6.094178	.	.
Chapman and Craigie 1978	marine macroalgal beds	aquatic	316.153846	1500.150000	.	.	2.170000	.
Drew and Hastings 1992	marine macroalgal beds	aquatic	.	3.066000	0.328500	10.714286	.	2.000000
Dunton and Schell 1986	marine macroalgal beds	aquatic	7.519084	7.190500	0.719050	10.000000	.	1.900000
Egan and Yarish 1990	marine macroalgal beds	aquatic	418.367347	1496.500000	.	.	2.060000	.
Gathuso et al. 1993	marine macroalgal beds	aquatic	.	2409.000000
Gathuso et al. 1993	marine macroalgal beds	aquatic	.	1943.917000
Gathuso et al. 1993	marine macroalgal beds	aquatic	.	7493.486500
Gathuso et al. 1993	marine macroalgal beds	aquatic	.	2523.956750
Geertz-Hansen et al. 1993; Pedersen and Borum 1996	marine macroalgal beds	aquatic	.	1299.546000	131.400000	10.111223	.	3.160000
Gerard 1976	marine macroalgal beds	aquatic	126.696833	306.600000	.	2.420000	0.310000	.
Hansack 1979	marine macroalgal beds	aquatic	127.675277	252.580000	.	.	2.270000	.
Hansack 1979	marine macroalgal beds	aquatic	34.567901	71.540000	.	.	2.380000	.

Hatcher et al. 1992	marine macroalgal beds	aquatic	.	1000.176650
Hauxwell et al. 1998; Peckol and Rivers 1996	marine macroalgal beds	aquatic	.	486.670000	127.567500	26.212320	.	2.600000 0.235600
Josselyn and Mathieson 1980	marine macroalgal beds	aquatic	.	954.000000
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	0.070628	0.018250	25.839793	.	.
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	1.412550	0.511000	36.175711	.	.
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	543.047000	102.200000	18.819734	.	.
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	2.825100	0.547500	19.379845	.	.
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	25.112000	8.395000	33.430233	.	.
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	2.354250	0.766500	32.558140	.	.
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	7.690550	2.117000	27.527290	.	0.250000
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	13.968550	4.380000	31.356154	.	.
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	7.062750	1.679000	23.772610	.	.
Khalilov and Burlakova 1969	marine macroalgal beds	aquatic	.	20.403500	6.205000	30.411449	.	.
Kiene and Hutchings 1994	marine macroalgal beds	aquatic	.	495.385300	5.840000	1.178880	.	.
Kiene and Hutchings 1994	marine macroalgal beds	aquatic	.	495.385300	178.850000	36.103211	.	.
Kiene and Hutchings 1994	marine macroalgal beds	aquatic	.	495.385300	91.250000	18.420006	.	.
Kiene and Hutchings 1994	marine macroalgal beds	aquatic	.	495.385300	178.850000	36.103211	.	.
Kiene and Hutchings 1994	marine macroalgal beds	aquatic	.	495.385300	12.045000	2.431441	.	.
Kiene and Hutchings 1994	marine macroalgal beds	aquatic	.	495.385300	160.600000	32.419210	.	.
Klumpp and Polunin 1989	marine macroalgal beds	aquatic	.	693.719000	521.950000	75.239398	.	.
Klumpp et al. 1989	marine macroalgal beds	aquatic	17.348300	183.631500	127.750000	69.568674	1.733400	.
Klumpp et al. 1993	marine macroalgal beds	aquatic	.	32.959500	5.475000	16.611296	.	1.760000
Koop et al. 1982	marine macroalgal beds	aquatic	264.000000	1175.555500	105.850000	9.004254	.	2.420000 0.310000
Kristensen et al. 1992	marine macroalgal beds	aquatic	.	535.199500	.	.	.	3.950000
Lapoine et al. 1981	marine macroalgal beds	aquatic	211.904762	299.400000	.	.	.	2.420000 0.310000
Mann 1972 (averages for whole bay)	marine macroalgal beds	aquatic	73.810000	659.190000	62.050000	9.413068	.	0.270000
Mann 1972 (averages for seaweed zone)	marine macroalgal beds	aquatic	264.100000	1750.000000	.	.	12.950000	1.820000
Mann 1985	marine macroalgal beds	aquatic	.	1123.762000	135.050000	12.017669	.	.
Mann 1985	marine macroalgal beds	aquatic	.	272.775450
Mann 1985	marine macroalgal beds	aquatic	.	3821.991650
Mann 1985	marine macroalgal beds	aquatic	.	1072.289700
Mann 1985	marine macroalgal beds	aquatic	.	2085.007750
Mann 1985	marine macroalgal beds	aquatic	.	3608.787850
Mann 1985	marine macroalgal beds	aquatic	.	1931.375600
Mann 1985	marine macroalgal beds	aquatic	.	1191.433000
Mann 1985	marine macroalgal beds	aquatic	.	6270.700000
Mann 1985	marine macroalgal beds	aquatic	.	2821.815000
Mann 1985	marine macroalgal beds	aquatic	.	1881.210000
Mann 1985	marine macroalgal beds	aquatic	.	4047.736850
Mann 1985	marine macroalgal beds	aquatic	.	5925.811500
Mann 1988	marine macroalgal beds	aquatic	.	916.588000	113.150000	12.344696	.	.
Mann 1988	marine macroalgal beds	aquatic	.	200.421500
Mann 1988	marine macroalgal beds	aquatic	.	200.421500
McLusky 1981	marine macroalgal beds	aquatic	.	92.600500	25.915000	27.985810	.	.
McQuaid and Branch 1985-exposed	marine macroalgal beds	aquatic	146.320000	1548.75486	.	.	20.76	2.29 0.25
McQuaid and Branch 1985-protected	marine macroalgal beds	aquatic	93.430000	988.93538	.	.	15.672	2.29 0.25
Nakamori et al. 1992	marine macroalgal beds	aquatic	.	1423.500000
Neudecker 1979	marine macroalgal beds	aquatic	.	316.670350	105.850000	33.425927	.	.
Newell et al. 1982	marine macroalgal beds	aquatic	454.600000	1124.200000	135.050000	12.012987	6.26	2.54 0.25
Pattersen et al. 1991	marine macroalgal beds	aquatic	.	874.762650
Polunin and Klumpp 1992	marine macroalgal beds	aquatic	26.400000	718.831000	386.900000	53.823500	.	2.500000 0.310000
Reichardt and Dieckmann 1985	marine macroalgal beds	aquatic	.	5.292500	.	.	.	4.300000
Sakshaug et al. 1994	marine macroalgal beds	aquatic	.	18.250000	.	.	.	1.100000
Sfriso and Marcomini 1997	marine macroalgal beds	aquatic	.	815.994000	530.418000	65.002684	.	1.980000 0.164500
Smith 1973	marine macroalgal beds	aquatic	.	3009.936000
Smith 1973	marine macroalgal beds	aquatic	.	1241.598600
Smith 1973	marine macroalgal beds	aquatic	.	627.070000
Smith and Jokiel 1978	marine macroalgal beds	aquatic	.	1883.400000
Smith and Preset 1974	marine macroalgal beds	aquatic	.	949.000000
Smith et al. 1978	marine macroalgal beds	aquatic	.	1883.400000
Sorokin 1983	marine macroalgal beds	aquatic	.	7.533600	2.372500	31.492248	.	2.5 0.31
Spencer 1977	marine macroalgal beds	aquatic	.	1357.606550
Wallentinus 1981	marine macroalgal beds	aquatic	37.680000	811.431500	536.550000	66.123881	.	0.310000
Wanders 1977	marine macroalgal beds	aquatic	.	733.650000	550.237500	75.000000	.	2.670000
Williams and Carpenter 1988	marine macroalgal beds	aquatic	30.800000	46.720000	16.060000	34.375000	.	1.730000
Yap et al. 1994	marine macroalgal beds	aquatic	.	1500.150000	.	.	.	3.800000
Anderson 1976	meadows of freshwater submerged macrophytes	aquatic	.	327.600000
Anderson 1976	meadows of freshwater submerged macrophytes	aquatic	84.120983	162.425000	.	.	1.320000	0.170000
Bayley et al. 1985	meadows of freshwater submerged macrophytes	aquatic	.	39.63466511	.	.	0.079733229	.
Boyd 1970	meadows of freshwater submerged macrophytes	aquatic
Cyr and Pace 1993	meadows of freshwater submerged macrophytes	aquatic

Cyr and Pace 1993	meadows of freshwater submerged macrophytes	aquatic	. . .	55.35910801 . . .	0.021274965 . . .
Cyr and Pace 1993	meadows of freshwater submerged macrophytes	aquatic	. . .	55.35910801 . . .	0.090994764 . . .
Cyr and Pace 1993	meadows of freshwater submerged macrophytes	aquatic	. . .	80.18187793 . . .	0.142593054 . . .
Cyr and Pace 1993	meadows of freshwater submerged macrophytes	aquatic	. . .	94.07592976 . . .	0.34102553 . . .
Cyr and Pace 1993	meadows of freshwater submerged macrophytes	aquatic	. . .	139.2610317 . . .	0.17156403 . . .
Cyr and Pace 1993	meadows of freshwater submerged macrophytes	aquatic	. . .	106.4406617 . . .	0.298820126 . . .
Flint and Goldman 1975	meadows of freshwater submerged macrophytes	aquatic	51.430000	201.115000 28.068500	13.956443 . . .
Jupp and Spence 1977	meadows of freshwater submerged macrophytes	aquatic	35.000000	111.325000 15.494250	13.918033 . . .
Klopatek and Stearns 1978	meadows of freshwater submerged macrophytes	aquatic	50.000000	401.500000 52.560000	13.090909 . . .
Mason and Bryant 1975	meadows of freshwater submerged macrophytes	aquatic	146.508197	326.200500 . . .	2.600000 0.200000
Neely and Davis 1985	meadows of freshwater submerged macrophytes	aquatic	. . .	369.600000
Neill 1992	meadows of freshwater submerged macrophytes	aquatic	128.000000	321.200000 . . .	1.760000 0.210000
Odum 1957	meadows of freshwater submerged macrophytes	aquatic	323.600000	1462.200000 316.820000	21.667351 14.8 2.22 0.27
Rogers and Breen 1982	meadows of freshwater submerged macrophytes	aquatic	. . .	93.650000
Schalles and Shure 1989	meadows of freshwater submerged macrophytes	aquatic	13.820000	24.272500
Sheldon 1987	meadows of freshwater submerged macrophytes	aquatic	32.800000	74.460000 8.650500	11.617647 . . .
Soszka 1975	meadows of freshwater submerged macrophytes	aquatic	37.800000	81.030000 5.292500	6.531532 . . .
Soszka 1975	meadows of freshwater submerged macrophytes	aquatic	19.250000	62.780000 24.345500	38.779070 . . .
Soszka 1975	meadows of freshwater submerged macrophytes	aquatic	76.200000	167.535000 15.220500	9.084967 . . .
Soszka 1975	meadows of freshwater submerged macrophytes	aquatic	19.750000	55.480000 16.023500	28.881579 . . .
Wallace and O'Hop 1985	meadows of freshwater submerged macrophytes	aquatic	13.000000	365.000000 62.050000	17.000000 . . .
Baird and Ulanowicz 1993	seagrass meadows	aquatic	162.100000	665.442450 . . .	9.4015 . . .
Baldwin and Lovvorn 1994	seagrass meadows	aquatic	. . .	7.865750 2.701000	34.338747 . . .
Cebrian and Duarte 1998 (CN)	seagrass meadows	aquatic	. . .	149.110000 12.670000	8.497083 . . .
Cebrian and Duarte 1998 (EA, CS, TH)	seagrass meadows	aquatic	. . .	484.790000 57.620000	11.885559 . . .
Cebrian and Duarte 1998 (TC)	seagrass meadows	aquatic	. . .	89.300000 5.270000	5.901456 . . .
Cebrian and Duarte 1998 (TT)	seagrass meadows	aquatic	. . .	570.520000 54.770000	9.600014 . . .
Cebrian and Duarte 1998 (ZM)	seagrass meadows	aquatic	. . .	335.800000 18.800000	5.598571 . . .
Cebrian and Duarte 1998 (ZN)	seagrass meadows	aquatic	. . .	126.870000 5.836000	4.599984 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	188.2508727 8.2830384	4.400000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	402.961014 9.268103323	2.300000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	677.4919008 10.16237851	1.500000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	238.953863 3.584307945	1.500000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	951.903414 19.03806828	2.000000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	961.8975716 17.31415629	1.800000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	375.7766568 4.885096554	1.300000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	458.8172563 7.799893357	1.700000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	167.8219703 1.510397733	0.900000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	919.9008 2.7597024	0.300000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	676.3322816 10.82131651	1.600000 . . .
Cebrian et al. 1996	seagrass meadows	aquatic	. . .	1075.268133 9.6774132	0.900000 . . .
Erfemeier et al. 1993	seagrass meadows	aquatic	53.800000	335.080950
Erfemeier et al. 1993	seagrass meadows	aquatic	47.800000	476.664450
Erfemeier et al. 1993	seagrass meadows	aquatic	22.830000	220.241000
Greenway 1976	seagrass meadows	aquatic	99.600000	876.244550 423.400000	48.319844 0.794328247
Harrison 1982	seagrass meadows	aquatic	360.000000	. . .	1.800000 0.140000
Hauxwell et al. 2002; Hauxwell et al. 1998	seagrass meadows	aquatic	32.000000	158 . . .	0.141 1.93 0.35
Hauxwell et al. 2002; Hauxwell et al. 1998	seagrass meadows	aquatic	12.800000	63.6 . . .	0.162 1.47 0.35
Hemminga and Nieuwenhuize 1991	seagrass meadows	aquatic	. . .	529.250000
Jacobs et al. 1981	seagrass meadows	aquatic	. . .	10.950000 0.511000	4.666667 . . .
Kirkman and Reid 1979	seagrass meadows	aquatic	. . .	160.461300 3.431000	2.138210 . . .
Klumpp et al. 1989	seagrass meadows	aquatic	273.728100	1094.912400 76.650000	7.000560 0.569900 1.200000 0.120000
Klumpp et al. 1993	seagrass meadows	aquatic	. . .	582.065500 69.350000	11.914467 1.210000 . . .
Lindeboon and De Bree 1982	seagrass meadows	aquatic	. . .	493.969100
Nienhuis and Groenendijk 1986	seagrass meadows	aquatic	. . .	17.000000 34.609300 2.628000	7.593335 . . .
Ott and Maurer 1977	seagrass meadows	aquatic	461.600000	555.321950 51.100000	9.201869 . . .
Peduzzi and Herndl 1991	seagrass meadows	aquatic	. . .	250.000000
Pellikaan and Nienhuis 1988	seagrass meadows	aquatic	50.000000	162.034450 8.869500	5.473836 . . .
Pergent et al. 1994	seagrass meadows	aquatic	. . .	190.398600 . . .	2.510000 0.416200
Romero et al. 1992	seagrass meadows	aquatic	89.100000	201.480000
Tersching 1989	seagrass meadows	aquatic	. . .	489.249650 17.520000	3.580994 . . .
Wahbeh and Mahasneh 1985	seagrass meadows	aquatic	. . .	321.200000
Wetzel and Penhale 1983	seagrass meadows	aquatic	. . .	1054.010500
Wetzel and Penhale 1983	seagrass meadows	aquatic	. . .	602.516450
Zieman et al. 1979	seagrass meadows	aquatic	30.800000	393.287500 58.400000	14.849188 . . .
Zieman et al. 1979	seagrass meadows	aquatic	2.320000	47.194500 6.935000	14.694509 . . .
Billings 1987	tundra shrublands and grasslands	terrestrial	75.270000	72.000000 . . .	0.12 1.0975 0.09275
Bliss 1975	tundra shrublands and grasslands	terrestrial	57.200000	35.489700 . . .	0.017 0.88 0.139
Bliss 1975	tundra shrublands and grasslands	terrestrial	399.200000	54.394700 2.467400	4.536104 0.077 0.880000 0.092750
Chapin et al. 1980	tundra shrublands and grasslands	terrestrial	63.000000	47 . . .	0.09 1.447 0.1072
McNaughton et al. 1989	tundra shrublands and grasslands	terrestrial	. . .	58.199250 0.032000	0.054983 . . .
McNaughton et al. 1989	tundra shrublands and grasslands	terrestrial	. . .	21.099993 0.062999	0.298574 . . .

McNaughton et al. 1989	tundra shrublands and grasslands	terrestrial	.	21.099993	0.099999	0.473929	.	.	.
McNaughton et al. 1989	tundra shrublands and grasslands	terrestrial	.	20.75957802	.	.	0.006353639	.	.
McNaughton et al. 1989	tundra shrublands and grasslands	terrestrial	.	22.28739728	.	.	0.021076705	.	.
McNaughton et al. 1989	tundra shrublands and grasslands	terrestrial	.	20.75957802	.	.	0.052728614	.	.
McNaughton et al. 1989	tundra shrublands and grasslands	terrestrial	.	61.41043258	.	.	0.052728614	.	.
McNaughton et al. 1989	tundra shrublands and grasslands	terrestrial	.	20.6259903	.	.	0.17491478	.	.
Moore 1989	tundra shrublands and grasslands	terrestrial	176.800000	29.674500
Moore 1989	tundra shrublands and grasslands	terrestrial	120.200000	49.939300
Moore 1989	tundra shrublands and grasslands	terrestrial	171.600000	25.221500
Moore 1989	tundra shrublands and grasslands	terrestrial	145.800000	31.317000
Moore 1989	tundra shrublands and grasslands	terrestrial	235.200000	31.755000
Bach et al. 1986	freshwater and marine marshes	terrestrial	.	836.711400	459.900000	54.965189	.	.	.
Bach et al. 1986	freshwater and marine marshes	terrestrial	.	547.846750	302.950000	55.298311	.	.	.
Bach et al. 1986	freshwater and marine marshes	terrestrial	.	567.768450	313.900000	55.286623	.	.	.
Bernard and Solsky 1977	freshwater and marine marshes	terrestrial	347.708895	470.850000	.	.	1.600000	.	.
Buth 1987	freshwater and marine marshes	terrestrial	.	3733.326580
Buth 1987	freshwater and marine marshes	terrestrial	.	5574.091660
Buth 1987	freshwater and marine marshes	terrestrial	.	4090.921095
Cahoon and Stevenson 1986	freshwater and marine marshes	terrestrial	117.600000	482.105140	73.000000	15.141925	.	.	.
Cammen 1980	freshwater and marine marshes	terrestrial	182.800000	226.4	.	.	2.9	0.9	0.18
Craft et al. 1988	freshwater and marine marshes	terrestrial	.	400.000000	419.998200	.	0.780000	0.053800	.
de la Cruz 1973	freshwater and marine marshes	terrestrial	.	400.000000	419.998200
de la Cruz 1973	freshwater and marine marshes	terrestrial	.	280.085197	959.950000	.	.	0.940000	0.150000
Gallagher et al. 1980	freshwater and marine marshes	terrestrial	.	165.000000	40.880000
Granelli 1989	freshwater and marine marshes	terrestrial	.	323.200000	539.878070
Hopkinson et al. 1978	freshwater and marine marshes	terrestrial	301.600000	1267.020120	211.700000	16.708496	.	.	.
Hopkinson et al. 1978	freshwater and marine marshes	terrestrial	550.400000	2415.506125
Hopkinson et al. 1978	freshwater and marine marshes	terrestrial	396.000000	926.359050
Hopkinson et al. 1978	freshwater and marine marshes	terrestrial	259.200000	598.647085
Karagatzides and Hutchinson 1991	freshwater and marine marshes	terrestrial	111.800000	103.295000
Karagatzides and Hutchinson 1991	freshwater and marine marshes	terrestrial	138.000000	161.330000
Lee 1990	freshwater and marine marshes	terrestrial	623.920000	879.543055	8.760000	0.995972	.	1.280000	.
Parsons and De la Cruz 1980	freshwater and marine marshes	terrestrial	242.500000	832.110000	2.964700	0.356287	0.089000	0.780000	0.140000
Patruquin and McClung 1978	freshwater and marine marshes	terrestrial	66.768293	159.870000	.	.	2.200000	.	.
Patruquin and McClung 1978	freshwater and marine marshes	terrestrial	119.883041	299.300000	.	.	2.030000	.	.
Reader and Stewart 1972	freshwater and marine marshes	terrestrial	.	192.600000	43.880000	22.782970	.	1.590000	0.114000
Reader and Stewart 1972	freshwater and marine marshes	terrestrial	.	447.400000	36.920000	8.252123	.	0.250000	0.175000
Richardson et al. 1999	freshwater and marine marshes	terrestrial	.	1196.400000	0.760000	0.063524	.	0.723400	0.013500
Smalley 1960	freshwater and marine marshes	terrestrial	.	503.006500	2.867221	0.570017	.	.	.
Squires and Good 1974	freshwater and marine marshes	terrestrial	266.592428	436.905000	.	.	.	0.990000	.
Teal 1962	freshwater and marine marshes	terrestrial	250.000000	992.100660	51.100000	5.150687	0.281000	0.900000	0.180000
Udell et al 1969	freshwater and marine marshes	terrestrial	107.664234	215.350000	15.074500	7.000000	.	2.140000	.
White et al. 1978	freshwater and marine marshes	terrestrial	671.600000	517.964200
White et al. 1978	freshwater and marine marshes	terrestrial	589.200000	1387.546405	229.950000	16.572419	.	.	.
Boring et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	350.200000	14.600000	4.169046	.	0.338900	0.061900
Bray 1964	temperate and tropical shrublands and forests	terrestrial	60.000000	132.130000	9.198000	6.961326	.	.	.
Chew and Chew 1970	temperate and tropical shrublands and forests	terrestrial	184.000000	52.560000	1.040250	1.979167	0.063641054	0.639600	.
Day 1982	temperate and tropical shrublands and forests	terrestrial	232.273680	233.503215
Day 1982	temperate and tropical shrublands and forests	terrestrial	446.683592	252.518304
Day 1982	temperate and tropical shrublands and forests	terrestrial	238.231947	239.493022
Day 1982	temperate and tropical shrublands and forests	terrestrial	208.449088	209.552509
De Angelis et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	706.599850	15.000040	2.122848	.	.	.
De Angelis et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	599.600100	2.200000	0.366911	.	.	.
De Angelis et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	449.132500	7.520095	1.674360	.	.	.
De Angelis et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	402.441700	36.399990	9.044786	.	.	.
De Angelis et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	516.000500	16.000140	3.100799	.	.	.
De Angelis et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	382.812000	8.400110	2.194317	.	.	.
De Angelis et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	489.757000	6.840100	1.396631	.	.	.
De Angelis et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	403.120600	7.120055	1.766234	.	.	.
Frangi and Lugo 1985	temperate and tropical shrublands and forests	terrestrial	9999.000000	876.000000	1.113250	0.127083	1.310000	.	0.033400
Gosz et al. 1978	temperate and tropical shrublands and forests	terrestrial	7156.310000	468.952000	31.426500	6.701432	.	0.320000	0.061900
Gray 1982	temperate and tropical shrublands and forests	terrestrial	2592.890000	423.400000	.	.	.	0.640000	0.044000
Gray 1982	temperate and tropical shrublands and forests	terrestrial	370.000000	141.985000	.	.	.	0.530000	0.110000
Grier and Logan 1977	temperate and tropical shrublands and forests	terrestrial	26862.800000	332.000000	1.598700	0.481536	0.446	0.073300	0.011870
Grier and Logan 1977	temperate and tropical shrublands and forests	terrestrial	32528.800000	318.400000	2.398050	0.753156	0.668	0.073400	0.011880
Grier and Logan 1977	temperate and tropical shrublands and forests	terrestrial	20017.600000	251.200000	2.398050	0.954638	0.668	0.073300	0.011860
Grier and Logan 1977	temperate and tropical shrublands and forests	terrestrial	22590.400000	303.600000	2.398050	0.789872	0.668	0.073300	0.011870
Grier and Logan 1977	temperate and tropical shrublands and forests	terrestrial	39300.400000	402.800000	2.398050	0.595345	0.668	0.070800	0.011300
Grodzinski et al. 1966	temperate and tropical shrublands and forests	terrestrial	.	98.980700	1.376543	1.390718	.	.	.
Gruner, age 300	temperate and tropical shrublands and forests	terrestrial	7104	421.2	.	.	0.253528	.	.
Gruner, age 5000	temperate and tropical shrublands and forests	terrestrial	10644	388.208	.	.	1.477688	.	.

Gruner, age 150000	temperate and tropical shrublands and forests	terrestrial	5784	363.404	.	.	2.398276	.	.
Gruner, age 1400000	temperate and tropical shrublands and forests	terrestrial	5500	558	.	.	0.837252	.	.
Gruner, age 4100000	temperate and tropical shrublands and forests	terrestrial	8232	298.516	.	.	0.210936	.	.
Harris et al. 1975	temperate and tropical shrublands and forests	terrestrial	8011.00000	451.10000	4.489500	0.995234	0.101	0.3389	0.0619
Haukioja and Koponen 1975	temperate and tropical shrublands and forests	terrestrial		67.999865	3.559991	5.235291	0.042672096		
Kira 1978	temperate and tropical shrublands and forests	terrestrial	17400.00000	846.80000
Leigh and Windsor 1983	temperate and tropical shrublands and forests	terrestrial	243.80000	280.32000	36.50000	13.020833	.	.	.
Lowman 1988	temperate and tropical shrublands and forests	terrestrial	456.40000	228.49000	50.00500	21.884984	.	.	.
Lowman 1988	temperate and tropical shrublands and forests	terrestrial	387.60000	193.81500	52.92500	27.306968	.	.	.
Lowman 1988	temperate and tropical shrublands and forests	terrestrial	490.40000	245.28000	35.18600	14.345238	.	.	.
McInnes et al. 1992	temperate and tropical shrublands and forests	terrestrial	.	490.001550	228.00900	46.530649	.	1.390000	.
McInnes et al. 1992	temperate and tropical shrublands and forests	terrestrial	.	228.00090	63.999100	28.069670	.	1.210000	.
McInnes et al. 1992	temperate and tropical shrublands and forests	terrestrial	.	353.999890	152.000600	42.938156	.	1.260000	.
McInnes et al. 1992	temperate and tropical shrublands and forests	terrestrial	.	301.999905	60.000160	19.867609	.	1.370000	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	13.21169908	.	.	0.013483001	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	41.15399548	.	.	0.015895208	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	56.46689392	.	.	0.022091513	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	75.99143688	.	.	0.254805335	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	269.3346511	.	.	0.026663458	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	367.1727248	.	.	0.148370268	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	1810.040000	615.414014	.	.	0.865366424	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	423.206256	.	.	0.668151443	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	326.8914747	.	.	1.260613775	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	210.7420355	.	.	2.164929131	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	232.1704014	.	.	1.290605239	.	.
McNaughton et al. 1989	temperate and tropical shrublands and forests	terrestrial	.	250.8715411	.	.	0.427423874	.	.
Menhinick 1967	temperate and tropical shrublands and forests	terrestrial	.	221.92000	2.029400	0.914474	0.515881294	.	.
Nielsen 1978	temperate and tropical shrublands and forests	terrestrial	100.400000	114.61000	3.478450	3.035032	.	.	.
Ohmart et al. 1983	temperate and tropical shrublands and forests	terrestrial	194.000000	74.09500	1.241000	1.674877	.	0.530000	0.034000
Ohmart et al. 1983	temperate and tropical shrublands and forests	terrestrial	145.200000	65.33500	1.281150	1.960894	.	0.570000	0.025100
Ohmart et al. 1983	temperate and tropical shrublands and forests	terrestrial	200.000000	89.06000	2.120650	2.381148	.	0.580000	0.053700
Proctor et al. 1983	temperate and tropical shrublands and forests	terrestrial	1520.000000	332.88000	40.88000	12.280702	.	1.170000	.
Proctor et al. 1983	temperate and tropical shrublands and forests	terrestrial	1880.000000	264.26000	40.88000	15.469613	.	0.567000	.
Proctor et al. 1983	temperate and tropical shrublands and forests	terrestrial	1000.000000	318.28000	54.02000	16.972477	.	0.900000	.
Proctor et al. 1983	temperate and tropical shrublands and forests	terrestrial	2600.000000	246.74000	30.66000	12.426036	.	0.950000	.
Reichle and Crossley 1967	temperate and tropical shrublands and forests	terrestrial	40.000000	89.79000	7.993500	8.902439	.	.	.
Reichle et al. 1973	temperate and tropical shrublands and forests	terrestrial	.	327.868000	3.600000	1.098003	.	0.338900	0.061900
Schowalter et al. 1981	temperate and tropical shrublands and forests	terrestrial	.	127.998200	8.000070	6.250143	0.166879795	.	.
Soholt 1973	temperate and tropical shrublands and forests	terrestrial	.	13.542960	0.934473	6.900065	.	.	.
Svensson and Roswall 1980	temperate and tropical shrublands and forests	terrestrial	196.800000	56.940000	0.361350	0.634615	.	.	.
Tanner 1980	temperate and tropical shrublands and forests	terrestrial	315.294118	195.640000	.	.	.	1.050000	0.050000
Van Cleve et al. 1981	temperate and tropical shrublands and forests	terrestrial	927.152318	51.100000	.	.	.	0.390000	0.083300
Van Cleve et al. 1981	temperate and tropical shrublands and forests	terrestrial	597.727273	28.798500	.	.	.	0.210000	0.033000
Van Cleve et al. 1983	temperate and tropical shrublands and forests	terrestrial	4478.856462	188.000000	.	.	.	0.250000	0.025600
Van Cleve et al. 1983	temperate and tropical shrublands and forests	terrestrial	4422.700587	226.000000	.	.	.	0.240000	0.024500
Van Cleve et al. 1983	temperate and tropical shrublands and forests	terrestrial	6975.580703	146.400000	.	.	.	0.140000	0.017700
Van Cleve et al. 1983	temperate and tropical shrublands and forests	terrestrial	2036.770007	45.200000	.	.	.	0.240000	0.036000
Van Cleve et al. 1983	temperate and tropical shrublands and forests	terrestrial	4839.452055	220.800000	.	.	.	0.210000	0.026800
Varley 1970	temperate and tropical shrublands and forests	terrestrial	.	496	.	.	0.73	.	.
Whittaker 1975	temperate and tropical shrublands and forests	terrestrial	164.000000	157.68000	12.665500	8.032407	.	.	.
Whittaker and Woodwell 1969	temperate and tropical shrublands and forests	terrestrial	342.800700	9.719950	2.835452
Aerts 1989	temperate and tropical grasslands	terrestrial	80.000000	216.08000	.	.	.	0.955000	0.035000
Aerts et al. 1992	temperate and tropical grasslands	terrestrial	40.645161	45.99000	.	.	.	0.700000	0.125000
Aerts et al. 1992	temperate and tropical grasslands	terrestrial	38.194444	40.15000	.	.	.	1.400000	0.050000
Auclair et al. 1976	temperate and tropical grasslands	terrestrial	322.800000	327.999950
Boyer and Wheeler 1989	temperate and tropical grasslands	terrestrial	64.770932	149.65000	.	.	.	1.200000	0.700000
Boyer and Wheeler 1989	temperate and tropical grasslands	terrestrial	150.931677	88.69500	.	.	.	0.940000	0.400000
Collins and Steinauer 1998, unpubl. Data	temperate and tropical grasslands	terrestrial	91.458	182.916	.	.	1.32	.	.
Coppock et al. 1983	temperate and tropical grasslands	terrestrial	32.000000	76.650000	36.500000	47.619048	.	2.230000	.
Damman 1978	temperate and tropical grasslands	terrestrial	52.009132	41.573500	.	.	.	0.980000	0.084000
Damman 1978	temperate and tropical grasslands	terrestrial	38.059701	37.230000	.	.	.	0.410000	0.035000
Day and Detling 1990	temperate and tropical grasslands	terrestrial	.	56.246500	7.318250	13.011032	.	1.080000	.
Edroma 1984	temperate and tropical grasslands	terrestrial	.	190.000750	46.000950	24.210931	.	.	.
Frank and McNaughton 1992	temperate and tropical grasslands	terrestrial	.	120.997500	54.458000	45.007541	.	2.100000	.
Gandar 1982	temperate and tropical grasslands	terrestrial	8.650000	30.660000	12.994000	42.380952	.	.	.
Gandar 1982	temperate and tropical grasslands	terrestrial	6.400000	17.520000	4.336200	24.750000	.	.	.
Lock 1972	temperate and tropical grasslands	terrestrial	.	200.921550	56.921750	28.330336	.	.	.
McNaughton 1985	temperate and tropical grasslands	terrestrial	33.470000	265.720000	175.200000	65.934066	0.733	1.470000	0.373000
McNaughton 1985	temperate and tropical grasslands	terrestrial	40.000000	328.000000	248.000000	75.609756	0.849	2.520000	0.444000
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	62.61138244	.	.	0.023706072	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	43.89844399	.	.	0.106754852	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	172.5186675	.	.	0.120072762	.	.

McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	103.5959644	.	.	0.17491478	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	105.6218997	.	.	0.226543517	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	136.7421673	.	.	0.580238655	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	427.590091	611.4538298	.	.	3.989692704	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	363.860431	520.3204158	.	.	3.989692704	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	324.7879307	.	.	0.540720122	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	306.4548318	.	.	0.608176183	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	469.2577704	.	.	1.451611169	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	428.7059422	.	.	1.35274574	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	396.7481933	.	.	1.174756677	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	371.9442393	.	.	1.321310236	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	287.2958496	.	.	1.020186728	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	255.7776153	.	.	0.825614459	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	196.2954971	.	.	0.825614459	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	250.8715411	.	.	1.451611169	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	212.106942	.	.	1.120792384	.	.
McNaughton et al. 1989	temperate and tropical grasslands	terrestrial	.	212.106942	.	.	0.354134121	.	.
Pakarinen 1978			178.531073	115.340000	.	.		0.830000	.
Pakarinen 1978			132.911392	76.650000	.	.		0.700000	0.035000
Ritchie, 1989-1999			17.74	35.48	.	.	0.0996	.	.
Scott et al. 1979	temperate and tropical grasslands	terrestrial	85.030000	45.000850	45.001300	.	1.450000	.	.
Sinclair 1975	temperate and tropical grasslands	terrestrial	116.560000	239.075000	65.700000	7.664474	0.216136885	1.625000	0.180000
Strugnell and Pigott 1978	temperate and tropical grasslands	terrestrial	98.520000	306.600000	164.250000	27.480916	0.337866414	1.440000	0.220000
Thornton 1971	temperate and tropical grasslands	terrestrial	.	190.000750	46.000950	53.571429	24.210931	1.600000	.
Van Hook 1971	temperate and tropical grasslands	terrestrial	56.880000	127.385000	12.300500	9.656160	0.267073789	.	.
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	56.000000	87.965000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	132.000000	140.160000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	240.000000	500.050000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	134.000000	247.835000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	178.000000	368.650000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	390.000000	700.800000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	90.000000	100.010000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	96.000000	100.010000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	276.000000	540.200000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	310.000000	598.600000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	228.000000	267.910000
Whealer and Shaw 1991	temperate and tropical grasslands	terrestrial	200.000000	278.130000
Wiegert and Evans 1964	temperate and tropical grasslands	terrestrial	424.100000	594.950000	8.176000	1.374233	.	.	.
Wiegert and Evans 1964	temperate and tropical grasslands	terrestrial	296.200000	199.509000	2.555000	1.280644	.	.	.
Brown et al. 1984	mangroves	terrestrial	3073.193916	118.004500
Christensen 1978	mangroves	terrestrial	.	1080.400000	16.060000	1.486486	.	.	.
Emmerson and McGwynne 1992	mangroves	terrestrial	.	525.600000	29.200000	5.555556	.	.	.
Flores-Verdugo et al. 1987	mangroves	terrestrial	.	463.550000
Golley et al. 1962	mangroves	terrestrial	1842.200000	1438.892050	36.500000	2.536674	1.000000	.	.
Johnstone 1981	mangroves	terrestrial	.	1533.000000	33.580000	2.190476	.	.	.
Lee 1989	mangroves	terrestrial	.	876.000000	47.450000	5.416667	.	.	.
Li and Lee 1998	mangroves	terrestrial	.	700.800000	26.207000	3.739583	.	.	.
Li and Lee 1998	mangroves	terrestrial	.	868.700000	27.995000	3.222689	.	.	.
Nessel 1978	mangroves	terrestrial	11370.967742	514.650000	.	.	.	0.013900	.
Odum 1971	mangroves	terrestrial	.	900.017000	23.039530	2.559899	.	.	.
Omuf et al. 1977	mangroves	terrestrial	.	1694.151150	105.850000	6.247967	.	.	.
Ong 1993	mangroves	terrestrial	.	900.017000
Ong et al. 1982	mangroves	terrestrial	.	599.987000	15.800120	2.633410	.	0.655000	.
Robertson and Daniel 1989	mangroves	terrestrial	12285.251216	276.670000
Schlesinger 1978	mangroves	terrestrial	6800.000000	199.311900	.	.	.	0.330000	0.014900
Twilley et al. 1986	mangroves	terrestrial	6544.000000	118.887800
Twilley et al. 1986	mangroves	terrestrial	4460.000000	181.828400
Van der Valk and Attiwill 1984	mangroves	terrestrial	.	104.901000
Wolff et al. 2000	mangroves	terrestrial	.	507.000000	13.500000	2.662722	.	0.981875	0.060650

Supporting Information: Data Set for Figure 2 in Main Text

system	ref	herbivore ID	herbivore ID2	common name	group	Nh	N max	N min	N SD	Pf	P max	P min	P SD	studv mean	hr	studv mean	hr	studv mean	hr	source	source	notes
1	Baird and Ulanowicz 1989	Mya	arenaria	oysters	soft-shelled clt	invert	9.39	10.7	9.049	0.084	0.084	0.094	0.02336711	Hatcher	Hatcher	up to trophic position 2.5, used abalone						
1	Baird and Ulanowicz 1989			zooplankton	zooplankton	zooplankton	7.73213148	7.73213148	7.73213148	0.02336711	0.02336711	0.02336711	0.02336711	Hatcher	Hatcher	up to trophic position 2.5, used abalone						
2	Baird and Ulanowicz 1989			zooplankton	zooplankton	invert	7.73213148	7.73213148	7.73213148	0.02336711	0.02336711	0.02336711	0.02336711	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
3	Baird and Uler Kromme			zooplankton	zooplankton	invert	7.73213148	7.73213148	7.73213148	0.02336711	0.02336711	0.02336711	0.02336711	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
4	Baird and Uler Ems			zooplankton	zooplankton	invert	7.73213148	7.73213148	7.73213148	0.02336711	0.02336711	0.02336711	0.02336711	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
5	Baird and Uler Ems			zooplankton	zooplankton	invert	7.73213148	7.73213148	7.73213148	0.02336711	0.02336711	0.02336711	0.02336711	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
56	Baird and Uler Szwarkops			zooplankton	zooplankton	invert	7.73213148	7.73213148	7.73213148	0.02336711	0.02336711	0.02336711	0.02336711	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
57	Baird and Uler Ems			benthos	benthos	invert	10.045	10.045	10.045	1.01	1.01	1.01	1.01	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
58	Baird and Uler Ethan			benthos	benthos	invert	10.045	10.045	10.045	1.01	1.01	1.01	1.01	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
59	Baird and Uler Szwarkops			benthos	benthos	invert	10.045	10.045	10.045	1.01	1.01	1.01	1.01	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
60	Baird and Uler Kromme			benthos	benthos	invert	10.045	10.045	10.045	1.01	1.01	1.01	1.01	Hatcher	Hatcher	up to trophic position 2.5, used average copepod						
3	Billing 1987			lemmings	mammal	11.6	2.76	2.76	2.76													
61	Bliss 1975			snow goose	bird	11.3	3.43	3.43	3.43													
61	Bliss 1975			arctic hare	mammal	11.6	2.76	2.76	2.76													
61	Bliss 1975			collared lemm	mammal	9.6	2.88	2.88	2.88													
61	Bliss 1975			muskrat	mammal	9.6																
62	Bliss 1975			snow goose	bird	11.3	3.43	3.43	3.43													
62	Bliss 1975			arctic hare	mammal	11.3	2.76	2.76	2.76													
62	Bliss 1975			collared lemm	mammal	11.6	2.88	2.88	2.88													
62	Bliss 1975			muskrat	mammal	9.6																
4	Brown et al 1991	Claeodinclus furcatus		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Gyrocydella cordata		protozoan	protozoan	mar	7.73213148	11.1111111	5.48918688	0.80883275	1.290930673	0.88331353	0.4499097	0.52454453	7.69707304	0.85634546					S Afr J Mar Sci 11: 537	
4	Brown et al 1991	Tetraclita tuberculata		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Catocalanus finmarchicus		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Centropages thompsoni		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Catocalanus tenuis		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Calanoides brachatus		copepod	mar	zoop	7.90389332	9.1503268	6.7632850	0.85719415	0.88347766	1.17424242	0.73809524	0.2518097	7.69707304	0.85634546					S Afr J Mar Sci 11: 537	
4	Brown et al 1991	Calanoides crassatus		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Calanoides gracilis		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Nannocalanus minor		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Claeodinclus arcticus		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Paracalanus parvus		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
4	Brown et al 1991	Bacilliger californicus		copepod	mar	zoop	7.73213148	11.1111111	4.02298851	1.93306673	1.64021164	0.29693487	0.29184236	7.69707304	0.85634546					S Afr J Mar Sci 11: 537		
5	Bustamante et al. 1995	Peltella granularis		patellid limpet	invert	12.138	0.436677															
6	Cammen 1980	Nereis succinea		polychaete	invert	10.57																
7	Chapin et al. 1988			lemmings	mammal	11.6	2.76	2.76	2.76													
8	Chew and Chew 1970	Dipodomys maniculatus		rodents	rodents	11.6																
8	Chew and Chew 1970	Orychomys torridus		rodents	rodents	11.6																
8	Chew and Chew 1970	Lepus californicus		rodents	rodents	11.6																
8	Chew and Chew 1970	Peromyscus eremicus		rodents	rodents	11.6																
8	Chew and Chew 1970	Ammiospermophilus hyperboreus		rodents	rodents	11.6																
8	Chew and Chew 1970	Apodemus sylvaticus		rodents	rodents	11.6																
8	Chew and Chew 1970	Sylvilagus auduboni		rodents	rodents	11.6																
8	Chew and Chew 1970	Peromyscus flavus		rodents	rodents	11.6																
8	Chew and Chew 1970	Peromyscus maniculatus		rodents	rodents	11.6																
8	Chew and Chew 1970	Neotoma albigenia		rodents	rodents	11.6																
8	Chew and Chew 1970	Perognathus baileyi		rodents	rodents	11.6																
8	Chew and Chew 1970	Perognathus penicillatus		rodents	rodents	11.6																
9	Collings and Stemberger 1998, update			pulex	zooplankton	fw zoop	8.46817631	9.92	7.06833333	0.79453088	1.19120249	1.1571429	1.17714286	0.81	0.18753050	0.97797679	Elder et al. 20	Elder et al. 20	From a sample of 12 Daphnia species from different publications			
10	Coveny et al. 1977	Eudiplomus graciloides		zooplankton	zooplankton	fw zoop	9.91111111	11.1	8.25	0.70683333	1.4872299	1.10571429	1.17714286	0.81	0.18753050	0.97797679	Elder et al. 20	Elder et al. 20	From a sample of 6 calanoid species from different publications			
63	Cryer and Pace 1993a	Daphnia pullex		fw zoop	8.25	9.92	8.25	8.25	0.436677	0.10571429	1.10571429	1.17714286	0.81	0.18753050	0.97797679	Hatcher	Hatcher	Used chiton value, which is anomalously low				
63	Cryer and Pace 1993a	Ceriodaphnia rotundata		fw zoop	8.25	9.92	8.25	8.25	0.436677	0.10571429	1.10571429	1.17714286	0.81	0.18753050	0.97797679	Hatcher	Hatcher	Used 10rotchota sponge value				
63	Cryer and Pace 1993a	Longirostris longirostris		fw zoop	8.25	9.92	8.25	8.25	0.436677	0.10571429	1.10571429	1.17714286	0.81	0.18753050	0.97797679	Hatcher	Hatcher	Used 10rotchota sponge value				
63	Cryer and Pace 1993a	Bosmina longirostris		fw zoop	8.185	8.815	8.185	8.185	0.615	0.615	0.615	0.615	0.94255556	1.21156083	1.21156083	Elder et al. 20	Elder et al. 20	Plankton Res 8:1065				
63	Cryer and Pace 1993a	Diochanosoma brachyurum		fw zoop	9.8	10.9	9.8	10.9	0.28284271	1.085	1.085	1.085	0.95	0.19091883	0.94255556	Elder et al. 20	Elder et al. 20	Plankton Res 8:1065				
63	Cryer and Pace 1993a	Diochanosoma longirostris		fw zoop	9.8	10.9	9.8	10.9	0.28284271	1.085	1.085	1.085	0.95	0.19091883	0.94255556	Elder et al. 20	Elder et al. 20	Plankton Res 8:1065				
63	Cryer and Pace 1993a	Diochanosoma leucostoma		fw zoop	9.8	10.9	9.8	10.9	0.28284271	1.085	1.085	1.085	0.95	0.19091883	0.94255556	Elder et al. 20	Elder et al. 20	Plankton Res 8:1065				
63	Cryer and Pace 1993a	Diochanosoma leucostoma		fw zoop	9.8	10.9	9.8	10.9	0.28284271	1.085	1.085	1.085	0.95	0.19091883	0.94255556	Elder et al. 20	Elder et al. 20	Plankton Res 8:1065				
63	Cryer and Pace 1993a	Diochanosoma longirostris		fw zoop	9.8	10.9	9.8	10.9	0.28284271	1.085	1.085	1.085	0.95	0.19091883	0.94255556	Elder et al. 20	Elder et al. 20	Plankton Res 8:1065				
63	Cryer and Pace 1993a	Diochanosoma longirostris		fw zoop	9.8	10.9	9.8	10.9	0.28284271	1.085	1.085	1.085	0.95	0.19091883	0.94255556	Elder et al. 20	Elder et al. 20	Plankton Res 8:1065				
63	Cryer and Pace 1993a	Diochanosoma longirostris		fw zoop	9.8	10.9	9.8	10.9	0.28284271	1.085	1.085	1.085	0.95	0.19091883	0.94255556	Elder et al. 20	Elder et al. 20	Plankton Res 8:1065				
63	Cryer and Pace 1993a	Diochanosoma longirostris		fw zoop	9.8	10.9	9.8	10.9	0.282842													

28	Hawxwell et al. 2002: Hawxw. Cymundus	comps	amphipod	invert	7.28		0.68	1.01		0.11	Frost et al.	Frost et al.	used freshwater amphipods from Frost et al					
28	Hawxwell et al. 2002: Hawxw. Isoteta	baltica	isopod	invert	7.28		0.68	1.01		0.11	Frost et al.	Frost et al.	used freshwater amphipods from Frost et al					
29	Hawxwell et al. 2002: Hawxw. Microdeutopus	grylliotalpa	amphipod	invert	7.28		0.68	1.01		0.11	Frost et al.	Frost et al.	used freshwater amphipods from Frost et al					
29	Hawxwell et al. 2002: Hawxw. Cyathocauda	compta	amphipod	invert	7.28		0.68	1.01		0.11	Frost et al.	Frost et al.	used freshwater amphipods from Frost et al					
29	Hawxwell et al. 2002: Hawxw. Cyathocauda	baltica	isopod	invert	7.28		0.68	1.01		0.11	Frost et al.	Frost et al.	used freshwater amphipods from Frost et al					
30	Jansson et al. 1984	copepods	-	zoopl	6.99943452	8.61230329	5.49019608	0.80682275	1.29091027	2.58333333	0.4434907	0.62454483	8.45527282	1.0296218				
30	Jansson et al. 1984	copepods	-	mesozoop	9.91111111	11.1	6.9	1.58137306	0.76833333	1.07	0.45	0.2402013	8.45527282	1.0296218				
31	Jespersen et al. 1988	Daphnia	cucullata	zooplankton	9	9	9	0	1.55	1.55	1.55	0.45	0.2402013	8.45527282	1.0296218			
31	Jespersen et al. 1988	Eudiaptomus	graciloides	zooplankton	9.91111111	11.1	6.9	1.58137306	0.76833333	1.07	0.45	0.2402013	8.45527282	1.0296218				
31	Jespersen et al. 1988	Bosmina	coregoni	zooplankton	9	9	9	0	1.55	1.55	1.55	0.45	0.2402013	8.45527282	1.0296218			
31	Jespersen et al. 1988	Chydorus	sphaericus	zooplankton	8.815	8.815	8.815	0	0.615	0.615	0.615	0	0.897315278	1.35583333				
32	Klumpp et al. 1989	Clupeidae	-	parrotfish	8.0465	8.1665	8.1665	0	2.49	2.49	2.49	0	0.897315278	1.35583333				
32	Klumpp et al. 1989	Gobiidae	-	garfish	fish	12.5			2.5						rare species ignored, used Scapholebris			
32	Klumpp et al. 1989	Gobiidae	-	garfish	fish	12.5			2.5						compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Scorpaenidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Spidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Monacanthidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Hemiramphidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Haemulidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Acanthidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Bleenniidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Gobidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Tetraodontidae	-	fish	12.5			2.5							compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	echinoids	-	sea urchin	invert	10.57			0.281827						compilation -- many herbivores listed, lots not very specific			
32	Klumpp et al. 1989	Crustacea	-	crustaceans	invert	6.93232323	7.9	5.5	0.904802	1.40166667	7.9	5.5	0.904802		Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	molluscs	-	invert	8.5348387	9.52380952	7.52688172	0.78820196	0.83951371	1.29041667	0.54987551	0.2593176				Lim+Harvam	Lim+Harvam	Used mean calanoid
32	Klumpp et al. 1989	crabs	-	invert	6.93333333	7.9	5.5	0.904802	1.40166667	7.9	5.5	0.904802				Smaal et al.	Smaal et al.	Mytilus edulis
32	Klumpp et al. 1989	isopods	-	invert	7.28			0.68	1.01		0.11				Frost et al.	Frost et al.	Used freshwater amphipods from Frost et al	
32	Klumpp et al. 1989	amphipod	-	invert	7.28			0.68	1.01		0.11				Frost et al.	Frost et al.	Used freshwater amphipods from Frost et al	
32	Klumpp et al. 1989	Caridae	-	invert	9.1				0.566751						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Gastropoda	-	invert	11.1				1.39						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Penaeidae	-	invert	11.1				1.39						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Polychaeta	-	invert	11.1				1.39						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Mytilidae	-	bivalve	invert	11.1			1.39						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Gobiidae	-	fish	12.5			2.5						Uve + Matsud	Uve + Matsud	Used average of crab larval stages		
32	Klumpp et al. 1989	Tetraodontidae	-	fish	12.5			2.5						Hatcher	Hatcher	Used data for Ietrochota sponges		
32	Klumpp et al. 1989	echinoids	-	sea urchin	invert	10.57			0.281827						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Crustacea	-	crustaceans	invert	6.93232323	7.9	5.5	0.904802	1.40166667	7.9	5.5	0.904802		Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	molluscs	-	invert	8.5348387	9.52380952	7.52688172	0.78820196	0.83951371	1.29041667	0.54987551	0.2593176				Smaal et al.	Smaal et al.	Mytilus edulis
32	Klumpp et al. 1989	crabs	-	invert	6.93333333	7.9	5.5	0.904802	1.40166667	7.9	5.5	0.904802				Frost et al.	Frost et al.	Used freshwater amphipods from Frost et al
32	Klumpp et al. 1989	isopods	-	invert	7.28			0.68	1.01		0.11				Frost et al.	Frost et al.	Used freshwater amphipods from Frost et al	
32	Klumpp et al. 1989	amphipod	-	invert	7.28			0.68	1.01		0.11				Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Caridae	-	invert	9.1				0.566751						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Gastropoda	-	invert	11.1				1.39						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Penaeidae	-	invert	11.1				1.39						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Polychaeta	-	invert	11.1				1.39						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Mytilidae	-	bivalve	invert	11.1			1.39						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Tauragretus	oryx	elander	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Gazella	thomsonii	Thomson's gazelle	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Synurus	caffer	buffalo	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Damaliscus	korkum	topi	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Connochaetes	thomasi	wildebeest	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Equus	burchelli	zebra	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Tauragretus	taurus	eland	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Gazella	thomsonii	Thomson's gazelle	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Synurus	caffer	buffalo	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Damaliscus	korkum	topi	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Connochaetes	thomasi	wildebeest	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Equus	burchelli	zebra	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Tauragretus	taurus	eland	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Gazella	thomsonii	Thomson's gazelle	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Synurus	caffer	buffalo	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Damaliscus	korkum	topi	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Connochaetes	thomasi	wildebeest	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Equus	burchelli	zebra	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Tauragretus	taurus	eland	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Gazella	thomsonii	Thomson's gazelle	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Synurus	caffer	buffalo	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Damaliscus	korkum	topi	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Connochaetes	thomasi	wildebeest	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Equus	burchelli	zebra	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Tauragretus	taurus	eland	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Gazella	thomsonii	Thomson's gazelle	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Synurus	caffer	buffalo	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Damaliscus	korkum	topi	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Connochaetes	thomasi	wildebeest	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Equus	burchelli	zebra	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Tauragretus	taurus	eland	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Gazella	thomsonii	Thomson's gazelle	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Synurus	caffer	buffalo	mammal	9.6			2.88						Uve + Matsud	Uve + Matsud	Used average of crab larval stages	
32	Klumpp et al. 1989	Damaliscus	korkum	topi	mammal	9.6			2.88						Hatcher	Hatcher	Used data for Ietrochota sponges	
32	Klumpp et al. 1989	Connochaetes	thomasi															

47	Scott et al. 1979	Circulinidae	insects	insects	9.8565	0.77428	0.5425	0.07974	Faakan circulinidae Fagan curculionid				
47	Scott et al. 1979	Tenebrionidae	insects	insects	8	0.4243	1.345	0.10607	Fagan tenebrionidae Fagan tenebrionid				
47	Scott et al. 1979	Carabidae	insects	insects									
47	Scott et al. 1979	Lepidoptera	larvae	insects	8.554	1.0937	0.9347	0.34404	Fagan lepidoptera Fagan lepidoptera				
47	Scott et al. 1979	Nematoda	nematodes	invert	8.232	0.272536							
48	Sinclair 1975	Connatichaeidae	taurinus	wildbeetles	mammal	9.6	2.88						
49	Sinclair 1975	Equisetidae	burchelli	zebra	mammal								
49	Sinclair 1975	Gastropoda	Thompson's q. m.	thompsoni	zebra								
49	Small et al. 1988	Equus	oryx	eland	mammal	9.6	2.88						
49	Small et al. 1988	copépodes	mesozoop	mar. zoop	7.73213148	11.11111111	4.02298851	1.93306673	Dierenfeld07 t Gillooly&Alien05 bull				
50	Sorokin 1983	Mugil	cephalus	fish	fish	12.5	0.8072	0.1305	Dierenfeld07 t Gillooly&Alien05 bull				
50	Sorokin 1983	Mugil	sailors	fish	12.5		0.81						
50	Sorokin 1983	Cyprinidae	capoeta	fish	12.5		0.81						
50	Sorokin 1983	Cyprinidae	leuciscus	fish	12.5		0.81						
50	Sorokin 1983	Clupeonella	capoeta	fish	12.5		0.81						
50	Sorokin 1983	Engraulidae	capoeta	fish	12.5		0.81						
50	Sorokin 1983	Sardiniidae	capoeta	fish	12.5		0.81						
50	Sorokin 1983	Sparidae	capoeta	fish	12.5		0.81						
50	Sorokin 1983	Synbranchidae	schmidti	fish	12.5		0.81						
50	Sorokin 1983	Oikopleura	zooplankton	mar. zoop	8.0872	4.93	1.314	1.49286811	0.1305	0.111	0.02757716		
50	Sorokin 1983	Penilia	zooplankton	mar. zoop	8.46817631	9.92	7.06833333	0.79453088	1.19122024	1.55	0.81	0.21287079	used average Daphnia, no marine cladoceran data available
50	Sorokin 1983	Pseudocalanus	zooplankton	mar. zoop	7.73213148	11.11111111	4.02298851	1.93306673	1.64021164	0.29063487	0.25180976	used average marine calanoid	
50	Sorokin 1983	Calanus	heligolandicus	zooplankton	mar. zoop	7.73213148	11.11111111	4.02298851	1.93306673	0.82336711	1.64021164	0.29693487	0.25184236
50	Sorokin 1983	Pseudocalanus	elongatus	zooplankton	mar. zoop	7.73213148	11.11111111	4.02298851	1.93306673	0.82336711	1.64021164	0.29693487	0.25184236
50	Sorokin 1983	Centropages	copépodes	mar. zoop	7.90938932	9.15032668	6.76328502	0.85719415	0.88347763	1.17424242	0.73809524	0.2518097	used average marine calanoid
50	Sorokin 1983	benthos	copépodes	mar. zoop	7.70712659	11.11111111	4.02298851	1.93306673	1.64021164	0.29693487	0.2518097	used average marine calanoid	
50	Sorokin 1983	Acartia	copépodes	mar. zoop	7.70712659	9.72222222	6.53598467	1.60174235	1.14652077	1.64021164	0.86834744	0.33903071	used average marine calanoid
51	Teal 1962	Proklesia	hopper	insect	9.5528	0.78997	0.8049	0.0124					
51	Teal 1962	Orchelimum	katydid?	insect	10.7595	0.0601	0.6727						
51	Teal 1962	Uca	crabs	invert	9.8593	0.8049	1.465665	7.9	5.5	0.994802	Fagan tettigoniidae Fagan katydid		
51	Teal 1962	Sesarma	crabs	invert	6.93333333	7.9	5.5	0.994802	Lim + Haravari Lim + Haravari larval crabs				
51	Teal 1962	Modiolus	mussel	invert	8.5438387	9.52809572	7.52668872	0.79820196	0.83951371	1.29041667	0.549587551	0.25931376	Lim + Haravari Lim + Haravari larval crabs
51	Teal 1962	Littorina	molluscs	invert	9.1								
51	Teal 1962	Oligochaete	polychaete	invert	10.57								
51	Teal 1962	Streblospio	polychaete	invert	10.57								
51	Teal 1962	Capitella	polychaete	invert	10.57								
51	Teal 1962	Manayunkia	polychaete	invert	10.57								
52	Van Hoek 1971	Melanoplus	sanguinipes	Acrididae	insect	10.9713	0.79795	0.65395	0.1384	Fagan mediane Fagan melanoplus			
52	Van Hoek 1971	Conophthorus	fuscatus	Hemiptera	insect	10.9755	0.0601	0.27		Fagan mediane Fagan conophthorus			
52	Van Hoek 1971	Hemiptera	H	Hemiptera/H	insect	9.981	2.1498	0.8503	0.18719	Fagan hemipte Fagan hemiptera			
52	Van Hoek 1971	Dioryctria	omni	insect	10.816	1.1839	0.6503	0.1141	Fagan all ortht Fagan all orthoptera				
53	Weisse et al 1990	Mesocyclops	leuckarti	zooplankton	10.15	10.4	9.9	0.35355339	0.905	1.16	0.65	0.36062446	
53	Weisse et al 1990	Cyclopoida	leuckarti	zooplankton	10.15	10.85	10.85	1.35	1.35	1.35	1.35	Elser et al. 2010 Elser et al. 2010 used Diacyclops thomasi	
53	Weisse et al 1990	Daphnia	hyalina	zooplankton	8.21285714	8.21285714	8.21285714	0	1.1375	1.1375	1.1375		
53	Weisse et al 1990	Daphnia	galeata	zooplankton	8.21285714	8.21285714	8.21285714	0	1.1375	1.1375	1.1375		

LITERATURE USED FOR THE COMPIRATION OF THE DATA SETS

Admiraal, W., Bouwman, L. A., Hoekstra, L. & Romeyn, K. Qualitative and Quantitative Interactions between Microphytobenthos and Herbivorous Meiofauna on a Brackish Intertidal Mudflat. *Int. Revue ges. Hydrobiol.* 68, 175-191 (1983)

Aerts R (1989) Aboveground biomass and nutrient dynamics of *Calluna vulgaris* and *Molinia caerulea* in a dry heathland. *Oikos* 56: 31-38

Aerts, R., B.S. Waller and N. Malmer. 1992. Growth limiting nutrients in Sphagnum dominated bogs subject to low and high atmospheric nitrogen supply. *J. Ecology* 80: 131-140

Aizaki M, Takamura N (1991) Regeneration of nutrient and detritus formation from aerobic decomposition of natural phytoplankton. *Jpn J Limnol* 52:83-94

Albright LJ, Chocair J, Masuda K, Valdes M (1980) In situ degradation of the kelps *Macrocystis integrifolia* and *Nereocystis luetkeana* in British Columbia coastal waters. *Nat Can* 107: 3-10

Andersen FO (1978) Effects of nutrient level on the decomposition of *Phragmites communis*. *Trin Arch Hydrobiol* 84: 42-54.

Andersen, F. and E. Kristensen. 1988. The influence of macrofauna on estuarine benthic community metabolism: a microcosm study. *Mar. Biol.* 99:591-603.

Anderson, M. G. Use of sago pondweed by waterfowl on the Delta Marsh, Manitoba. *J. Wildl. Manage.* **40**, 233-242 (1976)

Anderson, M.R., Cardinal A. and Larochelle J. (1981). An alternate growth pattern for *Laminaria longicurvis*. *J. Phycol.* 17: 405-411.

Arndt, H., M. Kroker, B. Nixdorf, and A.Kohler. 1993. Long-term annual and seasonal changes of meta- and protozooplankton in Lake Muggelsee (Berlin): Effects of eutrophication grazing activities, and the impact of predation. *Int. Revue ges. Hydrobiol.* 78:379-402.

Atkinson, M. J., R. W. Grigg (1984). Model of a coral reef ecosystem: II. Gross and net benthic primary production at French Frigate Shoals, Hawaii. *Coral Reefs* 3: 13-22

Auclair, A. N. D., Bouchard, A. & Pajaczkowski, J. Productivity in a Carex-dominated ecosystem. *Oecologia* **26**, 9-31 (1976)

Aziz, S.A and D.B. Nedwell. 1986. The nitrogen cycle of an east coast, U.K. saltmarsh: I. Nitrogen assimilation during primary production: Detrital mineralization. *Est. Coast. Shelf Sci.* 22: 559-575

- Bach, S. D., M. N. Josselyn (1979). Production and biomass of *Cladophora prolifera* (Chlorophyta, Cladophorales) in Bermuda. *Bot. Mar.* 22: 163-168.
- Bach, S., G. Thayer and M. LaCroix 1986. Export of detritus from eelgrass (*Zostera marina*) beds near Beaufort, North Carolina, USA. *Mar. Ecol. Prog. Ser.* 28: 265-278.
- Baird, D. and R. E. Ulanowicz. 1989. The Seasonal Dynamics of the Chesapeake Bay Ecosystem. *Ecol. Monogr.* 59: 329-364.
- Baird, D. and R. E. Ulanowicz. 1993. Comparative study on the trophic structure, cycling and ecosystem properties of four tidal estuaries. *Mar. Ecol. Prog. Ser.* 99: 221-237.
- Bak, R. 1994. Sea urchin bioerosion on coral reefs: place in the carbonate budget and relevant variables. *Coral Reefs* 13: 99-103.
- Baldwin, J. R. and J. R. Lovvorn. 1994. Expansion of seagrass habitat by the exotic *Zostera japonica* and its use by dabbling ducks and brant in Boundary Bay, British Columbia. *Mar. Ecol. Prog. Ser.* 103: 119-127.
- Barko, J. W., Murphy, P. G. & Wetzel, R. G. An investigation of primary production and ecosystem metabolism in a Lake Michigan dune pond. *Arch. Hydrobiol.* **81**, 155-187 (1977).
- Bastardo H (1979). Laboratory studies on decomposition of littoral plants. *Arch. Hydrobiol.* 26: 267-299.
- Bayley SE, Zoltek J Jr, Hermann AJ, Dolan TJ, Tortora L (1985). Experimental manipulation of nutrients and water in a freshwater marsh: effects on biomass, decomposition, and nutrient accumulation. *Limnol. Oceanogr* 30: 500-512.
- Behrendt, H. 1990. The chemical composition of phytoplankton and zooplankton in an eutrophic shallow lake. *Arch. Hydrobiol.* 118:129-145.
- Benner R, Fogel ML, Sprague EK (1991) Diagenesis of belowground biomass of *Spartina alterniflora* in salt-marsh sediments. *Limnol. Oceanogr.* 36: 1358-1374.
- Bernard, J.M and B.A. Solsky. 1977. Nutrient cycling in a *Carex lacustris* wetland. *Can. J. Bot.* 55: 630-638
- Best EPH, Dassen JHA, Boon JJ, Wiegers G (1990). Studies on decomposition of *Ceratophyllum demersum* litter under laboratory and field conditions: losses of dry mass and nutrients, qualitative changes in organic compounds and consequences for ambient water and sediments. *Hydrobiologia* 194: 91-114.
- Biddanda BA (1988) Microbial aggregation and degradation of phytoplankton-derived detritus in seawater. II. Microbial metabolism. *Mar Ecol Prog Ser* 42: 89-95

- Bienfag, P. and D. Zieman. 1992. The role of Coastal High Latitude Ecosystems in Global Export Production , p. 285-298. In P. Falkowski and A. Woodhead [eds], Primary Productivity and Biogeochemical Cycles in the Sea. Plenum Press.
- Billings, W. D. Carbon balance of Alaskan tundra and taiga ecosystem: past, present and future. *Quat. Sci. Rev.* **6**, 165-177 (1987).
- Birch PB, Gabrielson JO, Hamel KS (1983) Decomposition of Cladophora. I Field studies in the Peel-Harvey estuarine system, Western Australia. *Bot Mar* 26: 165-171
- Bishop, J.K.B., J.M. Edmund, D.R. Ketter, M.P. Baeen and W.B. Silver. 1977. The chemistry, biology and vertical flux of particulate matter from the upper 400m of the equatorial Atlantic Ocean. *Deep-Sea Res.* **24**: 511-548
- Bliss, L. C. in Structure and Function of Tundra Ecosystems (eds Rosswall, T. & Heal, O.) 17-60 (Tundra Biome Steering Committee, Stockholm, 1975).
- Blum, L. 1993. *Spartina alterniflora* root dynamics in a Virginia marsh. *Mar. Ecol. Prog. Ser.* **102**:169-178.
- Boring, L.R., C.D. Monk, and W.T. Swank (1981) Early regeneration of a clear-cut southern Appalachian forest. *Ecology* **62**(5):1244-1253
- Boyd, C.E. 1970. Production, mineral accumulation and pigment concentrations in *Typha latifolia* and *Scirpus americanus* *Ecology* **51**: 285-290
- Boyd, C.E. 1971. The dynamics of dry matter and chemical substances in a *Juncus effusus* population. *Am. Midl. Nat.* **86**: 28-45
- Boyer, M.L.H. and B.D. Wheeler. 1989. Vegetation patterns in spring-fed calcareous fens: calcite precipitation and constraints on fertility. *J. Ecology* **77**: 597-609
- Bray, J. R. Primary consumption in three forest canopies. *Ecology*, **45**, 165-167 (1964).
- Breteler RJ, Teal JM (1981) Trace elements enrichments in decomposing litter of *Spartina alterniflora*. *Aquat. Bot.* **11**: 111-120
- Briggs SV, Maher MT, Tongway DJ (1985) Dry matter and nutrient loss from decomposing *Vallisneria spiralis* L. *Aquat. Bot.* **22**: 387-392.
- Brouwer PEM. 1996. Decomposition in situ of the sublittoral Antarctic macroalgae *Desmarestia anceps* Montagne. *Polar Biol.* **16**: 129-137
- Brown S, Flohrschutz EW, Odum HT. 1984. Structure, productivity and phosphorus cycling of the scrub cypress ecosystem. In: KC Ewel and HT Odum (eds): "Cypress swamps", University Presses of Florida. Gainesville, Fla. pp. 304-317

- Burns, K., M. Ehrhardt, B. Hows and G. Taylor. 1993. Subtidal Benthic Community Respiration and production near the heavily oiled Gulf Coast of Saudi Arabia. Mar. Pollut. Bul. 27: 199-205.
- Bustamante, R. H., Branch, G. M., Eekhout, S., Robertson, B., Zoutendyk, P., Schleyer, M., Dye, A., Hanekom, N., Keats, D., Jurd, M. and McQuaid, C. 1995. Gradients of intertidal primary productivity around the coast of South Africa and their relationships with consumer biomass. Oecologia 102: 189-201.
- Butch, G. 1987. Decomposition of roots of three plant communities in a dutch salt marsh. Aquat. Bot. 29:123-128.
- Bythell, J., E. Gladfelter and M. Bythell. 1993. Chronic and catastrophic natural mortality of three common Caribbean reef corals. Coral Reefs 12:143-152.
- Cadee, G. C., J. Hegeman (1977). Distribution of primary production of the benthic microflora and accumulation of organic matter on a tidal flat area, Balgzand, Dutch Wadden Sea. Neth. J. Sea Res. 11: 24-41
- Cahoon, D. and J. Stevenson. 1986. Production, predation and decomposition in a low-salinity Hibiscus marsh. Ecology 67:1341-1350.
- Cammen, L. M. 1980. The significance of microbial carbon in the nutrition of the deposit feeding polychaete *Nereis succinea*. Mar. Biol. 61: 9-20.
- Carpenter, R. C. Partitioning herbivory and its effects on coral reef algal communities. Ecol. Monogr. 56, 345-363 (1986).
- Cattaneo, A. Grazing on epiphytes. Limnol. Oceanogr. **28**, 124-132 (1983).
- Cebrian, J and C.M. Duarte. 1998. Patterns in leaf herbivory on seagrasses. Aquatic Botany 60: 67-82
- Cebrian, J., C. M. Duarte, N. Marbà, S. Enríquez, M. Gallegos and B. Olesen. 1996. Herbivory on *Posidonia oceanica* (L.) Delile: magnitude and variability in the Spanish Mediterranean. Mar. Ecol. Progr. Ser. 130: 147-155.
- Cebrián, J., C. M. Duarte, N. Marbà and S. Enríquez. 1997. The magnitude and fate of production of four co-occurring Western Mediterranean seagrass species. Mar. Ecol. Progr. Ser. 155 : 29-44
- Cebrian J., M. F. Pedersen, K. Kroeger, I. Valiela. 2000. Fate of production of the seagrass *Cymodocea nodosa* in different stages of meadow formation. Mar. Ecol. Prog. Ser. 204:119-130
- Chapin III, F. S., P. C. Miller, W. D. Billings and P. I Coyne. (1980). Carbon and nutrient budgets and their control in coastal tundra. In Brown, J., P. C. Miller, L. L. Tieszen and

- F. L. Bunnell (eds). An Arctic Ecosystem: The Coastal Tundra at Barrow, Alaska. Chapter 12, pp. 458-482. Dowden, Hutchinson and Ross Stroudsburg, Pennsylvania.
- Chapman ARO, Craigie JS. 1978. Seasonal growth in *Laminaria longicurvis*: relations with reserve carbohydrate storage and production. *Mar. Biol.* **46**: 209-213
- Chavez, F., K. Buck, K. Coale, J. Martin, G. DiTullio, N. Welschmeyer, A. Jacobsen and R. Barber. 1991. Growth rates, grazing, sinking and iron limitation of equatorial pacific phytoplankton. *Limnol. Oceanogr.* **36**: 1816-1833.
- Chew, R. M. & Chew, A. E. Energy relationships of the mammals of a desert shrub (*Larrea tridentata*) community. *Ecol. Monogr.* **40**, 1-21 (1970).
- Christensen, B. (1978). Biomass and primary production of *Rhizophora apiculata* in a mangrove in Southern Thailandia. *Aquat. Bot.* **4**: 43-52.
- Cloern, J., Cole, B. & Wienke, S. Big Soda Lake (Nevada). 4. Vertical fluxes of particulate matter: seasonality and variations across thermocline. *Limnol. Oceanogr.* **32**, 815-824 (1987).
- Clymo, R. S. The limits to peat bog growth. *Phil. Trans. R. Soc. B.* **303**, 605-654 (1984)
- Coppock, D. L., Detling, J. K., Ellis, J. E. & Dyer, M. I. Plant-Herbivore Interactions in a North American Mixed-Grass Prairie. *Oecologia* **56**, 1-56 (1983)
- Coveney, M. F., Cronberg, G., Enell, M., Larsoon, H. & Olofsson, L. Phytoplankton, zooplankton and bacteria-standing crop and production relationships in a eutrophic lake. *Oikos* **29**, 5-21 (1977).
- Craft CB, Broome SW and Seneca ED. 1988. Soil nitrogen, phosphorus and organic carbon in transplanted estuarine marshes. In DD Hook, WH McKee, HK Smith, J Gregory, VG Burrell Jr. Mr. DeVoe, RE Sojka, S Gilbert, R Banks, LH Stolzy, C Brooks, TD Matthews and TH Shear (eds.). pp. 351-355 *The Ecology and Management of Wetlands*. Timber Press Portland (OR).
- Cushing, D. H. Grazing in Lake Erken. *Limnol. Oceanogr.* **21**, 349-356 (1976).
- Cyr, H. and M. L. Pace. 1993. Magnitude and patterns of herbivory in aquatic and terrestrial ecosystems. *Nature* **361**: 148-150.
- Damman, A.W.H. 1978. Distribution and movement of elements in ombrotrophic peat bogs. *Oikos* **30**: 480-495
- Darley, W. M., Montague, C. L., Plumley, F. G., Sage, W. W. & Psalidas, A. T. Factors limiting edaphic algal biomass and productivity in a Georgia salt marsh. *J. Phycol.* **17**, 122-128 (1981).

- Davis SM (1991) Growth, decomposition and nutrient retention of *Cladium jamaicense* Crantz and *Thypa dominguensis* Pers. in the Florida everglades. *Aquat. Bot.* 40: 203-224.
- Davis, M. and H. Lee. 1983. Recolonization of sediment-associated microalgae and effects of estuarine infauna on microalgal production. *Mar. Ecol. Prog. Ser.* 11: 227-232.
- Davis, M. W., C. D. McIntire (1983). Effects of physical gradients on the production dynamics of sediments-associated algae. *Mar. Ecol. Prog. Ser.* 13: 103-114.
- Day, F. P. Litter decomposition rates in the seasonally flooded great dismal swamp. *Ecology* 63, 670-678 (1982).
- Day, J., W. Smith, P. Wagner and W. Stone. 1973. Community structure and carbon budget of a salt marsh and shallow bay estuarine system in Louisiana. Center for Wetland Resources, Louisiana State University, Baton Rouge, Publ. NO. LSU-SG-72-04.
- Day, T. A. and J. K. Detling. 1990. Grassland patch dynamics and herbivory grazing preference following urine deposition. *Ecology* 71: 180-188.
- de la Cruz, A. A. The role of tidal marshes in the productivity of coastal waters. *Assoc. Southeast. Biol. Bull.* 20, 147-156 (1973)
- DeAngelis, D. L., Gardner, R. H. & Shugart, H. H. in *Dynamic Properties of Forest Ecosystems* (ed Reichle, D. E.) 567-672 (Cambridge University Press, New York, 1981).
- Drew, E. A., and R. M. Hastings. 1992. A year-round ecophysiological study of *Himantothallus grandifolius* (Desmarestiales, Phaeophyta) at Sygny Island, Antarctica. *Phycologia* 31:262-277.
- Dunton, K.H. and Schell, D.M. 1986. Seasonal carbon budget and growth of *L. solidungula* in the Alaskan high arctic. *Mar. Ecol. Prog. Ser.* 31: 57-66
- Durbin, E.G., Krawiec, R.W. and Smaydan, T.J. 1975. Seasonal studies on the realtive importance of different size fractions of phytoplankton in Narragansett Bay, USA. *Marine Biology* 32:271-287.
- Edroma, E. L. 1984. Effects of burning and grazing on the productivity and number of plants in Queen Elizabeth National Park, Uganda. *African Journal of Ecology* 22: 165-174.
- Egan, B and Yarish, C. 1990. Productivity and life history of *L. longicuris* at its southern limit in the western atlantic ocean. *Mar. Ecol. Prog. Ser.* 67: 263-273
- Emmerson, W. and L. McGwynne. 1992. Feeding and assimilation of mangrove leaves by the crab *Sesarma meinerti* de Man in relation to leaf-litter production in Myazana, a warm-temperate southern mangrove swamp. *J. Exp. Mar. Biol. Ecol.*, 157: 41-53.

Erftemeier P., R. Osinga and M. Astrid. 1993. Primary production of seagrass beds in South Sulawesi (Indonesia): a comparison of habitats, methods and species. *Aquat. Bot.* 46: 67-90.

Fahey TJ, Stevens PA, Hornung M, Rowland P (1991) Decomposition and nutrient release from logging residue following conventional harvest of Sitka spruce in North Wales. *Forestry* 64: 289-301

Findlay, S, Howe K, Austin HK (1990) Comparison of detritus dynamics in two tidal freshwater wetlands. *Ecology* 71: 288-295.

Flint, R. W. & Goldman, C. R. The effects of a benthic grazer on the primary productivity of the littoral zone of Lake Tahoe. *Limnol. Oceanogr.* 20, 935-945 (1975).

Flores Verdugo, F. J., J. W. Day, R. Briseno-Duenas (1987). Structure, litter fall, decomposition and detritus dynamics of mangroves in a Mexican coastal lagoon with an ephemeral inlet. *Mar. Ecol. Prog. Ser.* 35: 83-90.

Frangi, J. L. & Lugo, A. E. Ecosystem dynamics of a subtropical floodplain forest. *Ecol. Monogr.* 55, 351-369 (1985).

Frank, D.A. and S.J. McNaughton (1992) The ecology of plants, large mammalian herbivores, and drought in Yellowstone National Park. *Ecology* 73(6):2043-2058

Frankignoulle, M., J. Bouquegneau, E. Ernst, R. Biondo, M. Rigo and D. Bay. 1984. Contribution de l'activité de l'Herbier de Posidonies au Métabolisme global de la Baie de Calvi. Premiers Resultats, p. 277-282. In C. Boudouresque, A. Jeudy de Grissac and J. Olivier [eds.], International Workshop Posidonia oceanica Beds (I) GIS Posidonie publ.

Frost, B. W. The role of grazing in nutrient-rich areas of the open sea. *Limnol. Oceanogr.* 36, 1616-1630 (1991)

Gabrielson JO, Birch PB, Hamel KS. (1983). Decompostion of Cladophora. II. In vitro studies of nitrogen and phosphorus regeneration. *Bot Mar* 26: 173-179

Gallagher, J.L., R.J. Reinhold, R.A. Linthurst and W.J. Pfeiffer. 1980. Aerial production, mortality and mineral accumulation-export dynamics in *S. alterniflora* and *J. roemerianus* plant stands in a georgia saltmarsh. *Ecology* 61: 303-312

Gandar, M. V. The dynamics and trophic ecology of grasshoppers (Acridoidea) in a South African Savanna. *Oecologia* 54, 370-378 (1982).

Garber JH. 1984. Laboratory study of nitrogen and phosphorus remineralization during the decomposition of coastal plankton and seston. *Estuarine Coastal Shelf Sci* 18: 685-702

Garnier, J. & Mourelatos, S. Contribution of grazing in phytoplankton overall losses in a shallow French lake. *Fresh. Biol.* 25, 515-523 (1991).

- Gathuso, J., M. Pichon, B. Delesalle and M. Frankignoulle. 1993. Community metabolism and air-sea CO₂ fluxes in a coral reef ecosystem (Moore, French Polynesia). Mar. Ecol. Prog. Ser. 96: 259-267.
- Geertz-Hansen, O., Sand-Jensen, K., Hansen, D.F. and Christiansen, A. 1993. Growth and grazing control of abundance of marine macroalgae, *Ulva lactuca* L. in an eutrophic Danish estuary. Aquat. Bot. 46: 101-109.
- Gerard, V. 1976. Some aspects of material dynamics and energy flow in a kelp forest in Monterey Bay, California. Ph. D. Thesis, University of California, Santa Cruz.
- Gliwicz, Z. M. & Hillbricht-Ilkowska. Efficiency of the utilization of nannoplankton primary production by communities of filter feeding animals measured in situ. Verh. Internat. Verein. Limnol. **18**, 197-203 (1972).
- Godshalk GL, Wetzel RG (1978a) Decomposition of aquatic angiosperms. II Particulate components. Aquat. Bot. 5: 301-327.
- Godshalk GL, Wetzel RG (1978b). Decomposition of aquatic angiosperms. III *Zostera marina* L. and a conceptual model of decomposition. Aquat. Bot. 5: 329-354.
- Golley, F. B. 1960. Energy dynamics of a food chain of an old-field community. Ecol. Monogr. 30: 187-206.
- Golley, F., H. Odum and R. Wilson. 1962. The structure and metabolism of a Puerto Rican Red Mangrove Forest in May. Ecology 43: 8-19.
- Golterman HL (1972) The role of phytoplankton in detritus formation. Mem Ist Ital Idrobiol 29: 89-103
- Gosz, J. R., Holmes, R. T., Likens, G. E. & Bormann, F. H. The flow of Energy in a Forest Ecosystem. Sci. Am. **238**, 93-102 (1978).
- Gould, D. and E. Gallagher. 1990. Field measurement of specific growth rate, biomass and primary production of benthic diatoms of Savin Hill Cove, Boston. Limnol. Oceanogr. 35:1757-1770.
- Graneli, W. (1989). Influence of standing litter on shoot production in reed, *Phragmites australis*. Aquat. Bot. 35: 99-109.
- Gray, J. T. Community structure and productivity in *Ceanothus* chaparral and coastal sage scrub of southern California. Ecol. Monogr. **52**, 415-435 (1982).
- Greenway, M. The grazing of *Thalassia testudinum* in Kingston Harbour, Jamaica. Aquat. Bot. 2, 117-126 (1976).

Grier, C. C. & Logan, R. S. Old-growth *Pseudotsuga menziesii* communities of a western Oregon watershed: biomass distribution and production budgets. *Ecol. Monogr.* **47**, 373-400 (1977).

Grodzinski, W., A. Gorecki, K. Janas and P. Migula. 1966. Effect of rodents on the primary productivity of alpine meadows in Bierzezady mountains. *Acta Theriol.* **11**: 419-431.

Gulati, R. D. A study on the role of herbivorous zooplankton community as primary consumers of phytoplankton in Dutch lakes. *Verh. Internat. Verein. Limnol.* **19**, 1202-1210 (1975).

Haines EB, Hanson RB (1979) Experimental degradation of detritus made from the salt marsh plants *Spartina alterniflora* Loisel, *Salicornia virginica* L. and *Juncus roemerianus* Scheele. *J Exp mar Biol Ecol* **40**: 27-40

Hanisak, M.D. 1979. Nitrogen limitation of *C. Fragile* ssp. *tomentosoides* as determined by tissue analysis. *Marine Biology* **50**: 333-337

Hansen, J. A., D. Klumpp, D. Alongi, P. Dayton and M. Riddle. 1992. Detrital pathways in a coral reef lagoon. II. Detritus deposition, benthic microbial biomass and production. *Mar. Biol.* **113**: 363-372.

Harris, W. F., Sollins, P., Edwards, N. T., Dinger, B. E. & Shugart, H. H. in Productivity of the world systems. Proceedings of a Symposium (eds Reichle, D., Franklin, J. & Goodall, D.) 116-122 (National Academy of Sciences, Washington, D.C, 1975).

Harrison PG (1982) Control of microbial growth and of amphipod grazing by water soluble compounds from leaves of *Zostera marina*. *Mar Biol* **67**: 225-230

Harrison PG (1989) Detrital processing in seagrass systems: a review of factors affecting decay rates, remineralization and detritivory. *Aquat Bot* **23**: 263-288

Harrison, W. G., E. Head, E. Horne, B. Irwin, W. Li, A. Longhurst, M. Paranjape and T. Platt. 1993 The Western North Atlantic Bloom Experiment. *Deep-Sea Res.* **40**: 279-305.

Hatcher, B.G., S. V. Smith and C. Crossland. 1992. The role of Coral Reefs in Global Ocean Production, p. 513-514. In P. Falkowski and A. Woodhead [eds.], Primary Productivity and Biogeochemical Cycles in the Sea. Plenum Press.

Haukioja, E. and Koponen S. 1975. Birch herbivores and herbivory at Kevo. In Fennoscandian Tundra Ecosystems. Part 2. Animals and System Analyses (ed. Wielgolaski, F. E.) 181-188 (Springer, Heidelberg).

Hauxwell J, McClelland J, Behr PJ, Valiela I. 1998. Relative importance of grazing and nutrient controls of macroalgal biomass in three temperate shallow estuaries. *Estuaries* **21**: 347-360

Hauxwell, J., J. Cebrian and I. Valiela. 2002. Annual growth dynamics of eelgrass (*Zostera marina* L.) in estuaries of Waquoit Bay, MA, USA: Relationship to land-derived nitrogen loads and effect on light supply for eelgrass. *Mar. Ecol. Prog. Ser.* (in press).

Heal, O. W. in Tundra Biome. Proceedings IV International Meeting on the Biological Productivity of Tundra (eds Wielgolaski, F. & Rosswall, T.) 295-305 (Tundra Biome Steering Committee, Stockholm, 1972).

Hemming MA, Buth GJC (1991) Decomposition in salt marsh ecosystems of the SW Netherlands: the effects of biotic and abiotic factors. *Vegetatio* 92: 73-83

Hemming MA, Nieuwenhuize J (1991) Transport, deposition and "in situ" decay of seagrasses in a tropical mudflat area (Banc d'Arguin, Mauritania). *Neth J Sea Res* 27: 183-190

Hill BH (1979) Uptake and release of nutrients by aquatic macrophytes. *Aquat. Bot.* 7: 87-93.

Hodges, C., T.Thompson, J. Riley and E. Glenn. 1993. Reversing the flow: water and nutrients from the sea to the land. *Ambio* 22: 483-490.

Holligan, P.M., P. J. leB. Williams, D. Purdie and R. Harris. 1984. Photosynthesis, respiration and nitrogen supply of plankton populations in stratified, frontal and tidally mixed shelf waters. *Mar. Ecol Progr. Ser.* 17:201-213.

Holligan P., E. Fernández, J. Aiken, W. Balch, P. Boyd, P. Burkill, M. Finch, S. Groom, G. Malin, K. Muller, D. Purdie, C. Robinson, C. Trees, S. Turner and P. van der Wal. 1993. A Biogeochemical Study of the Coccolithophore, *Emiliania huxleyi*, in the north Atlantic. *Global Biogeochemi. Cycles* 7: 879-900.

Hopkinson, O., J. Gosselink and R. Panardo. 1978. Aboveground production of seven marsh plant species in coastal Louisiana. *Ecology* 59: 760-769.

Howes, B., J. Dacey and J. Teal. 1985. Annual C mineralization and belowground production of *Spartina alterniflora* in a new England salt marsh. *Ecology* 66: 595-605.

Hunter, R. D. Effects of grazing on the quantity and quality of freshwater aufwuchs. *Hydrobiologia* 69, 251-259 (1980).

Iriarte, A., G. Daneri, V. Garcia, D. Purdie and D. Crawford. 1991 Plankton community respiration and its relationship to Cha concentration in marine coastal waters. *Oceanologia Acta* 14:379-387.

Jacobs, R., den Hartog, C., Braster, C. & Carrière, F. Grazing of the seagrass *Zostera noltii* by birds at Terschelling (Dutch Wadden Sea). *Aquat. Bot.* 10, 241-259 (1981).

Jacoby, J. M. Alterations in periphyton characteristics due to grazing in a Cascade foothill stream. *Fresh. Biol.* 18, 495-508 (1987).

Jensen, L. M. & Schwaerter, S. Major pathways involved in the utilization of primary production in a temperate eutrophic lake. Verh. Internat. Verein. Limnol. **23**, 445-450 (1988).

Jensen, L. M., K. Sand-Jensen, S. Marcher and M. Hansen. 1990. Plankton community respiration along a nutrient gradient in a shallow Danish Estuary. Mar. Ecol. Prog. Ser. 61:75-85

Jespersen, A. M., Christoffersen, K. & Riemann, B. Annual carbon fluxes between phyto-, zoo-, and bacterio-plankton in eutrophic, Lake Frederiksborg Slotssø, Denmark. Verh. Internat. Verein. Limnol. **23**, 440-444 (1988).

Johnson, F.L. and P.G. Rissor. 1974. Biomass, annual net primary production and dynamics of six mineral elements in a post oak-blackjack oak forest. Ecology. 55: 1246-1258

Johnson, K. M., C. M. Burney and J. Sieburth. 1981. Enigmatic marine ecosystem metabolism measured by direct diel ΣCO_2 and O_2 flux in conjunction with DOC release and uptake. Mar. Biol. 65:49-60.

Johnstone, I. M. (1981) Consumption of leaves by herbivores in mixed mangrove stands. Biotropica 13: 252-259.

Joiniris, C., G. Billen, C. Lancelot , M. Daro, J. Mommaerts, A. Bertels, M. Bossicart and J. Nijs. 1982. A budget of Carbon Cycling in the Belgian Coastal Zone:Relative roles of zooplankton, bacterioplankton and benthos in the utilization of Primary Production. Neth. J. Sea Res. 16:260-275.

Josselyn M. N., A. C. Mathieson (1980). Seasonal influx and decomposition of autochthonous macrophyte litter in a north temperate estuary. Hydrobiologia 71: 197-208.

Josselyn, M., M. Fonseca, T. Niesen and R. Larson. 1986. Biomass, production and decomposition of a deep water seagrass, *Halophila decipiens* Ostenf. Aquat. Bot. 25: 47-61.

Jupp, B. P. & Spence, D. H. N. Limitations of macrophytes in a eutrophic lake, Loch Leven. II Wave action, sediments and waterfwol grazing. J. Ecol. **65**, 431-446 (1977).

Kamiyama, T. 1994. The impact of grazing by microzooplankton in northern Hiroshima Bay, the Seto Island Sea, Japan. Mar. Bio. 119:77-88.

Karagatzides, J. D. & Hutchinson, I. Intra-specific comparisons of biomass dynamics in *Scirpus americanus* and *Scirpus maritimus* on the River Delta. J. Ecol. **79**, 459-476 (1991).

- Kemp, W. M. and W. R. Boynton. 1980. Influence of biological and physical processes on dissolved oxygen dynamics in an Estuarine System: implication for measurement of community metabolism. *Estuar. Coast. Mar. Sci.* 2:407-431.
- Kenney, B., W. Litaker, C. Duke and J. Ramus. 1988. Community oxygen metabolism in a shallow tidal estuary. *Estuar. Coast. Shelf Sci.* 27:33-34.
- Kenworthy, J. and G. Thayer. 1984. Production and decomposition of the roots and rhizomes of seagrasses, *Zostera marina* and *Thalassia testudinum*, in temperate and subtropical marine ecosystems. *Bull. Mar. Sci.* 35: 364-379.
- Khailov, K. M. & Burlakova, Z. P. Release of dissolved organic matter by marine seaweeds and distribution of their total organic production to inshore communities. *Limnol. Oceanogr.* 14, 521-527 (1969).
- Kiene, W. and P. Hutchings. 1994. Bioerosion experiments at Lizard Island, Great Barrier Reef. *Coral Reefs* 13:91-98.
- King, F., A. Devol and T. Packard. 1978. Plankton metabolic activity in the eastern tropical North Pacific. *Deep-Sea Res.* 25: 689-704.
- Kira, T. in Tropical trees as living systems (eds Tomlinson, P. B. & Zimmerman, M. H.) 561-590 (Cambridge University Press, New York, 1978)
- Kirkman, D. & Reid, D. A study of the role of the seagrass *Posidonia australis* in the carbon budget of an estuary. *Aquat. Bot.* 7, 173-183 (1979).
- Klopatek, J. & Stearns, F. Primary productivity of Emergent Macrophytes in a Wisconsin freshwater marsh ecosystem. *Am. Mid. Nat.* **100**, 320-332 (1978).
- Klumpp D. and N. Polunin. 1989. Partitioning among grazers of food resources within damselfish territories on a coral reef. *J. Exp. Mar. Ecol. Biol.* 125: 145-169.
- Klumpp, D., R. Howard, D. Pollard. 1989. Trophodynamics and nutritional ecology of seagrass communities, p. 349-475. In A. Larkum, A. McComb and S. Sepherd S. [eds], *Biology of Seagrasses: a Treatise on the Biology of Seagrasses with Special Reference to the Australian Region*. Elsevier.
- Klumpp, D. W., Salita-Espinosa, J. S. & Fortes, M. D. The role of epiphytes and macroinvertebrate grazers in the trophic flux of a tropical seagrass community. *Aquat. Bot.* 43, 327-349 (1992)
- Klumpp, D. W., Salita-Espinosa, J. S. & Fortes, M. D. Feeding ecology and trophic role of sea urchins in a tropical seagrass community. *Aquat. Bot.* 45, 205-229 (1993).
- Knauer, G.A., Martin, J.H. and Bruleud, K.W. 1979. Fluxes of particulate carbon, nitrogen and phosphorus in the upper water column of the northeast Pacific. *Deep-sea Research.* 26: 97-108

- Koop, K., R. Newell and M. Lucas. 1982. Biodegradation and carbon flow based on kelp (*Ecklonia maxima*) debris in a Sandy Beach Microcosm. Mar. Ecol. Prog. Ser. 7:315-326.
- Kristensen, E. 1993. Seasonal variations in Benthic Community Metabolism and nutrient dynamics in a Shallow, Organic-poor danish lagoon. Estuar. Coast. Shelf Sci. 36:565-586.
- Kristensen, E., F. Andersen and T. Blackburn. 1992. Effects of benthic macrofaune and temperate on degradation of macroalgal detritus: the fate of organic carbon. Limnol. Oceanogr. 37: 1404-1419.
- Kruse, B. 1993. Measurement of plankton O₂ respiration in gas-tight plastic jars. Mar. Ecol. Prog. Ser. 94:155-163.
- Kuparinen, J. 1986. Production and respiration for overall plankton and ultraplankton communities at the entrance to the Gulf of Finland in the Baltic Sea. Mar. Biol. 63:591-607.
- Lampert, W. Climatic conditionss and planktonic interactions as factors controlling the regular succession of spring algal bloom and extremely clear water in Lake Constance. Verh. Internat. Verein. Limnol. **20**, 969-974 (1978).
- Lapointe, B.E., Niell, F. and Fuentes, J.M. 1981. Communitiy structure, succession and production of seaweeds associated with mussel-beds in the Ria de Arosa, NW Spain. Mar. Ecol. Prog. Ser. 5: 243-253
- Lawes, E., Bienfang, P., Ziemann, D. &Conquest, L. Phytoplankton population dynamics and the fate of production during the spring bloom in Auke Bay, Alaska. Limnol. Oceanogr. 33, 57-65 (1988).
- LeBorgne, R., Blanchot, J. and L. Charpy. 1989. Zooplankton of Tikehau atoll (Thamoth archipelago) and its relationship to particulate matter. Mar. Biol. 102: 341-353.
- LeBorgne, R., M. Rodier, A. LeBouteiller, and M. Kulbicki. 1997. Plankton biomass and production in an open atoll lagoon: Uvea, New Caledonia. J. Exp. Mar. Biol. Ecol. 212:187-210.
- Lee, S. 1989. The importance of sesarmae crabs *Chiromantes* sp. and inundation frequency on mangrove (*Kandelia Kandel* (L.) Durce) leaf litter turnover in a Hong Kong Tidal shrimpong. J. Exp. Mar. Biol. Ecol. 1989. 131: 23-43.
- Lee, S. 1990. Net aerial primary productivity, litter production and decomposition of the reed *Phragmites communis* in a nature reserve in Hong-Kong: management implications. Mar. Ecol. Prog. Ser. 66:161-173.
- Leigh, E. G. & Windsor, D. M. in Ecology of a tropical forest:seasonal rhythms and long term changes 111-123 (eds Leigh, E. G., Raud, A. & Windsor, D. M. (Smithsonian Institution Press, Washington, 1983).

- Lenz, J., A. Morales and J. Gunkel. 1993 Mesozooplankton standing stock during the North Atlantic spring bloom study in 1989 and its potential grazing pressure on phytoplankton: a comparison between low, medium and high latitudes. Deep-Sea Res. (II) 40: 559-572.
- Li M. S., S. Y. Lee (1998). Carbon dynamics of Deep Bay, eastern Pearl River Estuary, China. I: A mass balance budget and implications for shorebird conservation. Mar. Ecol. Prog. Ser. 172: 73-87.
- Lignell, R., Heiskanen, A. S., Kuosa, H., Gundersen, K., Kuuppo-Leinikki, P., Pajuniemi, R. & Uitto, A. Fate of phytoplankton spring bloom: sedimentation and carbon flow in the planktonic food web in the northern Baltic. Mar. Ecol. Prog. Ser. 94, 239-252 (1993).
- Lindeboom, H. and B. De Bree. 1982. Daily production and consumption in a eelgrass (*Zostera marina*) community in Saline-Lake Grevelingen: discrepancies between the O₂ and ¹⁴C methods. Neth. J. Sea Res. 16:362-379.
- Lindeboom, H. and A. Sandee. 1989. Production and consumption of tropical seagrass fields in eastern Indonesia measured with bell jars and microelectrods. Neth. J. Sea Res. 23:181-190.
- Lindeboom H., W. Raaphorst, H. Ridderinkhof and H. W. van der Veer. 1989. Ecosystem model of the Western Wedden Sea: a bridge between science and management. Helgolander Meeresunters 43: 549-564.
- Lock, J. M. 1972. The effects of hippopotamus grazing on grasslands. J. Ecol. 60: 445-467.
- Lowman, M. D. Litterfall and leaf decay in three australian rainforest formations. J. Ecol. 76, 451-465 (1988).
- Mann, K. H. 1972. Ecological energetics of the sea-weed zone in a marine bay on the Atlantic coast of Canada. II. Productivity of seaweeds. Mar. Biol. 14: 199-209.
- Mann, K.H. 1985. Ecology of Coastal Waters. Studies in Ecology Volume 8. 2nd ed. Blacwell.
- Mann, K.H. 1988. Production and use and detritus in various freshwater, estuarine and coastal marine ecosystems. Limnol. Oceanogr. 33: 910-931.
- Mason, C. F. & Bryant, R. J. Periphyton production and grazing by chironomids in Alderfen Broad, Norfolk. Freshwat. Biol. 5, 271-277 (1975).
- McClaughey CA, Pastor J, Aber JD (1985) Forest litter decomposition in relation to soil nitrogen dynamics and litter quality. Ecology 66: 266-275

- McInnes P. F., R. J. Naiman, J. Pastor and Y. Cohen. 1992. Effects of moose browsing on vegetation and litter of the boreal forest, Isle Royale, Michigan, USA. *Ecology* 73: 2059-2075.
- McLachlan, A. & Bate, G. Carbon budget for a high energy surf zone. *Vie milieu* 34, 67-77 (1984).
- McLusky, DS. The estuarine ecosystem (Wiley, New York, 1981).
- McNaughton, S. J. Ecology of a grazing ecosystem: The Serengeti. *Ecol. Monogr.* **55**, 259-294 (1985).
- McNaughton, S. J., M. Oesterheld, D. A. Frank and K. J. Williams. 1989. Ecosystem-level patterns of primary productivity and herbivory in terrestrial habitats. *Nature* 341: 142-144.
- McQuaid, C. D and G. M. Branch. 1985. Trophic structure of rocky intertidal communities: response to wave action and implications for energy flow. *Mar. Ecol. Prog. Ser.* 22: 153-161.
- Mee, L. D. 1977. The Chemistry and Hydrography of Some Tropical Coastal Lagoons-Pacific Coast of Mexico. Ph. D. Tesis. University of Liverpool. Dept. of Oceanography, England.
- Megonigal, J. P. & Day Jr., F. P. Organic matter dynamics in four seasonally flooded forest communities of the dismal swamp. *Amer. J. Bot.* **75**, 1334-1343 (1988).
- Mehhinick, E. F. Structure, Stability and Energy flow in plants and arthropods in a Sericea lespedeza stand. *Ecol. Monogr.* **37**, 256-272 (1967)..
- Menzel, D. and J. Ryther. 1960 The annual cycle of primary production in the Sargasso Sea off Bermuda. *Deep Sea Res.* 6:351-357.
- Merino, M., A. González, E. Reyes, M. Gallegos and S. Czitrom. 1992. Eutrophication in the lagoons of Cancún, México. *Science of the Total Environment*, Supplement (1992): 861-870.
- Miller, P. C., Miller, P. M., Blake-Jacobson, M., Chapin, F. S., III, Everett, K. R., Hilbert, D. H., Kummerow, J., Linkins, A. E., Marion, G. M., Oechel, W. C., Roberts, S. W. & Stuart, L. Plant-soil processes in *Eriophorum vaginatum* tussock tundra in Alaska: a systems modeling approach. *Ecol. Monogr.* **54**, 361-405 (1984).
- Mitchell DT, Coley PGF, Webb S, Allsopp N (1986) Litterfall and decomposition processes in the coastal fynbos vegetation, South-Western Cape, South Africa. *J. Ecol.* 74: 977-993.
- Montagna, P. A. In situ measurement of meiobenthic grazing rates on sediment bacteria and edaphic diatoms. *Mar. Ecol. Progr. Ser.* 18, 119-130 (1984).

- Moore, T. R. Growth and net production of Sphagnum at five fen sites, subarctic eastern Canada. *Can. J. Bot.* **67**, 1203-1207 (1989)
- Müller, P. J. & Suess, E. Productivity, sedimentation rate, and sedimentary organic matter in oceans- I. Organic carbon preservation. *Deep Sea Research* **26**, 1347-1362 (1979).
- Murray, L. and R.L. Wetzel. 1987. Oxygen production and consumption associated with the major autotrophic components in two temperate seagrass communities. *Mar. Ecol. Progr. Ser.* **38**: 231-239.
- Naiman, R. J. Primary production, standing stock and export of organic matter in a Mohave Desert thermal stream. *Limnol. Oceanogr.* **21**, 60-73 (1976).
- Nakamori, T., A. Suzuki, Y. Iryu, *Cont. Shelf Res.* **12**, 951 (1992).
- Nakanishi, M., Y. Tezuka, T. Narita, O. Mitamura, K. Kawabata and S. Nakano. 1992. Phytoplankton primary production and its fate in a pelagic area of Lake Biwa. *Arch. Hydrobiol. Beih. Ergebn. Limnol.* **35**: 47-67.
- Nedwell, D. B., Walker, T. R., Ellis-Evans, J. C. & Clarke, A. Measurements of Seasonal Rates and Annual Budgets of Organic Carbon fluxes in an Antarctic Coastal Environment at Signy Island. *Appl. Environ. Microbiol.* **59**, 3989-3995 (1993)
- Neely RK, Davis CB (1985) Nitrogen and phosphorus fertilization of *Sparganium eurycarpum* Engelm. And *Typha glauca* Godr. Stands. II. Emergent plant decomposition. *Aquat. Bot.* **22**: 363-375.
- Neill, C. 1992. Life history and popualtion dynamics of whitetop shoots under different levels of flooding and nitrogen supply. *Aquatic. Bot.* **42**: 241-252.
- Nelson, W. J., J. A. Kadlec and H. R. Murkin. 1990. Seasonal comparison of weight for two types of *Typha glauca* Godr. leaf litter. *Aquat. Bot.* **37**: 299-314.
- Nessel J. 1978. Distribution and dynamics of organica matter and phosphorus in a sewage enriched cypress stand. MS thesis, Univ. of Florida, Gainesville, Fla, 159 pp.
- Neudecker, S. 1979. Effects of grazing and browsing fishes on the zonation of Corals in Guam. *Ecology* **60**: 666-672.
- Newell RC, Lucas MI, Linley EAS (1981) Rate of degradation and efficiency of conversion of phytoplankton debris by marine micro-organisms. *Mar Ecol Prog Ser* **6**: 123-136
- Newell, R., J. Field and C.Griffiths. 1982. Energy Balance and significance of microorganisms in a kelp bed community. *Mar. Ecol. Prog. Ser.* **8**:103-113.

- Newell SY, Fell JW, Statzell-Tallman A, Miller C, Cefalu R (1984). Carbon and nitrogen dynamics in decomposing leaves of three coastal marine vascular plants of the subtropics. *Aquat Bot* 19: 183-192
- Newell SY, Fell JW, Miller C (1986) Deposition and decomposition of turtlegrass leaves. *Int Rev Ges Hydrobiol* 71: 363-369
- Nicotri, M. E. Grazing effects of four marine intertidal herbivores on the microflora. *Ecology* 58, 1020-1032 (1977)
- Nielsen. Aboveground food resources and herbivory in a beech forest ecosystem. *Oikos* 31: 273-279 (1978).
- Nienhuis, P. & Groenendijk, A. Consumption of eelgrass (*Zostera marina*) by birds and invertebrates: an annual budget. *Mar. Ecol. Prog. Ser.* 29, 29-35 (1986).
- Nihlgard. 1972. Plant biomass, primary production and distribution of chemical elements in a beech and planted spruce forest in southern Sweden. *Oikos* 23: 69-81
- Nixon S. and C. Oviatt. 1972. Preliminary measurements of midsummer metabolism in beds of eelgrass, *Zostera marina*. *Ecology* 53:150-153.
- Nixon, S. and M. E. Pilson. 1984. Estuarine total system metabolism and organic exchange calculated from nutrient ratios: an example from Narragansett Bay, p. 261-291. In V. S Kennedy [ed.],*The Estuary as a filter*. Academic Press.
- O'Connell AM (1987) Litter dynamics in Karri (*Eucalyptus diversicolor*) forest of South-Western Australia. *J. Ecol.* 75: 781-796.
- O'Connell AM (1988) Nutrient dynamics in decomposing litter in karri (*Eucalyptus diversicolor* F. Muell) forests of South-Western Australia. *J. Ecol.* 76: 1186-1203.
- Odum, E. P. (1971). *Fundamentals of Ecology*. 3rd ed. Saunders. Philadelphia, London & Toronto. pp. XIV +574.
- Odum, E. P., C. E. Connell and L. B. Davenport. 1962. Population energy flow of three primary consumer components of old-field ecosystems. *Ecology* 43: 88-96.
- Odum, H. T. Trophic structure and productivity of Silver Springs, Florida. *Ecol. Monogr.* 27, 55-112 (1957).
- Odum, H. T. and R. F. Wilson 1962. Further studies on reareation and metabolism of Texas bays, 1958-1960. *Publ. Inst. Mar. Sci. Univ. Tex.*, 8:20-55.
- Oechel, W. & Billings, W. D. in Arctic Ecosystems in a changing climate. An Ecophysiological perspective. (eds. Chapin III, F. Stuart, Jefferies, R. L., Reynolds, J. F., Shaver, G. R. & Svoboda, J.) 139-168 (Academic Press, New York, 1992).

- Ohmart, C. P., Stewart, L. G. & Thomas, J. R. Leaf consumption by insects in three Eucalyptus forest types in Southeastern Australia and their role in short-term nutrient cycling. *Oecologia* **59**, 322-330 (1983).
- Olson, J. S. in Analysis of temperate forest ecosystems. Ecological studies 1 (ed. Reichle, D. E.), 226-246 (Springer-Verlag, New York, 1970).
- Omuf, C., J. Teal and I. Valiela. 1977. Interactions of nutrients, plant growth and herbivory in a mangrove ecosystem. *Ecology* **58**:514-526.
- Ong, J. E. (1993). Mangroves-a carbon source and sink. *Chemosphere* **27**: 1097-1107.
- Ong JE, Gong WK, Wong CH. 1982. Studies on nutrient levels in standing biomass, litter and slash in a mangrove forest. Univ. Sains Malaysia, Penang, Sch. Biol. Sci., 44 p.
- Østergaard, F. and E. Kristensen. 1992. The importance of benthic macrofauna in decomposition of microalgae in a coastal marine sediment. *Limnol. Oceanogr.* **37**:1392-1403.
- Otsuki A and Hanya T. 1972. Production of dissolved organic matter from dead green algal cells. I Aerobic microbial decompostion. *Limnol. Ocanogr* **17**: 248-257
- Ott, J. and L. Maurer. 1977. Strategies of energy transfer from marine macrophytes to consumer levels: the Posidonia Oceanica example, p. 493-502. In B. Keegan [ed.], *Biology of Benthic Organisms*. Pergamon Press.
- Packard, T. T. 1979. Respiration and respiratory electron transport activity in plankton for the Northwest African upwelling area. *J. Mar. Res.* **37**: 712-739.
- Packard, T. T. and P. J. le B Williams. 1981. Rates of respiratory oxygen consumption and electron transport in surface seawater from the northwest Atlantic. *Oceanologia acta* **4**:351-358.
- Pakarinen, P. 1978. Production and nutrient ecology of three Sphagnum species in southern Finnish raised bogs. *Ann. Bot. Fennia* **15**: 15-26
- Palm CA, Sanchez PA (1990) Decomposition and nutrient release patterns of the leaves of three tropical legumes. *Biotropica* **22**: 330-338
- Panatmat, M. 1988. Ecology and metabolism of a benthic community on an intertidal sandflat. *Int. Revue. ges. Hydrobiol.* **53**: 211-298.
- Pandey, C. B. and J. S. Singh. 1992. Rainfall and grazing effects on net primary productivity in a tropical savanna, India. *Ecology* **73**: 2007-2021.
- Parson, K.A. and A.A. de la Cruz (1980) Energy flow and grazing behavior of conocephaline grasshoppers in a *Juncus roemerianus* marsh. *Ecology* **61**(5):1045-1050

- Patriquin DG and McClung CR. 1978. Nitrogen acretion and the nature and possible significance of N₂ fixation (acetylene reduction) in a Nova Scotia *Spartina alterniflora* stand. *Mar Biol* 47: 227-242
- Pattersen, M., K. Sebans and R. Olsen. 1991. In situ measurements of flow effects on primary production and dark respiration in reef corals. *Limnol. Oceanogr.* 36:936-948.
- Peckol, P. B., J. S. Rivers (1996) Contribution by macroalgal mats to primary production of a shallow embayment under high and low nitrogen-loading rates. *Estuar. Coast. Shelf Sci.* 43: 311-325.
- Pedersen, M. F. and J. Borum. 1996. Nutrient control of algal growth in estuarine waters. Nutrient limitation and the importance of nitrogen requirements and nitrogen storage among phytoplankton and species of macroalgae. *Mar. Ecol. Prog. Ser.* 142: 261-272.
- Peduzzi P, Herndl GJ (1991) Decomposition and significance of seagrass leaf litter (*Cymodocea nodosa*) for the microbial food web in coastal waters (Gulf of Trieste, Northern Adriatic Sea). *Mar Ecol Prog Ser* 71: 163-174
- Pellikaan, G. and P. Nienhuis. 1988. Nutrient uptake and release during growth and decomposition of eelgrass, *Zostera marina* L., and its effect on the nutrient dynamics of Lake Grevelingen. *Aquat. Bot.* 30:189-214.
- Pergent, G., J. Romero, C. Pergent-Martini, M. Mateo and C. Boudouresque. 1994. Primary production, stocks and fluxes in the Mediterranean seagrass *P. oceanica*. *Mar. Ecol. Prog. Ser.* 106: 39-146.
- Perry, M.J. 1976. Phosphate utilization by an oceanic diatom in phosphorus-limited chemostat culture and in the oligotrophic waters of the central North Pacific. *Limnology and Oceanography* 21: 88-107
- Polunin, N. and D. Klumpp. 1992. Algal food supply and grazer demand in a very productive coral-reef zone. *J. Exp. Mar. Biol. Ecol.* 164:1-16.
- Pomeroy, L. R. and J. Johannes. 1968. Occurrence and respiration of ultraplankton in the upper 500 m of the ocean. *Deep Sea Res.* 15: 381-391.
- Poumba, K. 1994. Simulated degradation of phytodetritus in deep-sea sediments of the NE Atlantic (47°N, 19°W). *Mar. Ecol. Progr. Ser.* 105:291-299.
- Prego, R. General aspects of carbon biogeochemistry in the ria of Vigo, northwestern Spain. *Geochim. cosmochim. Acta* 57, 2041-2052 (1993).
- Proctor, J., Anderson, J. M., Fogden, S. C. L. & Vallack, H. W. Ecological Studies in Four Contrasting Lowland Rain Forests in Gunung Mulu National Park, Sarawak. *J. Ecol.* 71, 261-283 (1983).

- Qasim, S and P. Bhattathiri. 1971. Primary production of a seagrass bed on Kavarotti Atoll (Laccavides). *Hydrobiologia* 38: 29-38.
- Randall, J. and J. W. Day. 1987. Effects of River Dicharge and vertical circulation in aquatic primary production in a turbid Lousiana (USA) Estuary. *Neth. J. Sea Res.* 21: 231-242.
- Reader, R.J. and J.M. Stewart (1972) The relationship between net primary production and accumulation for a peatland in southeastern Manitoba. *Ecology* 53(6):1024-1037
- Reddy KR, DeBusk WF (1991) Decomposition of water hyacinth detritus in eutrophic lake water. *Hydrobiologia* 211: 101-109.
- Reichardt, W. and G. Dieckmann. In Antarctic Nutrient Cycles and Food Webs (eds. Siegfried, W. R., P. R. Condy and R. M.Laws) 115-122 (4th SCAR Symposium on Antarctic Biology, Springer-Verlag, New York, 1985).
- Reichle, D. E. & Crossley Jr. D. A. in Secondary Productivity of Terrestrial Ecosystems (ed Petrusewicz, K.) 563-581 (U. S Atomic Energy Commission, Warszawa, 1967).
- Reichle DE, Goldstein RA, Van Hook RI, Dodson GJ. 1973. Analysis of insect consumption in a forest canopy. *Ecology* 54: 1076-1084
- Richardson, C.J., G.M. Ferrell, and P. Vaithiyanathan (1999) Nutrient effects on stand structure, resorption efficiency, and secondary compounds in everglades sawgrass. *Ecology* 80(7):2182-2192
- Ritchie, M. E., D. Tilman and J. M. H. Knops. 1998. Herbivore effects on plant and nitrogen dynamics in Oak Savanna. *Ecology* 79: 165-177.
- Rizzo, W. and R. Wetzel. 1985. Intertidal and shoal benthic community metabolism in a temperate estuary: studies of spatial and temporal scales of variability. *Estuaries* 8: 342-351.
- Robertson, A. and P. Daniel. 1989. Decomposition and the annual flux of detritus from fallen timber in tropical mangrove forests. *Limnol. Oceanogr.* 34: 640-647.
- Rogers KH, Breen CM (1982) Decomposition of *Potamogeton crispus* L: The effects of drying on the pattern of mass and nutrient loss. *Aquat. Bot.* 12: 1-12.
- Romero, J., Pergent, G., Pergent-Martini, C., Mateo, M. A. & Regnier, C. The detritic compartment in a *Posidonia oceanica* meadow: litter features, decomposition rates and mineral stocks. *P. S. Z. N. I. Mar. Ecol.* 13, 69-83 (1992).
- Rublee PA, Roman MR (1982) Decomposition of turtlegrass (*Thalassia testudinum* Koning) in flowing sea-water tanks and litterbags: compositional changes and comparisons with natural particulate matter. *J Exp Mar Biol Ecol* 58: 47-58

- Sakshaug, E., A. Bjorge, B. Gulliksen, H. Loeng, and F. Mehlum. 1994. Structure, biomass, distribution, and energetics of the pelagic ecosystem in the Barents Sea: A synopsis. *Polar Biol.* 14:405-411.
- Schalles, J. F. & Shure, D. J. Hydrology, community structure, and productivity patterns of a dystrophic Carolina bay Wetland. *Ecol. Monogr.* **59**, 365-385 (1989)
- Schlesinger, W.H. 1978. Community structure, dynamics and nutrient cycling in the Okefenokee cypress swamp forest. *Ecol. Mono.* 48: 43-65
- Schlesinger, W. H. Biogeochemistry: an analysis of global change, 2nd ed. (Academic Press, San Diego, CA, 1997)
- Schowalter, T. D., J. W. Webb and D. A. Crossley Jr. 1981. Community structure and nutrient content of canopy arthropods in clearcut and uncut forest ecosystems. *Ecology* 62: 1010-1019.
- Scott, J.A., N.R. French, and J.W. Leethom (1979) Patterns of consumption in grasslands. In: Perspectives in grassland ecology. [Ed.] French N.R., New York: Springer-Verlag, 89-105 *Cited in Pomeroy, L.R. and R.G. Wiegert (1981) The Ecology on a Salt Marsh. New York, Springer-Verlag, pp 271*
- Seastedt TR (1988) Mass, nitrogen and phosphorus dynamics in foliage and root detritus of tallgrass prairie. *Ecology* 69: 59-65
- Sfriso A., A. Marcomini (1997). Macrophyte production in a shallow coastal lagoon. Part I: coupling with chemico-physical parameters and nutrients concentrations in waters. *Mar. Environ. Res.* 44: 351-375
- Sharma E, Ambasht RS (1987) Litterfall, decomposition and nutrient release in an age sequence of *Alnus nepalensis* plantation stands in the eastern Himalaya. *J. Ecol.* 75: 997-1010
- Sheldon, S. P. The effects of herbivorous snails on submerged macrophyte communities in Minnesota lakes. *Ecology* **68**, 1920-1931 (1987).
- Shin CN, Rhee GY and Chen J. 1987. Phosphate requirement, photosynthesis and diel cell cycle of *Scenedesmus obliquus* under fluctuating light. *Can J Fish Aquat Sci* 44: 1753-1758
- Sinclair, A. R. E. The resource limitation of trophic levels in tropical grassland ecosystems. *J. Anim. Ecol.* **44**, 497-520 (1975).
- Skjoldal, H. R. & Lännergren, C. The Spring Phytoplankton Bloom in Lindåspollene, a Land-locked Norwegian Fjord. II. Biomass and Activity of Net- and Nanoplankton. *Mar. Biol.* 47, 313-323 (1978).

- Smalley, A. E. 1960. Energy flow of a salt marsh grasshopper population. *Ecology* 41: 672-677.
- Smith, K. L. Jr. 1992. Benthic Boundary Layer Communities and carbon cycling at abyssal depths in the Central North Pacific. *Limnol. Oceanogr.* 37:1034-1057.
- Smith, L. & Clymo, R. S. An extraordinary peat-forming peat-forming community on the Falkland Islands. *Nature* 309, 617-620 (1984).
- Smith, R. E., W. Harrison, B. Irwin and T. Platt. 1986. Metabolism and carbon exchange in microplankton of the Grand Banks (Newfoundland). *Mar. Ecol. Prog. Ser.* 34: 171-183.
- Smith, S.V. 1973. Carbon dioxide dynamics: a record of organic carbon production, respiration and calcification in the Eniwetok reef flat community. *Limnol. Oceanogr.* 18: 106-120.
- Smith, S. V. and J. T. Hollibaugh. 1993. Coastal metabolism and the oceanic organic carbon balance. *Rev. Geoph.* 31: 75-89.
- Smith, S. V., P. L. Jokiel (1978). Water composition and biogeochemical gradients in the Canton Atoll lagoon. *Atoll. Res. Bull.* 221: 15-53
- Smith, S. V., F. Pesret (1974). Processes of carbon dioxide flux in the Fanning Island lagoon. *Pac. Sci.* 28: 225-245
- Smith, S. V., P. L. Jokiel, G. S. Key (1978) Biogeochemical budgets in coral reef ecosystems. *Atoll Res. Bull.* 220: 1-11.
- Smith, W. O. Jr. 1977. The respiration of photosynthetic carbon in eutrophic areas of the ocean. *J. Mar. Res.* 35:557-565.
- Soholt, L. F. 1973. Consumption of primary production by a population of kangaroo rats (*Dipodomys merriami*) in the Mojave desert. *Ecological Monographs* 43: 357-376.
- Sorokin, Y. 1983. The Black Sea, p. 253-292. In B. Ketchum [ed.], *Estuaries and Enclosed Seas. Ecosystems of the World* n° 26 Elviesier.
- Soszka, G. J. The invertebrates on submerged macrophytes in three masurian lakes. *Ekol. pol.* 23, 371-391 (1975).
- Spencer, P. 1977. Carbon budgets and vertical zonation of atlantic reef corals, p. 391-396. In D. Taylor [ed.], *Proceedings of the the third coral reef symposium, (I) Biology*. Springer-Verlag.
- Stanley, D. W. A carbon flow model of epipelagic algal productivity in Alaskan Tundra Ponds. *Ecology* 57, 1034-1042 (1976).

- Strom, S. and N. Welschmeyer. 1991. Pigment specific rates of phytoplankton growth and microzooplankton grazing in the open subarctic Pacific Ocean. Limnol. Oceanogr. 36:50-63.
- Strugnell, R. G. & Pigott, C. D. Biomass, shoot-production and grazing of two grasslands in the Rwenzori National Park, Uganda. J. Ecol. 66, 73-96 (1978).
- Suess, E. 1980. Particulate organic carbon flux in the oceans: surface productivity and oxygen utilization. Nature 288: 260-263.
- Svensson, B.H. and T. Rosswall. 1980. Energy flow through the sub-arctic mire at Stordalan. in: Ecology of sub-arctic mire (ed. M. Sonesson). Ecological Bulletin no. 30. Swedish Natural Science Research Council. Liber Tryck, Stockholm.
- Tanaka Y (1991) Microbial decomposition of reed (*Phragmites communis*) leaves in a saline lake. Hydrobiologia 220: 119-129.
- Tanner, E. 1980. J of Ecology 68: 833
- Taylor BR, Parkinson D, Parsons WFJ (1989) Nitrogen and lignin content as predictors of litter decay rates: a microcosm test. Ecology 70: 97-104
- Teal, J. 1962. Energy flown in the salt marsh ecosystem of Georgia. Ecology 43:615-624.
- Tenhunen, J. D., Lange, O. L., Hahn, S., Siegwolf, R. & Oberbauer, S. F. in Arctic Ecosystems in a changing climate. An Ecophysiological perspective. (eds. Chapin III, F. Stuart, Jefferies, R. L., Reynolds, J. F., Shaver, G. R. & Svoboda, J.) 213-238 (Academic Press, New York, 1992).
- Tertsching, W. 1989. Diel activity patterns and foraging dynamics of the sea urchin *Tripneustes ventricosus* in a tropical seagrass community and a reef environment (Virgin Islands). Mar. Ecol. 10: 3-21.
- Thornton, D. D. 1971. The effect of complete removal of hippopotamus on grasslands in the Queen Elizabeth National Park, Uganda. East African Wildlife Journal 9: 47-55.
- Tijseen, S. B. 1979. Diurnal oxygen rhythm and primary production in the mixed layer of the Atlantic Ocean at 20°N. Neth. J. Sea Res. 13: 79-84.
- Tijssen, S. and A. Eijgenraam. 1982 Primary and Community production in the Southern Bight of the North Sea deduced from oxygen concentration variations in the spring of 1980. Neth. J. Sea Res. 16: 247-259.
- Tilzer, M. M. Estimation of phytoplankton loss rates from daily photosynthetic rates and observed biomass changes in Lake Constance. J. Plank. Res. 6, 309-324 (1984).

- Twilley RR, Blanton LR, Brinson MM, Davis GJ (1985) Biomass production and nutrient cycling in aquatic macrophyte communities of the Chowan River, North Caroline. *Aquat. Bot.* 22: 231-252.
- Twilley RR, Ejdung G, Romare P, Kemp M (1986) A comparative study of decomposition, oxygen consumption and nutrient release for selected aquatic plants occurring in an estuarine environment. *Oikos* 47: 190-198
- Twilley, R., A. Lugo and C. Pattersen-Zuca. 1986. Litter production and turnover in basin mangrove forests in southwest Florida. *Ecology* 67:670-683.
- Udell, H.F., J. Zamdsky and T.E. Doherry. 1969. Productivity and nutrient values of plants growing in the salt marshes of the Town of Hempstead. *Bull. of the Torrey Bot. Club* 96: 42-51
- Urabe, J., M. Nakanishi and K. Kawabata. 1995. Contribution of metazoan plankton to the cycling of nitrogen and phosphorus in Lake Biwa. *Limnol. Oceanogr.* 40: 232-241.
- Vadstein, O., Harkjerr, B., Jensen A., Olsen, Y. & Reinertsen, H. Cycling of organic carbon in the photic zone of a eutrophic lake with special reference to the heterotrophic bacteria. *Limnol. Oceanogr.* 34, 840-855 (1989).
- Valiela I, Wilson J, Buchsbaum R, Riesma C, Bryant D, Foreman K, Teal J (1984) Importance of chemical composition of salt marsh litter on decay rates and feeding by detritivores. *Bull Mar Sci* 35: 261-269
- Van Cleve, K., R. Barney, and R. Schleuter. 1981. Evidence of temperature control of production and nutrient cycling in two interior Alaska black spruce ecosystems. *Can. J. For. Res* 11: 258-273
- Van Cleve, K., Oliver, L., Schlentner, R., Viereck, L. A. & Dyrness, C. T. Productivity and nutrient cycling in taiga forests ecosystems. *Can. J. For. Res.* 13, 747-766 (1983).
- Van der Valk, A. and P. Attiwill. 1984. Decomposition of leaf and root litter of *Avicennia marina* at Westernport Bay, Victoria, Australia. *Aquat.Bot.* 18:205-221.
- Van der Valk AG, Rhymer JM, Murkin HR (1991) Flooding and the decomposition of litter of four emergent plant species in a prairie wetland. *Wetlands* 11: 1-16
- Van Hook, R. I. Energy and nutrient dynamics of spider and orthopteran populations in a grassland ecosystem. *Ecol. Monogr.* 41, 1-25 (1971).
- Van Wick, R. J. 1988. Ecological studies on *Potamogeton pectinatus* L. I. General characteristics, biomass production and life cycles under field conditions. *Aquat. Bot.* 31, 211-258.

- Varley, G. C. (1970). The concept of energy flow applied to a woodland community. In: Animal populations in relation to their food resources. (ed. Watson, A.) pp. 389-405 (10th BES Symp, Blackwell Scientific, Oxford).
- Velimirov B. and M. Walenta-Simon. 1992. Seasonal changes in specific growth rates, production and biomass of bacterial community in the water colum above a Mediterranean seagrass system. *Mar. Ecol. Prog. Ser.* 80: 1237-248.
- Vidal, M. 1991. Estudios sobre la dinámica de nutrientes en sistemas estuaricos:flujos sedimento-agua de nutrientes y oxígeno. Ph. D. Tesis. Universidad de Barcelona, Spain.
- Wahbeh MI, Mahasneh AM (1985). Some aspects of decomposition of leaf litter of the seagrass *Halophila stipulacea* from the Gulf of Aqaba (Jordan) *Aquat. Bot.* 21: 237-244
- Wallace, J. B. & O'Hop, J. Life on a fast pad: waterlily leaf beetle impact on water lilies. *Ecology* **66**, 1534-1544 (1985).
- Wallentinus I. 1981. Chemical constituents of some baltic macroalgae in relation to environmental factors. *Proc. Int. Seaweed Symp.* 10: 363-370
- Walsh, J. J. (1988). How much shelf production reaches the deep sea. In: Productivity of the ocean: present and past. Dahlem Workshop 53. Berlin.
- Walsh I, Dymond J, Collier R (1988) Rates of recycling of biogenic components of settling particles in the ocean derived from sediment trap experiments. *Deep-Sea Res* 35:43-58
- Wanders, J. B. W. The role of benthic algae in the shallow reef of Curaçao (Netherlands Antilles) III: The significance of grazing. *Aquat. Bot.* 3, 357-390 (1977).
- Weisse, T., Müller H., Pinto-Coelho, M., Schweizer, A., Springmann, D. & Baldringer G. Response of the microbial loop to the phytoplankton spring bloom in a large prealpine lake. *35*, 781-794 (1990).
- Welschmeyer, N.A., Lorenzen C, J. Chlorophyll budgets: zooplankton grazing and phytoplankton growth in a temperate fjord and the Central Pacific Gyres. *Limnol. Oceanogr.* 30, 1-21 (1985)
- Wetzel, R. and P. Penhale. 1983. Photosynthesis, light response and metabolism of submerged macrophyte communities in the lower Chesapeake Bay, p. 50-107. In R.L. Wetzel [ed.], Structural and functional aspects of the ecology of submerged aquatic macrophyte communities in the lower Chesapeake Bay, vol. I. U.S. EPA Final Grant Report No. R 805974 and X003245-01 and Virginia Institute of Marine Science SRAMSOE 267, Gloucester Point, Virginia.
- Whealer, B. D. & Shaw, S. C. Above-ground crop mass and species richness of the principal types of herbaceous rich-fen vegetation of lowland England and Wales. *J. Ecol.* **79**, 285-301 (1991).

- White, D., T. Weiss, J. Trapani and L. Thien. 1978. Production and decomposition of the dominant salt marsh plants in Louisiana. *Ecology* 59: 751-759.
- Whitfield, D. W. A. Energy inputs and ecological efficiencies on Truelove Lowland. In: *Truelove Lowland, Devon Island, Canada: A High Arctic Ecosystem* (ed. Bliss, L. C.) pp. 607-620 (University of Alberta Press, Edmonton, 1977).
- Whittaker, R.H. *Communities and Ecosystems* (MacMillan, London, 1975).
- Whittaker, R. H. and G. M. Woodwell. 1969. Structure, production and diversity of the oak pine forest at Brookhaven, New York. *J. Ecol.* 57: 155-174.
- Wiegert, R. & Evans, F. Primary production and the disappearance of dead vegetation on an old field n southeastern Michigan. *Ecology* 45, 49-63 (1964).
- Wielgolaski, F. E. 1975. Functioning of Fennoscandian Tundra Ecosystems. In: *Fennoscandian Tundra Ecosystems. Part 2: Animals and System Analyses* (ed. Wielgolaski, F. E.) 300-326 (Springer-Heidelber).
- Williams, S. L. and R. C. Carpenter. 1988. Nitrogen-limited primary productivity of coral reef algal turfs: potential contribution of ammonium excreted by *Diadema antillarum*. *Mar. Ecol. Prog. Ser.* 47: 145-152.
- Wolff, M., V. Koch, and V. Isaac (2000) A trophic flow model of the Caeté mangrove estuary (north Brazil) with considerations for the sustainable use of its resources. *Estuarine, Coastal, and Shelf Science* 50:789-803
- Woodwell, G. M. & Botkin, D. B. in Analysis of temperate forest ecosystems. *Ecological studies* 1 (ed. Reichle, D. E.), 281-302 (Springer-Verlag, New York, 1970).
- Woodwell, G. M., R. A. Houghton, C. A. S. Hall, D. E. Whitney, R. A. Moll and D. W. Juers. 1979. The Flax Pond ecosystem study: the annual metabolism and nutrient budgets of a salt marsh. pp: 491-511. In: R. L. Jefferies and A. J. Davy (eds.), *Ecological Processes in Coastal Environments. Symposium of the British Ecological Society*. Blackwell Scientific, Oxford, England.
- Yap, H., A. Montebon and R. Dizon. 1994. Energy Flow and seasonality in a tropical coral reef flat. *Mar. Ecol. Prog. Ser.* 103:35-43.
- Zak, D. R., D. Tilman, R. P. Parmenter, C. W. Rice, F. M. Fisher, J. Vose, D. Milchunas, C. W. Martin. 1994. Plant production and soil microorganisms in late-successional ecosystems: a continental study. *Ecology* 75: 2333-2347.
- Zieman, J. C., G. Thayer, M. Robblee and R.Zieman. 1979. Production and export of seagrasses from a tropical bay, p. 21-33. In R. J. Livingston [ed.], *Ecological Processes in Coastal and Marine Systems*, Plenum Press.

Ziemann, D. A., P. K. Bienfag, K.W. Fulton-Bennett, W. Kottenmeier and L.D. Conquest. 1993. Carbon budget for the spring bloom in Auke Bay, Alaska. *Mar. Biol.* 115: 509-521.