

Table 1. Selected morphometric information on 10 males and 10 females of *Danionella dracula* including the holotype.

	Holotype	Paratypes					
	Male	Males			Females		
		Range	Mean	St. Dev	Range	Mean	St. Dev
Standard length (SL)	16.3	13.3-15.4			11.3-14.2		
In % of SL							
Head length	20.2	17.6-19.0	18.3	0.4	17.9-19.7	18.5	0.6
Predorsal-fin length	69.3	68.1-71.8	70.2	1.3	66.4-71.3	69.5	1.7
Prepelvic-fin length	34.4	33.8-35.3	34.6	0.4	33.6-37.2	36.0	1.1
Preanal-fin length	55.2	56.3-58.6	57.0	0.8	55.6-58.3	57.1	0.9
Snout to anus	35.6	35.1-39.1	36.1	1.3	55.2-55.4	53.7	0.9
Body depth at dorsal-fin origin	16	13.5-15.5	14.5	0.6	14.3-16.9	15.3	0.9
Caudal-peduncle depth	9.2	7.4-8.8	8.5	0.7	7.1-9.1	8.2	0.6
Caudal-peduncle length	24.5	23.6-25.7	25.0	0.7	23.7-26.8	25.2	1.0
Length of dorsal-fin base	8	5.6-7.3	6.6	0.6	6.2-6.7	6.3	0.2
Length of anal-fin base	18.4	16.9-18.3	17.6	0.5	14.8-18.3	16.9	1.2
Length of pelvic fin	12.3	10.9-12.0	11.5	0.3	7.1-8.5	7.7	0.5
In % of HL							
Eye diameter	36.4	34.6-38.5	36.4	1.5	35.7-39.1	37.7	1.2
Snout length	21.2	16.0-19.2	17.3	1.6	13.0-19.2	16.1	2.2
Tip of lower jaw to orbit	33.3	20.0-26.9	23.3	2.0	17.4-23.1	20.1	1.9