## Supporting Information

Conformationally Constrained Analogues of Diacylglycerol (DAG). 31. Modulation of the Biological Properties of Diacylgycerol Lactones (DAG-lactones) Containing Rigid-Rod Acyl Groups Separated From the Core Lactone by Spacer Units of Different Lengths

Maria J. Comin,<sup>1</sup> Gabriella Czifra,<sup>2</sup> Noemi Kedei,<sup>2</sup> Nancy E. Lewin,<sup>2</sup> Sofiya Kolusheva,<sup>3</sup> Julia F. Velasquez,<sup>2</sup> Ryan Kobylarz,<sup>2</sup> Raz Jelinek,<sup>3</sup> Peter M. Blumberg,<sup>2</sup> and Victor E. Marquez<sup>1\*</sup>

## Table of Contents

<sup>1</sup> H and <sup>13</sup> C spectra of <b>1a.</b>	S2
<sup>1</sup> H and <sup>13</sup> C spectra of <b>1b.</b>	S3
<sup>1</sup> H and <sup>13</sup> C spectra of <b>1c.</b>	S4



<sup>1</sup>H and <sup>13</sup>C spectra of **1a.** 



<sup>1</sup>H and <sup>13</sup>C spectra of **1b.** 



<sup>1</sup>H and <sup>13</sup>C spectra of **1c.**