

Kehoe et al., Supplemental Table 2. Primers used for semi-quantitative RT-PCR.

Primer name	Oligonucleotide sequence (5' to 3')
<i>Slc25a31</i> sense	TGGAGCAACATCCTTGTGTG
<i>Slc25a31</i> antisense	AGAAATGGGGTTTCCTTTGG
<i>Dmc1</i> sense	AGAATTTTCAAGGCGACACC
<i>Dmc1</i> antisense	CCACCCCAACAACCTGAG
<i>E2F6</i> sense	AAGCTGCAGGCAGAACTCTC
<i>E2F6</i> antisense	TTCACCCACTCGGGATACTC
<i>Nanog</i> sense	AGGGTCTGCTACTGAGATGCTCTG
<i>Nanog</i> antisense	CAACCACTGGTTTTTCTGCCACCG
<i>Pou5f1</i> sense	TGGAGACTTTGCAGCCTGAG
<i>Pou5f1</i> antisense	TGAATGCATGGGAGAGCCCA
<i>Rec8L</i> sense	AGGGCGTCGAAGAACGAG
<i>Rec8L</i> antisense	AGCTTCATGTCCTCCCTGAA
<i>RecQ1</i> sense	ACTGGAATCCGTAGCCAGTG
<i>RecQ1</i> antisense	AGAGCTGGAAGCATTCAACA
<i>RibC2</i> sense	CCATGGAGGTAGCGATGTCT
<i>RibC2</i> antisense	GTGTTCCGCATGTCATTGTC
<i>Smc1b</i> sense	GCCACGACTTGAAATTCTCC
<i>Smc1b</i> antisense	GGAGCAGGGATCCAATTCC
<i>Spo11</i> sense	GTTGGCCATGGTGAAGAGAG
<i>Spo11</i> antisense	CTCAAGTTGCCAGCAATCAA
<i>Stag3</i> sense	GGCTGAAGAAAGGTCACCAC
<i>Stag3</i> antisense	AGGAACGTGGTTAGCACGAG
<i>Sycp1</i> sense	ACACCCTCCACACCCTCAC
<i>Sycp1</i> antisense	ATCCTCCGACAATTTTGAGC
<i>Tuba3a</i> sense	GGACCGGATCCGAAAACCTGG
<i>Tuba3a</i> antisense	GTCTGGAATTCTGTAAAGTCC
<i>Actb</i> sense	TTCCTTCTTGGGTATGGAAT
<i>Actb</i> antisense	GAGCAATGATCTTGATCTTC