

Figure S1. Dated phylogenies of the N1 (A) N2, (B) and N8 (C) genes isolated from both Eurasia (red) and North America (black) Node bars indicate 95% HPD of divergence times. Scale bar shows timeline in years.




Figure S2. Dated phylogeny of the PB1 gene isolated from both Eurasia (red) and North America (black) Node bars indicate 95% HPD of divergence times. Scale bar shows timeline in years.




Figure S3. Dated phylogeny of the PB2 gene isolated from both Eurasia (red) and North America (black) Node bars indicate 95% HPD of divergence times. Scale bar shows timeline in years.




Figure S4. Dated phylogeny of the PA gene isolated from both Eurasia (red) and North America (black) Node bars indicate 95% HPD of divergence times. Scale bar shows timeline in years.




Figure S5. Dated phylogeny of the NP gene isolated from both Eurasia (red) and North America (black) Node bars indicate 95% HPD of divergence times. Scale bar shows timeline in years.




Figure S6. Dated phylogeny of the M gene isolated from both Eurasia (red) and North America (black) Node bars indicate 95% HPD of divergence times. Scale bar shows timeline in years.




Figure S7. Dated phylogeny of the NS Allele A gene isolated from both Eurasia (red) and North America (black) Node bars indicate 95% HPD of divergence times. Scale bar shows timeline in years.




Figure S8. Dated phylogeny of the NS Allele B gene isolated from both Eurasia (red) and North America (black) Node bars indicate 95% HPD of divergence times. Scale bar shows timeline in years.