



**Supporting Information.** Directed Borylation by Electrophilic Activation of Benzylamine Boranes


Timothy S. De Vries, Aleksandrs Prokofjevs, Jeremy N. Harvey\* and Edwin Vedejs\*

NMR Spectra for New Compounds





$^1\text{H}$  NMR ( $\text{CDCl}_3$ )







$^1\text{H NMR (CDCl}_3)$







$^1\text{H}$  NMR ( $\text{CDCl}_3$ )







<sup>1</sup>H NMR (CDCl<sub>3</sub>)







<sup>1</sup>H NMR (CDCl<sub>3</sub>)






$^1\text{H}$  NMR ( $\text{CDCl}_3$ )







$^1\text{H NMR (CDCl}_3)$










<sup>1</sup>H NMR (CDCl<sub>3</sub>)







$^1\text{H NMR}$  ( $\text{CDCl}_3$ )






$^1\text{H}$  NMR ( $\text{CDCl}_3$ )








$^1\text{H NMR (CDCl}_3)$




$^1\text{H NMR (C}_6\text{D}_5\text{Br)}$









$^{11}\text{B}$  NMR ( $\text{C}_6\text{D}_5\text{Br}$ )




$^1\text{H}$  NMR ( $\text{C}_6\text{D}_5\text{Br}$ )





$^{11}\text{B}$  NMR ( $\text{C}_6\text{D}_5\text{Br}$ )















$^1\text{H NMR (CDCl}_3)$







<sup>1</sup>H NMR (CDCl<sub>3</sub>)







$^1\text{H NMR (CDCl}_3)$







<sup>1</sup>H NMR (CDCl<sub>3</sub>)






<sup>1</sup>H NMR (CDCl<sub>3</sub>)






<sup>1</sup>H NMR (CDCl<sub>3</sub>)










17g-2


<sup>1</sup>H NMR (CDCl<sub>3</sub>)







$^1\text{H NMR}$  ( $\text{CDCl}_3$ )






<sup>1</sup>H NMR (CDCl<sub>3</sub>)







17i-2


<sup>1</sup>H NMR (CDCl<sub>3</sub>)






$^1\text{H NMR}$  ( $\text{CDCl}_3$ )







$^1\text{H NMR}$  ( $\text{CDCl}_3$ )




S-55



$^1\text{H NMR}$  ( $\text{CDCl}_3$ )







PhH ●

solvent □


<sup>1</sup>H NMR (CD<sub>2</sub>Cl<sub>2</sub>)








$^{11}\text{B}$  NMR ( $\text{CD}_2\text{Cl}_2$ )






Et<sub>2</sub>O ●



solvent □

<sup>1</sup>H NMR (CD<sub>2</sub>Cl<sub>2</sub>)





S-59

$^{11}\text{B}$  NMR ( $\text{CD}_2\text{Cl}_2$ )  
{ $^1\text{H}$ } decoupled






S-60

$^1\text{H NMR (C}_6\text{D}_5\text{Br)}$




$^{11}\text{B}$  NMR ( $\text{C}_6\text{D}_5\text{Br}$ )







<sup>1</sup>H NMR (CDCl<sub>3</sub>)




S-63




$^1\text{H NMR}$  ( $\text{CDCl}_3$ )








$^1\text{H NMR (CDCl}_3)$












$^1\text{H NMR (CDCl}_3)$





<sup>1</sup>H NMR (CDCl<sub>3</sub>)



$^1\text{H NMR}$  ( $\text{CDCl}_3$ )

