

**TABLE S1.** Strains used in this study (<sup>T</sup>=type strain).

Strain designation	Received as	Origin	Host	Organ	Properties	Other designations, notes	References
<b><i>Brenneria</i></b>							
LMG 2694 <sup>T</sup>	<i>B. nigrifluens</i>	United States	<i>Juglans regia</i>	Bark canker	Phytopathogen	Type strain	[1]
LMG 2709 <sup>T</sup>	<i>B. rubrifaciens</i>	United States	<i>Juglans regia</i>	-	Phytopathogen	Type strain	[2]
<b><i>Enterobacter</i></b>							
LMG 2693 <sup>T</sup>	<i>E. cancerogenus</i>	Czech Republic	<i>Populus canadensis</i> cv. <i>Regenerata</i>	-	Phytopathogen	Type strain	[3]
LMG 5336	<i>E. agglomerans</i>	United States	-	-	Clinical	<i>P. agglomerans</i> ATCC 29904	
LMG 5337	<i>E. agglomerans</i>	United States	Human	Intervenous fluid	Clinical	<i>P. agglomerans</i> ATCC 29915	
LMG 5339	<i>E. agglomerans</i>	United States	Chicken	Liver	Veterinarial	<i>P. agglomerans</i> ATCC 29917	
LMG 5341	<i>E. agglomerans</i>	United States	Human	-	Clinical	<i>P. agglomerans</i> ATCC 29919	
LMG 5345	<i>E. agglomerans</i>	United States	Human	-	Clinical	<i>P. agglomerans</i> ATCC 29923	
<b><i>Erwinia</i></b>							
CFBP 1232 <sup>T</sup>	<i>E. amylovora</i>	United Kingdom	<i>Pyrus communis</i>	-	Phytopathogen	Type strain	[4]
CFBP 4342	<i>E. herbicola</i> pv. <i>gypsophilae</i>	Netherlands	<i>Gypsophila paniculata</i>	Plant gall	Phytopathogen		
DSM 12163 <sup>T</sup>	<i>E. pyrifoliae</i>	South Korea	<i>Pyrus pyrifolia</i>	-	Clinical	Type strain	[5]
Ea 273	<i>E. amylovora</i>	United States	<i>Malus pumila</i>	Apple	Phytopathogen	ATCC 49946	[6, 7]
<b><i>Pantoea</i></b>							
ACW 55802	<i>P. agglomerans</i>	Switzerland	Apple tree	-	Environmental		
ACW 55899	<i>P. agglomerans</i>	Switzerland	Apple tree	-	Environmental		
ATCC 27981	<i>P. agglomerans</i>	United States	Human	Sputum	Clinical	CDC 865-74	
ATCC 27982	<i>P. agglomerans</i>	United States	Human	IV fluid	Clinical	CDC 2214-72	
ATCC 27985	<i>P. agglomerans</i>	United States	Human	N/A	Clinical	CDC 811-75	
ATCC 27987	<i>P. agglomerans</i>	United States	Human	Ear	Clinical	CDC 1400-74	

ATCC 27988	<i>P. agglomerans</i>	United States	Human	Urine	Clinical	CDC 1377-71
ATCC 27989	<i>P. agglomerans</i>	United States	Human	Sputum	Clinical	CDC 1300-74
ATCC 27990	<i>P. agglomerans</i>	United States	Human	-	Clinical	CDC 1134-72
ATCC 27991	<i>P. agglomerans</i>	United States	Human	Eye drainage	Clinical	CDC 358-74
ATCC 27992	<i>P. agglomerans</i>	United States	Human	-	Clinical	CDC 1269-74
ATCC 27993	<i>P. agglomerans</i>	United States	Human	Blood	Clinical	CDC 4-74
ATCC 27994	<i>P. agglomerans</i>	United States	Human	-	Clinical	CDC 3072-74
ATCC 27995	<i>P. agglomerans</i>	United States	Human	-	Clinical	CDC 4854-73
ATCC 27996	<i>P. agglomerans</i>	United States	Insect	-	Environmental	CDC 5474-71
ATCC 27998	<i>P. agglomerans</i>	United States	Human	Trachea	Clinical	CDC 1741-71
ATCC 29001	<i>P. agglomerans</i>	United States	Human	Prostate	Clinical	CDC 164-75
ATCC 29918	<i>P. agglomerans</i>	United States	Human	-	Clinical	CDC 4388-71
C9-1	<i>P. agglomerans</i>	United States	<i>Malus malus</i>	Stem	Biocontrol	BlightBan C9-1™ [8]
CECT 4842	<i>P. agglomerans</i>	Sweden	Industrial	Paper mill process water	Environmental	
CIP 102343	<i>P. agglomerans</i>	Algeria	Human	Urine	Clinical	
CIP 102701	<i>P. agglomerans</i>	France	Human	Ear	Clinical	
CIP 82.100	<i>P. agglomerans</i>	Canada	Cereal plant	-	Environmental	ATCC 33243 <sup>T</sup> , type strain of [9] <i>Erwinia herbicola</i>
CIP A181	<i>P. agglomerans</i>	France	Human	Blood	Clinical	
CPA-2	<i>P. agglomerans</i>	Spain	<i>Malus</i> sp.	Apple surface	Biocontrol	[10]
E325	<i>P. agglomerans</i>	United States	Apple tree	Blossoms	Biocontrol	BloomTime™ [11]
Eh1087	<i>P. agglomerans</i>	New Zealand	Apple tree	Blossom	Biocontrol	Produces phenazine [12]
Eh239	<i>P. agglomerans</i>	United States	Barley plant	Kernels	Biocontrol	[13]
Eh252	<i>P. agglomerans</i>	United States	<i>Malus pumila</i>	-	Biocontrol	[14]
Eh318	<i>P. agglomerans</i>	United States	Apple tree	Stem	Biocontrol	[15]
Eh454	<i>P. agglomerans</i>	United States	Barley plant	Kernels	Biocontrol	[13]

Eh460	<i>P. agglomerans</i>	United States	Barley plant	Kernels	Biocontrol	[13]
EM13cb	<i>P. agglomerans</i>	Spain	Human	Blood	Clinical	
EM15cb	<i>P. agglomerans</i>	Spain	Human	Catheter	Clinical	
EM17cb	<i>P. agglomerans</i>	Spain	Human	Blood	Clinical	
EM21cb	<i>P. agglomerans</i>	Spain	Human	Bile	Clinical	
EM22cb	<i>P. agglomerans</i>	Spain	Human	Blood	Clinical	
EM2cb	<i>P. agglomerans</i>	Spain	Human	Urine	Clinical	
EPS486	<i>P. agglomerans</i>	Spain	Apple tree	Bud	Environmental	
EPS595	<i>P. agglomerans</i>	Spain	Pear tree	Bud	Environmental	
EPS125	<i>P. agglomerans</i>	Spain	Pear tree	Fruit	Biocontrol	[16]
LMG 1286 <sup>T</sup>	<i>P. agglomerans</i>	Zimbabwe	Human	Knee laceration	Clinical	Type strain: ATCC 27155 <sup>T</sup> , CECT 850 <sup>T</sup> [17]
LMG 2557	<i>P. agglomerans</i>	United Kingdom	<i>Pyrus communis</i>	-	Environmental	NCPPB 1269
LMG 2595	<i>P. agglomerans</i>	South Africa	<i>Allium cepa</i>	Necrotic stalk and leaf	Environmental	
LMG 2941	<i>P. agglomerans</i>	N/A	<i>Malus sylvestris</i>	Leaf surface	Environmental	
P10c	<i>P. agglomerans</i>	New Zealand	Apple	Flower	Biocontrol	BlossomBless™ [18]
P10Qld	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	QC1.38
P1SA	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	PGP1.TCV14.2
P2SA	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	PGP1.TCV14.6
P3SA	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	SAwow11ct.3
P4SA	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	SHj20.23
P5WA	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	WMRst146.26
P6WA	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	WLs185.22
P7NSW	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	NMcc14.5
P8SA	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	SAp2ww1.186
P9Qld	<i>P. agglomerans</i>	Australia	Wheat plant	Roots	Environmental	QB1.20
SC-1	<i>P. agglomerans</i>	United States	Cotton plant	-	Phytopathogen	[19]

VA21971	<i>P. agglomerans</i>	Switzerland	Human	Arm wound	Clinical		
ATCC 43348	<i>P. agglomerans</i> pv. <i>gypsophilae</i>	United States	<i>Gypsophila</i> <i>paniculata</i>	Plant gall	Phytopathogen	Crown gall disease	[20]
LMG 20103	<i>P. ananatis</i>	South Africa	Eucalyptus tree	-	Phytopathogen		
LMG 2665 <sup>T</sup>	<i>P. ananatis</i>	Brazil	<i>Ananas comosus</i>	-	Phytopathogen	Type strain	[21]
LMG 2676	<i>P. ananatis</i>	United States	<i>Puccinia graminis</i> f. sp. <i>tritici</i>	Uredia	Phytopathogen		[22]
LMG 5342	<i>P. ananatis</i>	United States	Human	-	Clinical	<i>P. ananatis</i> ATCC 29920	[21]
LMG 23359	<i>P. citrea</i>	Philippines	Pineapple plant	-	Environmental		[23]
LMG 2603	<i>P. dispersa</i>	Japan	Soil	-	Environmental		[17]
LMG 2605	<i>P. dispersa</i>	Tanzania	<i>Vigna unguiculata</i>	Seed	Environmental		
LMG 2770	<i>P. dispersa</i>	United States	Human	Blood culture	Clinical		
LMG 22097	<i>P. punctata</i>	Japan	Orange tree		Environmental		[23]
CFBP 3614 <sup>T</sup>	<i>P. stewartii</i> subsp. <i>indologenes</i>	India	<i>Setaria italica</i>	Leaf spot	Phytopathogen	Type strain, LMG 2632 <sup>T</sup>	[21, 24]
CFBP 3517 <sup>T</sup>	<i>P. stewartii</i> subsp. <i>stewartii</i>	United States	<i>Zea mays</i> var. <i>rugosa</i>	-	Phytopathogen	Type strain, LMG 2715 <sup>T</sup>	[21, 24]
DC283	<i>P. stewartii</i> subsp. <i>stewartii</i>	United States	<i>Zea mays</i> var. <i>rugosa</i>	-	Phytopathogen		[25]
CFBP 6632	<i>Pantoea oleae</i>	Spain	<i>Olea europaea</i>	Plant gall	Phytopathogen	Olive knot disease	
LMG 5343	<i>Pantoea</i> sp.	United States	Human	-	Clinical	<i>P. agglomerans</i> ATCC 29921	

## References

1. Wilson EE, Starr MP, Berger JA: **Bark canker, a bacterial disease of the Persian walnut tree.** *Phytopathology* 1957, **47**:669-673.
2. Wilson EE, Zeitoun FM, Fredrickson DL: **Bacterial phloem canker, a new disease of Persian walnut trees.** *Phytopathology* 1967, **57**:618-621.
3. Schonheyder HC, Jensen KT, Frederiksen W: **Taxonomic notes: synonymy of *Enterobacter cancerogenus* (Urosevic 1966) Dickey and Zumoff 1988 and *Enterobacter taylorae* Farmer et al. 1985 and resolution of an ambiguity in the biochemical profile.** *Int J Syst Bacteriol* 1994, **44**:586-587.
4. Billing E, Baker LAE, Crosse JE, Garrett CME: **Characteristics of english isolates of *Erwinia amylovora* (Burrill) Winsow et al.** *J Appl Microbiol* 1961, **24**(2):195-211.
5. Kim WS, Gardan L, Rhim SL, Geider K: ***Erwinia pyrifoliae* sp. nov., a novel pathogen that affects Asian pear trees (*Pyrus pyrifolia* Nakai).** *Int J Syst Bacteriol* 1999, **49**:899-906.
6. Bogdanove AJ, Bauer DW, Beer SV: ***Erwinia amylovora* secretes DspE, a pathogenicity factor and functional AvrE homolog, through the Hrp (type III secretion) pathway.** *J Bacteriol* 1998, **180**:2244-2247.
7. Bocsanczy AM, Beer SV, Perna NT, Biehl B, Glasner JD, Cartinhour SW, Schneider DJ, DeClerck GA, Sebaihia M, Parkhill J et al: **Contributions of the genome sequence of *Erwinia amylovora* to the fire blight community.** *Acta Hort* 2008, **793**:163-170.
8. Ishimaru CA, Klos EJ, Brubaker RR: **Multiple antibiotic production by *Erwinia herbicola*.** *Phytopathology* 1988, **78**:746-750.
9. Kwon S-W, Go S-J, Kang H-W, Ryu J-C, Jo J-K: **Phylogenetic analysis of *Erwinia* species based on 16S rRNA gene sequences.** *Int J Syst Bacteriol* 1997, **47**(4):1061-1067.
10. Nunes C, Usall J, Teixidó N, Fons E, Viñas I: **Post-harvest biological control by *Pantoea agglomerans* (CPA-2) on Golden Delicious apples.** *J Appl Microbiol* 2002, **92**:247-255.
11. Pusey PL, Stockwell VO, Rudell DR: **Antibiosis and acidification by *Pantoea agglomerans* strain E325 may contribute to suppression of *Erwinia amylovora*.** *Phytopathology* 2008, **98**(10):1136-1143.
12. Kearns LP, Mahanty HK: **Antibiotic production by *Erwinia herbicola* Eh1087: its role in inhibition of *Erwinia amylovora* and partial characterization of antibiotic biosynthesis genes.** *Applied and environmental microbiology* 1998, **64**(5):1837-1844.
13. Braun-Kiewnick A, Jacobsen BJ, Sands DC: **Biological control of *Pseudomonas syringae* pv. *syringae*, the causative agent of basal kernel blight of barley, by antagonistic *Pantoea agglomerans*.** *Phytopathology* 2000, **90**:368-375.
14. Vanneste JL, Yu J, Beer SV: **Role of antibiotic production by *Erwinia herbicola* Eh252 in biological control of *Erwinia amylovora*.** *J Bacteriol* 1992, **174**(9):2785-2796.
15. Wright SAI, Zumoff CH, Schneider L, Beer SV: ***Pantoea agglomerans* strain EH318 produces two antibiotics that inhibit *Erwinia amylovora* in vitro.** *Applied and environmental microbiology* 2001, **67**(1):284-292.

16. Bonaterra A, Mari M, Casalini L, Montesinos E: **Biological control of *Monilinia laxa* and *Rhizopus stolonifer* in postharvest of stone fruit by *Pantoea agglomerans* EPS125 and putative mechanisms of antagonism.** *Int J Food Microbiol* 2003, **84**:93-104.
17. Gavini F, Mergaert J, Beji A, Mielcarek C, Izard D, Kersters K, De Ley J: **Transfer of *Enterobacter agglomerans* (Beijerinck 1888) Ewing and Fife 1972 to *Pantoea* gen. nov. as *Pantoea agglomerans* comb. nov. and description of *Pantoea dispersa* sp. nov.** *Int J Syst Bacteriol* 1989, **39**(3):337-345.
18. Vanneste JL, Cornish DC, Yu J, Voyle MD: **P10c: a new biological control agent for control of fire blight which can be sprayed or distributed using honey bees.** *Acta Hortic* 2002, **590**:231-235.
19. Medrano EG, Bell AA: **Role of *Pantoea agglomerans* in opportunistic bacterial seed and boll rot of cotton (*Gossypium hirsutum*) grown in the field.** *J Appl Microbiol* 2007, **102**:134-143.
20. Cooksey DA: **Galls of *Gypsophila paniculata* caused by *Erwinia herbicola*.** *Plant Dis* 1986, **70**:464-468.
21. Mergaert J, Verdonck L, Kersters K: **Transfer of *Erwinia ananas* (synonym, *Erwinia uredovora*) and *Erwinia stewartii* to the genus *Pantoea* emend. as *Pantoea ananas* (Serrano 1928) comb. nov. and *Pantoea stewartii* (Smith 1898) comb. nov., respectively, and description of *Pantoea stewartii* subsp. *indologenes* subsp. nov.** *Int J Syst Bacteriol* 1993, **43**(1):162-173.
22. Pon DS, Townsend CE, Wessman GE, Schmitt CG, Kingsolver CH: **A *Xanthomonas* parasitic on uredia of cereal rusts.** *Phytopathology* 1954, **44**:707-710.
23. Kageyama B, Nakae M, Yagi S, Sonoyama T: ***Pantoea punctata* sp. nov., *Pantoea citrea* sp. nov., and *Pantoea terrae* sp. nov.** isolated from fruit and soil samples. *Int J Syst Bacteriol* 1992, **42**(2):203-210.
24. Hauben L, Moore ERB, Vauterin L, Steenackers M, Mergaert J, Verdonck L, Swings J: **Phylogenetic position of phytopathogens within the Enterobacteriaceae.** *Syst Appl Microbiol* 1998, **21**:384-397.
25. Coplin DL, Rowan RG, Chisholm DA, Whitmoyer RE: **Characterization of plasmids in *Erwinia stewartii*.** *Applied and environmental microbiology* 1981, **42**:599-604.