

Table S4. Summary of the 13 key amino acid sites for rhodopsins. For λ_{\max} values, those predicted from this study are given in bold and those from the literature are in plain text. Amino acids identical to the mammalian consensus are indicated by a point (.), n/a represents missing data.

Species	8 3	9 6	1 0 2	1 2 2	1 8 3	1 9 4	1 9 5	2 5 3	2 6 1	2 8 9	2 9 2	2 9 9	3 1 7	λ_{\max} (measured)	λ_{\max} (predicted)
Consensus	D	Y	Y	E	M	L	K	M	F	T	A	S	M		
<i>Hipposideros larvatus</i>		501
<i>Hipposideros pratti</i>		501
<i>Rhinolophus pusillus</i>	L		499
<i>Rhinolophus ferrumequinum</i>	L		499
<i>Megaderma spasma</i>		501
<i>Eonycteris spelaea</i>		501
<i>Rousettus leschenaultii</i>		501
<i>Nyctimene cphalotes</i>		501
<i>Dobsonia viridis</i>		501
<i>Cynopterus brachyotis</i>		501
<i>Myotis ricketti</i>	N	A	.		497
<i>Taphozous melanopogon</i>		501
<i>Miniopterus fuliginosus</i>	L		499
<i>Chaerephon plicatus</i>		501
<i>Artibeus jamaicensis</i>		501
<i>Pusa hispida</i>		501 ^a
<i>Phoca vitulina</i>	501 ^b	501 ^a
<i>Pagophilus groenlandica</i>	A	.	498 ^b	499 ^a
<i>Erignathus barbatus</i>		501 ^a
<i>Hydrurga leptonyx</i>	L		499 ^a
<i>Leptonychotes weddellii</i>	L	495, 496 ^c	499 ^a
<i>Mirounga angustirostris</i>	L	S	.	.	483 ^d	487 ^a
<i>Odobenus rosmarus</i>	N		499 ^a
<i>Zalophus californianus</i>	N	499 ^a	499 ^c
<i>Ursus maritimus</i>		501 ^a
<i>Enhydra lutris</i>	N		501 ^a
<i>Canis lupus</i>	508 ^f	501 ^a
<i>Felis catus</i>		501 ^a
<i>Delphinus delphis</i>	N	S	.	.	.	S	.	.	489 ^g	
<i>Tursiops truncatus</i>	N	S	R	.	.	.	S	.	.	488, 489 ^g	
<i>Globicephala melas</i>	N	S	R	.	.	.	S	.	.	488 ^g	
<i>Mesoplodon bidens</i>	N	P	S	.	.	.	S	A	.	484 ^g	485 ^a
<i>Equus caballus</i>	A	n/a		499
<i>Bos taurus</i>	P	H	A	.	500 ^h	

Table S4 continued

Species	8 3	9 6	1 0 2	1 2 2	1 8 3	1 9 4	1 9 5	2 5 3	2 6 1	2 8 9	2 9 2	2 9 9	3 1 7	λ_{\max} (measured)	λ_{\max} (predicted)
<i>Sus scrofa</i>	L		499
<i>Homo sapiens</i>	L	A	.	497 ⁱ	
<i>Pan troglodytes</i>	L	A	.		497
<i>Macaca fascicularis</i>	L	500 ^j	499
<i>Macaca mulatta</i>	L		499
<i>Otolemur crassicaudatus</i>		501
<i>Loxodonta africana</i>	N	A	.	496 ^k	497
<i>Trichechus manatus</i>	502 ^g	501
<i>Macroscelides proboscideus</i>		501
<i>Amblysomus hottentotus</i>	.	.	.	n /a		501
<i>Oryctolagus cuniculus</i>	502 ^f	501
<i>Bathyergus suillus</i>	P		498
<i>Cryptomys damarensis</i>	N	P		496
<i>Heliophobius argenteocinereus</i>	N	P		496
<i>Heterocephalus glaber</i>	P		498
<i>Cavia porcellus</i>	N		499
<i>Thryonomys swinderianus</i>		501
<i>Rattus norvegicus</i>	498 ^f	501
<i>Mus musculus</i>	498 ^f	501
<i>Cricetulus griseus</i>		501
<i>Spalax ehrenbergi</i>		501
<i>Caluromys philander</i>	A	.		499
<i>Monodelphis domestica</i>		501
<i>Sminthopsis crassicaudata</i>	.	V	N	512 ^l	
<i>Ornithorhynchus anatinus</i>	N	R	A	.		

a) Levenson DH, Ponganis PJ, Crognale MA, Deegan JF II, Dizon A et al. (2006) Visual pigments of marine carnivores: pinnipeds, polar bear, and sea otter. *J Comp Physiol A* 192:833-843.

b) Fasick JI, Robinson PR (2000) Spectral-tuning mechanisms of marine mammal rhodopsins and correlations with foraging depth. *Vis Neurosci* 17: 781-788.

c) Lythgoe JN, Dartnall HJA (1970) A "deep sea rhodopsin" in a mammal. *Nature* 227:955-956.

d) Southall KD, Oliver GW, Lewis JW, Le Boeuf BJ, Levenson DH et al. (2002) Visual pigment sensitivity in three deep diving marine mammals. *Mar Mam Sci* 18:275-281.

e) Collins FD, Morton RA (1950). Studies on rhodopsin. I. Methods of extraction and the absorption spectrum. *Biochem J* 47:3-10.

f) Bridges CDB (1959) The visual pigments of some common laboratory mammals. *Nature* 184:1727-1728.

g) Oprian DD, Molday RS, Kaufman RJ, Khorana HG (1987). Expression of a synthetic bovine rhodopsin gene in monkey kidney cells. *Proc Natl Acad Sci USA* 84:8874-8878.

h) Crescitelli F, Dartnall HJ (1953). Human visual purple. *Nature* 172:195-197.

i) Bowmaker JK, Dartnall HJ, Lythgoe JN, Mollon JD (1978). The visual pigments of rods and cones in the rhesus monkey, *Macaca mulatta*. *J Physiol* 274:329-348.

j) Yokoyama S, Takenaka N, Agnew DW, Shoshani J (2005) Elephants and human color-blind deuteranopes have identical sets of visual pigments. *Genetics* 170:335-344.

k) Hunt DM, Arrese CA, von Dornum M, Rodger J, Oddy A et al. (2003) The rod opsin pigments from two marsupial species, the South American bare-tailed woolly opossum and the Australian fat-tailed dunnart. *Gene* 323:157-162.