

Table S1. Primers used in RT-PCR

Locus	RT/reverse primer (5'-3')	Forward Primer (5'-3')
<i>nov1</i>	TCGGCCAGAACGCCAACATC	GAGCACCGTATTGATGGTGG
<i>nov2</i>	AAACTCCTGCCGGACTGTCC	TGAGGAATATACGGAAGCCG
<i>nov3</i>	AAGGAGGCTGTATTCGCTGC	CCACTACCGAGCGAATCAAC
<i>nov4</i>	TCTACCATTTTGCTGAGGGC	TACAGGGCACTGGATTGACG
<i>nov5</i>	GACCTAACAGTCCCATCCCC	GTGAAAGTCCCAGGCCCTC
<i>nov6</i>	G TTCAGTCCGATGCCTTGCG	TGGTGATATCGCCGTATTGC
<i>nov7</i>	TGTGCTGTCCGGTGGGCGATG	ATCCAGATGCGCACGCAAAG
<i>nov8</i>	TGACTACGCCGAACAAC TGC	GTGGTGT TGGCACGGATCAC
<i>nov9</i>	ACTTGTCCGGATCCTCGTCC	ATTCCCCAGTGAAGAGCAGG
<i>nov10</i>	GGCTTTTGTACCCCGGCAGC	GCACATGAATGGCTACGACG
<i>nov11</i>	CAAGTGGGTGCCGCAGATGG	TTCCATGATCGGCGCGAACC
<i>nov12</i>	GCGTGCTGAGGAAAGGGGAG	GAGGAAAACAGCTTCGTCGG
<i>nov14</i>	GCATGCTGATGATGGAAGG	ATTACTTGCCTTCCCAGCG
<i>nov15</i>	ACCTGCCGAAACAAGTGCT	CTCGGTGATGCTCTGTTTGA
<i>nov16</i>	TCTCAGAAGCTTGAGCCTGC	AATCCCAGACGTTTGTAGCG