







Supplemental Figure 1. Region of Interest (ROI) definitions for regions used in correlation matrices. Each plane is 0.26mm in height.




LVF & RVF
 Ventral Frontal Cortex
 (5 planes)
Dorsal Limit:
 Middle of the genu of the corpus callosum
Medial-Posterior Limit:
 Anterior cingulate sulcus
Lateral-Posterior Limit:
 Circular Sulcus/Sylvian Fissure



LDF & RDF
 Dorsal Frontal Cortex
 (5 planes)
Ventral Limit:
 Middle of the genu of the corpus callosum
Medial-Posterior Limit:
 Anterior cingulate sulcus
Lateral-Posterior Limit:
 Circular Sulcus & Pre-Central Sulcus (most superiorly)



LSA & RSA
 Subgenual Ant. Cingulate
 (5 planes)
Dorsal Limit:
 Middle of the genu of the corpus callosum
Anterior Limit:
 Anterior cingulate sulcus
Posterior Limit:
 Corpus callosum



LPA & RPA

Pregenual Ant. Cingulate
(5 planes)

Ventral Limit:




Middle of the genu of the
corpus callosum

Anterior Limit:

Anterior cingulate sulcus




Posterior Limit:

Corpus collosum



LMT & RMT

Mesial Temporal Cortex
(2 planes)



Best two contiguous
planes containing
amygdala & hippocampus

LPL & RPL

Lower Precuneus
(3-5 planes)

Dorsal Limit:




Lower limit of LPM/RPM

Anterior Limit:

Splenium of corpus
callosum

Posterior Limit:

Parieto-occipital sulcus



LPM & RPM

Middle Precuneus
(5 planes)

Dorsal Limit:




Dorsal-most point of
occipital lobe

Anterior Limit:

marginal/posterior branch
of cingulate sulcus

Posterior Limit:

Parieto-occipital sulcus



LPU & RPU

Upper Precuneus
(5 planes)

Ventral Limit:




Dorsal-most point of
occipital lobe

Anterior Limit:

marginal/posterior branch
of cingulate sulcus

Posterior Limit:

Parieto-occipital sulcus or
back of brain



LPR & RPR

Parietal Cortex
(5 planes)

Ventral Limit:




Calcarine Fissure

Anterior Limit:

Superior temporal sulcus,
inferiorly; post. branches of
post-central sulcus,
superiorly

Posterior Limit:

Intraparietal Sulcus



LLT & RLT

Lateral Temporal Cortex
(5 planes)

Dorsal Limit:




Dorsal limit of LMT/ RMT

Anterior Limit:

Superior Temporal Sulcus

Posterior Limit:

Temporo-Occipital Sulcus



LOC & ROC

Occipital Cortex
(5 planes)

Dorsal Limit:




Calcarine Fissure

Anterior Limit:

Parieto-Occipital Sulcus

Posterior Limit:

Back of brain



LOP & ROP

Occipital Pole
(3-5 planes)

Dorsal Limit:




Dorsal limit of LMT/ RMT

Anterior Limit:

Cerebellum

Lateral Limit:

Lateral occipital sulcus



Cerebellar Reference ROI

(3 planes)

Ventral Limit:




2 planes above apex of
fourth ventricle

Size:

Rectangle 1.25 x 2.5 cm
angled parallel to folia

Placement:

Avoid white matter and
cerebellar fissures



Supplemental Table 1: Correlation matrix for control subjects. Correlation coefficients with p-values significant after FDR control at $q=0.05$ or $q=0.1$ color coded using cool colors for negative correlations (blue: $FDR < 0.05$; cyan: $FDR < 0.1$) and warm colors for positive correlations (red: $FDR < 0.05$; orange: $FDR < 0.1$) Correlations with uncorrected $p < 0.05$ that did not survive FDR control, were indicated in white (negative correlations) or yellow (positive correlations).

		LVF	RVF	LDF	RDF	LSA	RSA	LPC	RPC	LMT	RMT	LPL	RPL	LPM	RPM	LPU	RPU	LPR	RPR	LLT	RLT	LOC	ROC	LOP	ROP		
		PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	
	C	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
fdg	1	-0.16	0.13	-0.15	0.19	-0.02	0.22	0.00	0.16	0.19	0.55	-0.26	-0.04	-0.31	-0.09	-0.26	0.01	-0.29	0.39	-0.37	0.21	-0.04	0.26	-0.20	0.06	LVF	
fdg	2	0.00	-0.03	-0.01	-0.04	-0.05	0.13	-0.05	0.10	0.18	0.12	-0.21	-0.23	-0.29	-0.32	-0.32	-0.27	-0.41	-0.12	-0.23	-0.12	0.12	0.20	0.06	-0.15	RVF	
fdg	3	-0.27	0.00	-0.21	0.06	-0.06	0.15	-0.02	0.05	0.10	0.43	-0.46	-0.27	-0.53	-0.28	-0.49	-0.20	-0.51	0.20	-0.51	0.03	-0.06	0.31	-0.19	0.13	LDF	
fdg	4	-0.16	-0.33	-0.18	-0.37	-0.30	-0.16	-0.31	-0.14	0.02	-0.16	-0.49	-0.62	-0.58	-0.65	-0.63	-0.62	-0.64	-0.50	-0.26	-0.45	0.00	0.03	-0.02	-0.22	RDF	
fdg	5	0.01	0.29	-0.02	0.29	0.26	0.47	0.25	0.33	0.10	0.62	-0.20	0.02	-0.10	0.07	-0.19	0.11	-0.13	0.42	0.02	0.37	-0.18	0.15	-0.07	0.09	LSA	
fdg	6	0.20	0.17	0.12	0.05	0.10	0.25	0.06	0.29	-0.08	0.41	-0.25	-0.16	-0.32	-0.17	-0.34	-0.19	-0.31	-0.09	-0.10	-0.07	-0.09	0.26	-0.02	0.10	RSA	
fdg	7	-0.07	0.09	-0.08	0.00	0.13	0.08	0.25	0.02	-0.08	0.20	-0.03	-0.05	-0.05	0.09	-0.20	-0.08	-0.06	0.16	0.27	0.31	0.08	0.40	0.25	0.18	LPC	
fdg	8	0.48	0.38	0.45	0.27	0.41	0.52	0.38	0.55	0.01	0.24	-0.10	-0.05	-0.09	-0.05	-0.21	-0.12	-0.20	-0.23	0.06	-0.02	0.10	0.37	0.22	0.08	RPC	
fdg	9	0.23	0.49	0.28	0.49	0.27	0.42	0.35	0.30	0.19	0.39	0.19	0.40	0.21	0.38	0.27	0.43	0.05	0.48	-0.17	0.43	-0.17	0.33	-0.08	0.16	LMT	
fdg	10	-0.07	-0.01	-0.14	-0.08	-0.07	0.06	0.01	-0.01	-0.50	0.32	-0.32	-0.36	-0.25	-0.23	-0.33	-0.07	-0.19	-0.03	-0.16	-0.06	-0.33	-0.22	-0.26	-0.43	RMT	
fdg	11	0.35	0.45	0.37	0.46	0.26	0.39	0.32	0.45	-0.10	0.35	-0.13	0.06	-0.12	0.03	-0.08	0.09	-0.07	0.16	-0.46	0.15	-0.12	0.12	-0.38	-0.21	LPL	
fdg	12	0.28	0.35	0.30	0.35	0.18	0.30	0.17	0.33	0.02	0.28	-0.07	0.13	-0.19	-0.01	-0.05	0.03	-0.21	0.10	-0.58	-0.02	-0.02	0.24	-0.26	0.00	RPL	
fdg	13	0.11	0.24	0.17	0.26	0.14	0.37	0.14	0.34	0.21	0.31	-0.36	-0.17	-0.42	-0.24	-0.40	-0.21	-0.50	0.01	-0.50	-0.02	0.00	0.37	-0.14	0.08	LPM	
fdg	14	0.29	0.08	0.29	0.03	-0.05	0.14	-0.08	0.24	-0.10	0.07	-0.31	-0.25	-0.41	-0.32	-0.30	-0.19	-0.43	-0.41	-0.46	-0.41	-0.10	0.26	-0.14	0.06	RPM	
fdg	15	-0.06	0.20	-0.01	0.19	0.17	0.13	0.25	0.04	0.09	-0.01	0.26	0.30	0.11	0.24	0.12	0.14	-0.08	0.33	-0.13	0.31	0.46	0.62	0.35	0.09	LPU	
fdg	16	0.29	0.44	0.24	0.43	0.22	0.29	0.30	0.31	-0.20	0.07	0.43	0.58	0.43	0.59	0.47	0.64	0.33	0.50	0.13	0.57	0.22	0.57	0.20	0.06	RPU	
fdg	17	-0.40	-0.01	-0.37	0.08	-0.20	-0.01	-0.11	-0.09	-0.16	0.35	-0.39	-0.20	-0.39	-0.15	-0.34	-0.01	-0.29	0.36	-0.54	0.15	-0.16	0.01	-0.42	-0.23	LPR	
fdg	18	-0.39	-0.33	-0.43	-0.35	-0.42	-0.18	-0.40	-0.24	-0.25	-0.05	-0.56	-0.61	-0.60	-0.58	-0.63	-0.44	-0.63	-0.26	-0.40	-0.34	-0.13	-0.12	-0.19	-0.45	RPR	
fdg	19	-0.28	0.05	-0.32	0.00	-0.19	0.03	-0.11	-0.08	-0.32	0.23	-0.27	-0.15	-0.34	-0.10	-0.32	-0.03	-0.40	0.19	-0.42	0.06	-0.08	0.19	-0.15	-0.29	LLT	
fdg	20	0.04	0.00	0.02	-0.08	-0.07	0.03	-0.02	-0.02	-0.07	-0.21	0.00	-0.14	-0.08	-0.18	-0.14	-0.19	-0.31	-0.26	-0.15	-0.18	0.18	0.15	0.19	-0.36	RLT	
fdg	21	-0.42	-0.30	-0.39	-0.35	-0.40	-0.35	-0.28	-0.33	-0.04	0.21	-0.41	-0.48	-0.54	-0.41	-0.53	-0.44	-0.42	-0.21	-0.32	-0.29	-0.03	0.08	-0.13	-0.03	LOC	
fdg	22	-0.10	0.07	-0.06	0.02	-0.17	-0.04	-0.06	0.04	-0.01	0.24	-0.33	-0.25	-0.39	-0.14	-0.39	-0.20	-0.34	-0.17	-0.30	-0.14	-0.02	0.33	-0.08	0.14	ROC	
fdg	23	-0.22	-0.05	-0.27	-0.08	-0.36	-0.24	-0.25	-0.16	-0.13	0.26	-0.09	-0.03	-0.20	0.03	-0.12	0.04	-0.09	0.18	-0.16	0.09	-0.04	0.22	-0.17	-0.01	LOP	
fdg	24	-0.30	-0.06	-0.31	-0.07	-0.37	-0.26	-0.20	-0.18	-0.10	0.33	-0.04	0.02	-0.09	0.17	-0.04	0.21	0.04	0.24	-0.01	0.18	0.01	0.36	-0.02	0.19	ROP	

Supplemental Table 2: Correlation matrix for MCI subjects. Correlation coefficients with p-values significant after FDR control at $q=0.05$ or $q=0.1$ color coded using cool colors for negative correlations (blue: $FDR < 0.05$; cyan: $FDR < 0.1$) and warm colors for positive correlations (red: $FDR < 0.05$; orange: $FDR < 0.1$) Correlations with uncorrected $p < 0.05$ that did not survive FDR control, were indicated in white (negative correlations) or yellow (positive correlations).

		LVF	RVF	LDF	RDF	LSA	RSA	LPC	RPC	LMT	RMT	LPL	RPL	LPM	RPM	LPU	RPU	LPR	RPR	LLT	RLT	LOC	ROC	LOP	ROP	
		PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	
	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
fdg	1	0.52	0.20	0.53	0.31	0.47	0.38	0.54	0.44	0.57	0.17	0.51	0.37	0.62	0.54	0.56	0.45	0.60	0.49	0.52	0.37	0.48	0.31	0.53	0.24	LVF
fdg	2	0.24	0.24	0.16	0.29	0.22	0.09	0.16	0.10	0.38	0.05	0.62	0.48	0.61	0.47	0.44	0.32	0.39	0.47	0.43	0.36	0.58	0.39	0.50	0.34	RVF
fdg	3	0.58	0.27	0.62	0.39	0.52	0.43	0.59	0.48	0.59	0.28	0.55	0.44	0.64	0.60	0.64	0.51	0.68	0.53	0.56	0.44	0.49	0.33	0.54	0.27	LDF
fdg	4	0.36	0.27	0.31	0.37	0.32	0.21	0.33	0.25	0.42	0.06	0.65	0.52	0.69	0.56	0.54	0.41	0.43	0.52	0.46	0.36	0.54	0.40	0.47	0.32	RDF
fdg	5	0.72	0.51	0.72	0.60	0.72	0.58	0.67	0.63	0.54	0.36	0.65	0.56	0.77	0.70	0.76	0.62	0.79	0.65	0.59	0.51	0.65	0.52	0.66	0.44	LSA
fdg	6	0.79	0.60	0.80	0.65	0.82	0.79	0.78	0.79	0.50	0.47	0.67	0.62	0.79	0.80	0.77	0.77	0.86	0.79	0.71	0.68	0.65	0.65	0.72	0.61	RSA
fdg	7	0.74	0.49	0.80	0.61	0.71	0.64	0.80	0.73	0.64	0.49	0.56	0.51	0.70	0.67	0.71	0.62	0.67	0.56	0.60	0.49	0.28	0.28	0.37	0.21	LPC
fdg	8	0.75	0.43	0.80	0.52	0.70	0.62	0.77	0.73	0.72	0.48	0.54	0.43	0.69	0.64	0.71	0.61	0.75	0.51	0.64	0.49	0.34	0.26	0.42	0.17	RPC
fdg	9	0.11	0.07	0.18	0.09	0.24	0.17	0.14	0.19	0.37	0.24	0.15	0.08	0.21	0.22	0.16	0.11	0.42	0.14	0.19	0.22	0.39	0.12	0.51	0.40	LMT
fdg	10	0.31	0.38	0.30	0.35	0.47	0.27	0.27	0.24	0.27	0.36	0.40	0.35	0.34	0.28	0.28	0.18	0.59	0.34	0.36	0.41	0.62	0.38	0.63	0.51	RMT
fdg	11	0.17	0.12	0.14	0.15	0.12	0.02	0.13	0.06	0.47	0.07	0.63	0.41	0.58	0.46	0.41	0.28	0.44	0.36	0.55	0.40	0.43	0.25	0.39	0.23	LPL
fdg	12	0.21	0.11	0.18	0.16	0.23	0.12	0.28	0.10	0.24	-0.06	0.61	0.42	0.53	0.41	0.33	0.25	0.43	0.47	0.58	0.41	0.44	0.41	0.46	0.32	RPL
fdg	13	0.18	0.03	0.12	0.09	0.07	0.06	0.14	0.05	0.31	-0.13	0.50	0.36	0.55	0.48	0.39	0.32	0.41	0.45	0.43	0.34	0.57	0.44	0.57	0.38	LPM
fdg	14	0.27	0.02	0.26	0.08	0.19	0.26	0.28	0.25	0.21	-0.10	0.43	0.28	0.55	0.58	0.45	0.47	0.53	0.55	0.54	0.39	0.62	0.62	0.73	0.55	RPM
fdg	15	0.38	0.22	0.34	0.29	0.26	0.26	0.32	0.22	0.35	0.04	0.69	0.52	0.67	0.66	0.59	0.55	0.57	0.66	0.69	0.57	0.51	0.50	0.54	0.36	LPU
fdg	16	0.31	0.13	0.34	0.17	0.34	0.35	0.38	0.29	0.25	0.12	0.57	0.47	0.56	0.57	0.45	0.49	0.58	0.63	0.68	0.55	0.60	0.60	0.66	0.59	RPU
fdg	17	0.39	0.26	0.41	0.28	0.44	0.41	0.49	0.36	0.45	0.33	0.55	0.50	0.51	0.49	0.37	0.41	0.58	0.54	0.67	0.61	0.40	0.37	0.46	0.39	LPR
fdg	18	-0.09	-0.14	-0.11	-0.12	-0.11	-0.05	0.01	-0.14	0.00	-0.20	0.31	0.25	0.26	0.25	0.05	0.10	0.19	0.31	0.37	0.30	0.33	0.38	0.38	0.39	RPR
fdg	19	0.31	0.09	0.37	0.13	0.32	0.36	0.43	0.36	0.53	0.36	0.28	0.29	0.35	0.35	0.27	0.33	0.40	0.32	0.43	0.39	0.23	0.14	0.30	0.22	LLT
fdg	20	-0.16	-0.13	-0.19	-0.13	-0.17	-0.20	-0.17	-0.21	0.20	-0.09	0.37	0.20	0.30	0.23	0.11	0.09	0.17	0.20	0.35	0.23	0.38	0.24	0.36	0.27	RLT
fdg	21	0.44	0.35	0.43	0.37	0.38	0.47	0.47	0.37	0.50	0.37	0.64	0.67	0.60	0.61	0.50	0.58	0.49	0.64	0.67	0.68	0.31	0.35	0.27	0.31	LOC
fdg	22	0.37	0.32	0.42	0.34	0.37	0.44	0.42	0.40	0.56	0.39	0.61	0.57	0.62	0.63	0.49	0.54	0.54	0.54	0.66	0.64	0.26	0.26	0.29	0.35	ROC
fdg	23	0.12	0.11	0.07	0.13	0.03	0.16	0.16	0.01	0.15	-0.02	0.34	0.38	0.27	0.33	0.15	0.24	0.20	0.40	0.36	0.44	0.09	0.20	0.14	0.20	LOP
fdg	24	-0.14	-0.05	-0.16	-0.05	-0.12	-0.16	-0.13	-0.23	0.19	-0.04	0.29	0.20	0.18	0.14	0.01	-0.03	0.16	0.15	0.25	0.26	0.25	0.08	0.26	0.22	ROP

Supplemental Table 3: Correlation matrix for AD subjects Correlation coefficients with p-values significant after FDR control at $q=0.05$ or $q=0.1$ color coded using cool colors for negative correlations (blue: $FDR < 0.05$; cyan: $FDR < 0.1$) and warm colors for positive correlations (red: $FDR < 0.05$; orange: $FDR < 0.1$) Correlations with uncorrected $p < 0.05$ that did not survive FDR control, were indicated in white (negative correlations) or yellow (positive correlations).

		LVF	RVF	LDF	RDF	LSA	RSA	LPC	RPC	LMT	RMT	LPL	RPL	LPM	RPM	LPU	RPU	LPR	RPR	LLT	RLT	LOC	ROC	LOP	ROP	
		PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	PiB	
	A	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
fdg	1	-0.14	-0.15	-0.16	-0.28	-0.05	-0.38	-0.10	-0.27	0.05	0.36	0.01	-0.11	-0.24	-0.21	-0.21	-0.15	0.02	-0.07	-0.10	0.10	0.26	0.02	0.03	LVF	
fdg	2	-0.27	-0.35	-0.28	-0.45	-0.13	-0.51	-0.27	-0.45	-0.36	-0.10	-0.33	-0.38	-0.25	-0.31	-0.27	-0.31	-0.25	-0.21	-0.28	-0.39	-0.21	-0.04	-0.24	-0.19	RVF
fdg	3	-0.10	-0.21	0.02	-0.27	0.09	-0.42	0.01	-0.42	0.04	0.13	-0.08	-0.16	-0.23	-0.20	-0.25	-0.19	-0.15	-0.01	-0.12	-0.25	0.17	0.37	0.15	0.20	LDF
fdg	4	-0.36	-0.49	-0.29	-0.54	-0.19	-0.62	-0.32	-0.64	-0.26	-0.07	-0.38	-0.47	-0.37	-0.45	-0.42	-0.46	-0.36	-0.36	-0.41	-0.60	-0.15	0.16	-0.18	-0.04	RDF
fdg	5	0.29	0.11	0.29	0.16	0.67	-0.03	0.29	-0.15	-0.21	-0.10	0.39	0.34	0.27	0.44	0.09	0.29	0.28	0.37	0.10	0.04	0.26	0.25	0.37	0.46	LSA
fdg	6	0.26	0.00	0.34	0.07	0.56	-0.13	0.29	-0.27	-0.17	-0.26	0.20	0.17	0.23	0.31	0.02	0.26	0.19	0.29	0.04	-0.11	0.17	0.17	0.27	0.38	RSA
fdg	7	0.46	0.11	0.52	0.19	0.57	-0.18	0.69	0.04	0.09	-0.27	0.54	0.45	0.45	0.43	0.50	0.52	0.48	0.59	0.53	0.22	0.63	0.38	0.66	0.49	LPC
fdg	8	0.38	-0.02	0.45	0.06	0.41	-0.31	0.55	0.02	0.18	-0.24	0.36	0.27	0.26	0.29	0.41	0.42	0.43	0.48	0.48	0.09	0.61	0.38	0.63	0.54	RPC
fdg	9	0.08	-0.20	0.29	-0.20	0.11	-0.33	0.51	-0.12	0.55	-0.18	0.19	0.17	0.03	-0.06	0.24	0.20	0.18	0.23	0.39	0.07	0.55	0.52	0.59	0.49	LMT
fdg	10	-0.33	-0.05	-0.45	-0.13	-0.15	-0.13	-0.17	-0.32	0.20	0.48	0.21	0.15	-0.11	-0.16	-0.22	-0.32	-0.30	-0.16	-0.23	-0.03	-0.09	0.13	-0.21	-0.22	RMT
fdg	11	-0.58	-0.64	-0.39	-0.72	-0.43	-0.63	-0.51	-0.69	-0.05	0.17	-0.44	-0.49	-0.63	-0.63	-0.59	-0.59	-0.51	-0.48	-0.50	-0.48	-0.06	0.52	-0.07	0.16	LPL
fdg	12	-0.30	-0.44	-0.13	-0.52	-0.09	-0.53	-0.22	-0.54	-0.22	-0.04	-0.26	-0.28	-0.35	-0.34	-0.34	-0.29	-0.24	-0.15	-0.27	-0.32	0.01	0.42	0.07	0.18	RPL
fdg	13	-0.53	-0.61	-0.28	-0.74	-0.43	-0.57	-0.38	-0.57	-0.11	-0.06	-0.67	-0.70	-0.56	-0.71	-0.51	-0.51	-0.49	-0.55	-0.40	-0.45	-0.13	0.22	-0.15	-0.01	LPM
fdg	14	-0.24	-0.40	-0.10	-0.55	-0.06	-0.43	-0.27	-0.46	-0.41	-0.18	-0.51	-0.55	-0.36	-0.42	-0.41	-0.32	-0.24	-0.26	-0.31	-0.45	-0.23	0.05	-0.14	-0.02	RPM
fdg	15	-0.59	-0.61	-0.41	-0.75	-0.51	-0.58	-0.48	-0.57	-0.13	0.01	-0.60	-0.60	-0.57	-0.68	-0.49	-0.52	-0.51	-0.52	-0.42	-0.38	-0.20	0.21	-0.21	-0.10	LPU
fdg	16	-0.31	-0.31	-0.19	-0.49	-0.14	-0.27	-0.33	-0.40	-0.40	-0.11	-0.50	-0.47	-0.28	-0.36	-0.41	-0.24	-0.33	-0.29	-0.36	-0.22	-0.37	-0.13	-0.33	-0.19	RPU
fdg	17	-0.45	-0.32	-0.41	-0.56	-0.30	-0.20	-0.38	-0.27	-0.21	0.11	-0.53	-0.49	-0.47	-0.51	-0.56	-0.48	-0.51	-0.35	-0.41	-0.28	-0.47	-0.20	-0.47	-0.30	LPR
fdg	18	-0.28	-0.07	-0.41	-0.34	-0.15	0.00	-0.36	-0.08	-0.49	0.10	-0.44	-0.46	-0.27	-0.36	-0.41	-0.42	-0.35	-0.31	-0.35	-0.24	-0.60	-0.51	-0.61	-0.58	RPR
fdg	19	-0.13	-0.20	-0.01	-0.45	0.04	-0.20	-0.07	-0.11	0.01	0.05	-0.38	-0.35	-0.37	-0.29	-0.29	-0.13	-0.10	-0.05	-0.03	-0.07	-0.06	0.04	0.04	0.15	LLT
fdg	20	-0.25	-0.27	-0.27	-0.48	-0.04	-0.22	-0.23	-0.19	-0.46	-0.26	-0.42	-0.44	-0.17	-0.28	-0.18	-0.18	-0.14	-0.30	-0.16	-0.19	-0.33	-0.33	-0.26	-0.21	RLT
fdg	21	-0.16	-0.02	-0.28	0.04	-0.06	-0.03	-0.09	-0.13	0.16	0.36	0.16	0.14	-0.07	0.02	-0.27	-0.21	-0.31	-0.03	-0.23	-0.09	-0.07	0.01	-0.22	-0.03	LOC
fdg	22	0.11	0.25	-0.11	0.25	0.14	0.05	0.07	0.23	0.05	0.37	0.19	0.17	-0.06	0.16	-0.03	-0.12	-0.01	0.22	0.04	0.00	0.04	-0.10	-0.06	-0.12	ROC
fdg	23	-0.10	0.25	-0.24	0.17	0.05	0.15	-0.20	-0.17	-0.16	0.33	-0.07	-0.05	0.04	0.02	-0.27	-0.16	-0.30	-0.14	-0.33	0.00	-0.40	-0.45	-0.55	-0.54	LOP
fdg	24	0.17	0.43	-0.03	0.23	0.27	0.45	-0.05	0.27	-0.30	0.05	-0.12	-0.10	0.18	0.17	0.00	0.11	0.09	-0.01	0.00	0.17	-0.46	-0.79	-0.45	-0.51	ROP