

**Desmethoxymajusculamide C, a Cyanobacterial Depsipeptide
with Potent Cytotoxicity in Both Cyclic and Ring-Opened Forms**

T. Luke Simmons,[†] Lisa M. Nogle,[‡] Joseph Media,[§] Frederick A.
Valeriote,[§] Susan L. Mooberry,[⊥] William H. Gerwick^{*,†,§,⊥}

Supporting Information

SI-1. FT-IR and MALDI-TOF-MS of DMMC (**1**)

SI-2. ¹H NMR of DMMC (**1**) at 300 MHz (CDCl₃)

SI-3. ¹³C NMR of DMMC (**1**) at 75 MHz (CDCl₃)



SI-4. ¹H-¹H COSY NMR of DMMC (**1**) at 300 MHz (CDCl₃)

SI-5. ¹H-¹³C HMBC NMR of DMMC (**1**) at 300 MHz (CDCl₃)

SI-6. ¹H-¹³C meHSQC NMR of DMMC (**1**) at 300 MHz (CDCl₃)


DMMC FT-IR and MS

- glassy oil with optical rotation $[\alpha]_D^{22} -104.1^\circ$
- MALDI-TOF-MS: gave m/z 955.5867 $[M+H]^+$
- deduced MF: $C_{49}H_{78}N_8O_{10}$




SI-2. ^1H NMR of DMMC (**1**) at 300 MHz (CDCl_3)


DMMC: ^1H NMR (CDCl_3 ; 300 MHz)




SI-3. ^{13}C NMR of DMMC (**1**) at 75 MHz (CDCl_3)



SI-4. ^1H - ^1H COSY NMR of DMMC (**1**) at 300 MHz (CDCl_3)



SI-5. ^1H - ^{13}C HMBC NMR of DMMC (1) at 300 MHz (CDCl_3)



SI-6. ^1H - ^{13}C meHSQC NMR of DMMC (**1**) at 300 MHz (CDCl_3)

