

## SUPPLEMENTARY DATA

List of localities with geographical co-ordinates. DNA-ploidy level of plants was assessed using flow-cytometry. The presence of respective ploidy level within a population is marked by **x**. Ploidy level records labelled with asterisks were also determined by direct counting from mitotic cells.

Nr.	DNA-ploidy level			Town/village	Description of the locality	Geographical coordinates (degrees, minutes, seconds)						Altitude (m)
	2n-4x	2n-5x	2n-6x			Latitude (N)			Longitude (E)			
1			x	Drahanovice -Luděřov	NW outskirts of the village, broad-leaved dry grasslands	49	34	49	17	25	3	340
2		x	x	Drahanovice -Luděřov	N outskirts of the village, secondary <i>Robinia pseudacacia</i> plantation	49	34	49	17	41	4	340
3		x		Drahanovice -Luděřov	N outskirts of the village, mesic scrub close to the road-side	49	34	49	17	42	4	340
4		x*	x	Jevíčko	mesic <i>Arrhenatherum</i> meadow	49	38	31	46	45	1	399
5		x*	x	Jevíčko	mesic scrub above the railway-station	49	38	16	44	3	1	399
6			x	Malá Roudka	SW margin of the village, sliding chalk slopes above the road, oak-hornbeam forest	49	38	16	38	2	3	439
7		x	x	Malá Roudka	SW margin of the village, oligotrophic grassland	49	38	16	38	0	3	439
8			x	Letovice	1 km SE of the railway-station, oak-hornbeam forest, rocky ground	49	32	16	43	4	1	360
9		x	x	Letovice	0.8 km SE of the railway-station, mesic <i>Arrhenatherum</i> meadow	49	32	56	48	3	3	339
10		x		Letovice	0.5 km SE of the railway-station, secondary <i>Robinia pseudacacia</i> plantation, rock-outcrop	49	32	56	48	3	3	339
11			x	Lesoňovice	S margin of the village, the balk invaded by mesic scrub	49	39	16	82	3	2	564
12		x		Čebín	N margin of the village, broad-leaved dry grassland on the slope	49	18	56	89	4	9	350
13		x		Čebín	N margin of the village, thermophilous oak-hornbeam forest, invaded by <i>Pinus sylvestris</i>	49	18	56	88	1	5	350
14		x		Křtiny	N margin of the village, oak-hornbeam forest, rock outcrops and rock-edges in the valley	49	17	36	48	4	8	450
15		x*		Račice	the ravine forests round the castle, tree layer invaded by <i>Robinia pseudacacia</i>	49	16	26	52	7	2	369
16		x	x*	Otaslavice	secondary <i>Robinia pseudacacia</i> forest near the field margin, 1 km N of the village	49	23	37	41	1	2	293
17		x		Manerov	oak-hornbeam forest, 0.75 km SSE of the village	49	39	7	20	0	0	307
18		x		Malhotky	Nature reservation Malhotky, narrow-leaved dry grasslands, invaded by <i>Robinia pseudoacacia</i>	49	85	7	36	2	6	250
19		x		Malhotky	Nature reservation Malhotky, scrub at the foot-hill, close to the road	49	85	7	36	2	6	250
20		x*		Bošovice	S margin of the village, broad-leaved dry grasslands invaded by <i>Robinia pseudacacia</i>	49	25	60	55	2	5	600

21		x*		Bošovice	S margin of the village, broad-leaved dry grasslands	4 9	2	4 4	1 6	5 0	2 5	600
22		x*		Bošovice	S margin of the village, the orchard with mesic <i>Arrhenatherum</i> meadow	4 9	2	4 3	1 6	5 0	2 5	600
23	x*			Milovice	oak-hornbeam forest, 1.5 km ESE of the village	4 8	5 0	4 6	1 6	4 2	4 7	175
24	x			Kyjov	2.5 km N of the railway-station, oak-hornbeam forests invaded by <i>Robinia pseudacacia</i>	4 9	2	3 4	1 7	7 0	0	235
25	x	x	x	Bílá Lhota-Měník	Nature reservation Třesín, margin of the mesic scrub, 1 km S of the village Měník	4 9	4 2	1 9	1 6	5 9	2 6	300
26			x	Ústí nad Orlicí	Nature park Tichá Orlice, Cakle valley, slope under the railway	4 9	5 8	2 0	1 6	2 3	3	326
27			x	Albrechtice	mesic scrub, near the diversion road number 43	4 9	5 5	1 8	1 6	3 8	4 7	437
28			x	Vamberk	mesic scrub, SE slope opposite the railway-station	5 0	7	1 2	1 6	1 6	5 5	321
29		x		Bílý Újezd	1 km NW of the village, the field thicket	5 0	1 4	4 6	1 6	1 3	6	322
30			x	Hlubočky	supporting stone wall of the slope above the road, N margin of the village	4 9	3 8	4	1 7	2 4	3 3	343
31			x	Hlubočky	eutrophic mesic scrub, N margin of the village	4 9	3 8	4	1 7	2 4	3 3	343
32		x	x	Loučka u Lipníku n. Bečvou	1 km SE of the village, mesic scrub and abandoned orchard close to the road	4 9	3 3	3 6	1 7	3 6	2	299
33	x	x		Loučka u Lipníku n. Bečvou	0.9 km SE of the village margin, wet oak-hornbeam forest, alluvium of the brook	4 9	3 3	3 7	1 7	3 6	1 0	300
34	x	x		Opatovice	2 km S of the village, mesic <i>Arrhenatherum</i> meadow, invaded by ruderal vegetation	4 9	2 9	5 7	1 4	4 5	5	350
35			x	Chomýž	S margin of the village, oak-hornbeam forest	4 9	2 1	3 6	1 7	3 9	1 5	307
36			x	Zlín-Malenovice, část Karlov	S margin of the village, abandoned mesic <i>Arrhenatherum</i> meadow invaded by oak-hornbeam forest	4 9	1 1	4 2	1 7	3 6	1 6	285
37		x	x	Biskupice	abandoned orchard with mesic scrub, 1 km NW of the village	4 9	5	3 1	1 7	4 2	5	241
38			x	Slavičín	2.5 km W of the church in the village, ditch of the road	4 9	5	2 7	1 7	5 0	5 9	394
39			x	Rudimov u Slavičina	mesic scrub along the road, 1 km SW of the village	4 9	3	5 7	1 7	4 8	4 8	350
40		x		Vlčnov	abandoned orchard invaded by mesic scrub along the road to Hluk	4 9	0	1 9	1 7	3 4	2 4	247
41			x	Citov	hardwood alluvial forest on the village margin, close to road to Věrovany	4 9	2 8	0	1 7	1 9	2 3	200
42		x	x*	Rataje	ditch with mesic scrub, close to road to Nětčice	4 9	1 5	5 5	1 7	1 9	5 1	273
43		x	x	Lísky u Křoměříže	Nature reservation Oulehla, scrub	4 9	1 0	2 9	1 7	1 2	4 3	289
44		x	x	Lísky u Křoměříže	Nature reservation Oulehla, broad-leaved dry grasslands	4 9	1 0	2 9	1 7	1 2	4 3	289
45	x		x	Syrovín	1 km N of the village, mesic <i>Arrhenatherum</i> meadow invaded by mesic scrub, on the slope invaded by <i>Robinia pseudacacia</i>	4 9	1	4 6	1 7	1 6	6	292
46		x		Neslovice	secondary <i>Robinia pseudacacia</i> forest, along the road to the village of Hlína, 0,5 km of the crossroad	4 9	8	1 4	1 6	2 3	4 7	396
47	x		x*	Hostěradice	sand stone quarry between the village Hostěradice and Miroslav, invaded by	4 8	5 6	4 7	1 6	1 6	5 4	288

					secondary <i>Robinia pseudacacia</i> forest							
48		x		Hrušovany n. Jevišovkou	balk with oak forest invaded by <i>Robinia pseudacacia</i> along the road to the village of Drnholec	48	49	58	16	25	7	190
49		x		Pravlov	secondary <i>Robinia pseudacacia</i> forest near the football pitch in the village	49	36	26	16	29	17	200
50		x	x	Nový Dvůr	near the castle Veveří, along the road to the town of Veverská Bitýška	49	15	26	16	27	16	260
51			x	Potštát	2.5 km NW of the village, the margin of the field near the road	49	38	56	17	38	17	567
52		x*	x	Odry	3 km SE of the village, the margin of oak-hornbeam forest	49	38	97	15	15	15	324
53			x	Kujavy	0.5 km N of the village, oak-hornbeam forest along the road to the village of Pustějov	49	43	27	17	57	40	291
54		x		Hradec n. Moravicí	eutrophic mesic scrub, 0.5 km E of the church in the town	49	52	16	17	53	1	357
55			x	Darkovičky	1.5 km S of the village, open sand grassland near the bunker	49	56	08	18	16	56	250
56			x	Koblov	Nature reservation Landek, the margin of the foot-way with mesic <i>Arrhenatherum</i> meadow	49	52	14	18	16	49	203
57	x	x		Albrechtice u Havířova	0.5 km S of the village, oak-hornbeam forest	49	46	35	18	16	56	301
58		x	x	Kamenec u Opavy	0.5 km N of the cowshed in the village, small hill between fields with secondary <i>Robinia pseudacacia</i> plantation	49	58	55	17	46	33	325
59		x		Cvilín	1 km S of the village, the forest road margin in acidophilous oak-hornbeam forest	50	47	17	17	43	26	350
60		x		Třemešná	steep slopes above the village invaded by <i>Fraxinus excelsior</i>	50	12	38	17	34	29	400
61	x			Třemešná	0.7 km N of the church in the village, acidophilous oak-hornbeam forest	50	12	38	17	34	29	400
62	x			Holčovice	S margin of the village Jelení, the slope under the road with mesic <i>Arrhenatherum</i> meadow invaded by trees	50	77	47	17	28	45	610
63	x*			Široká Niva	0.5 km SE of the village, the slope under the road with mesic <i>Arrhenatherum</i> meadow	50	37	67	18	28	43	450
64			x	Dvorce u Mor. Berouna	N margin of the village, broad-leaved forest along the road to the village of Bílčice	49	50	21	17	32	56	557
65	x	x		Šternberk	0.5 km NW of the church in the village Lipina, pasture	49	44	45	17	19	10	498
66		x		Libčany	2 km WNW of the village, acidophilous oak-hornbeam forest	50	12	05	10	40	8	268
67	x*	x		Libníkovice	oak-hornbeam forest with ruderal vegetation near the farm building	50	14	56	15	59	37	273
68		x	x	Choceň	Nature reservation Peliny, sliding chalk slopes in oak-hornbeam forest	50	03	16	13	18	48	300
69		x	x	Borohrádek	0.5 km NW of the village, oak-hornbeam forest	50	67	16	16	64	279	
70	x			Cerekvice n. Loučnou	1.5 km NW of the village, mesic scrub between the field and orchard	49	54	17	16	13	59	301
71	x			Číštěves	oak-hornbeam forest behind the farm building in the village	50	17	37	15	43	0	287
72		x		Velký Vřeštov	broad-leaved dry grassland behind the collective farm building in the village	50	21	40	15	45	0	276
73		x		Malé Poříčí	mesic scrub on the slope above the road to the town of Hronov	50	27	12	16	11	0	383
74		x		Kuks	1 km E of the Kuks castle, broad-leaved dry	5	24	11	55	5	299	

				grassland		0	3	5	5	4		
75		x	x	Petrovice	0,4 km S of the railway-station in the village, abandoned orchard with mesic <i>Arrhenatherum</i> meadow	5 0	3 0	4 0	1 6	1 2	5 2	400
76		x		Brusnice	small forest between fields 1 km N of the village	5 0	2 9	1 1	1 5	5 3	5 1	500
77		x		Březová	mesic <i>Arrhenatherum</i> meadow with ruderal vegetation above the road between the village of Březová and Bohdašín	5 0	3 5	5 9	1 6	1 2	5 3	499
78		x		Štramberk	0.5 km N of the castle Štramberk, the margin of ash forest	4 9	3 5	4 1	1 8	6	5 9	474
79	x			Staříč	1 km SW of the village, the margin of the forest invaded by mesic scrub	4 9	4 0	4 1	1 8	1 6	1 4	343
80	x			Nový Hrozenkov-Planiska	0.9 km E of the railway-station in the village, the orchard with mesic <i>Arrhenatherum</i> meadow	4 9	2 0	3 0	1 8	1 3	5	475
81	x			Huslenky-Zděchov	2 km E of the village, grove between mesic <i>Arrhenatherum</i> meadows	4 9	1 5	3 0	1 8	6	1 5	628
82		x		Oslavany	secondary <i>Robinia pseudacacia</i> forest along the road between the village of Oslavany and Nová Ves	4 9	6	5 9	1 6	1 9	2 2	274
83	x			Dobelice	secondary <i>Robinia pseudacacia</i> forest along the road to the village of Dukovany	4 9	1	5	1 6	1 6	1 5	246
84		x		Hrádek u Znojma	secondary <i>Robinia pseudacacia</i> forest, on the left bank of the Dyje river near the road to the village of Jaroslavice	4 8	4 6	1 3	1 6	1 5	2 5	188
85		x		Rozkoš u Jevišovic	mesic scrub on the field margin near the road to the village of the Jevišovice	4 9	1	2 4	1 5	5 8	2 4	401
86		x		Vevčice	2 km N of the village, the margin of the field above the Jevišovka river	4 8	5 8	3 8	1 6	2	8	279
87		x		Pastviny	2 km S of the village, road ditch	5 0	6	2 5	1 6	3 3	3 8	549
88	x			Vsetín	3 km NE of the castle, near the U Kovářů settlement, oak-hornbeam forest	4 9	2 1	2 5	1 8	1 5	4 2	638
89			x	Ratiboř	slope above the football pitch in the village, abandoned pasture invaded by ash-maple forest	4 9	2 2	8 7	1 5	5 5	0	366
90			x	Troubelice	1.5 km W of the church in the village, hollow way with mesic <i>Arrhenatherum</i> meadow	4 9	4 9	1 3	1 7	3	2 5	315
91			x	Troubelice	1.6 km W of the church in the village, hollow way	4 9	4 9	1 3	1 7	3	2 5	315
92			x	Rovensko u Zábřehu n. Moravě	0.4 km S of the church in the village, oligotrophic grassland along the field	4 9	5 4	3 4	1 6	5 2	3 6	305
93		x	x	Komňátka	0.5 km N of the village, shaded mesic <i>Arrhenatherum</i> meadow above the road	5 0	0	4 9	1 6	5 3	4 2	379
94	x	x	x	Hanušovice	0.1 km N of the petrol station in the town, mesic meadow above the road	5 0	4	5 5	1 6	5 6	9	488
95		x		Branná	rock-outcrops under the church in the village	5 0	9	4	1 7	0	4 0	595
96	x	x		Branná	near the church in the village, steep slopes with rock-outcrops, mesic <i>Arrhenatherum</i> meadow invaded by ruderal vegetation	5 0	9	7	1 7	0	4 2	595
97		x	x*	Branná	rock-face along the main road in the village	5 0	9	7	1 7	0	3 7	595
98		x		Valchov u Boskovic	1 km E of the church in the village, cliffs with oak-hornbeam forest	4 9	2 7	5 8	1 6	4 3	3 8	530
99		x		Valchov u Boskovic	0.9 km E of the church in the village, oligotrophic grasslands and the margin of mesic	4 9	2 7	5 7	1 6	4 3	3 7	517

					scrub							
100		x	x	Malé Hradisko	SE part of the village, the margin of the acidophilous oak-hornbeam forest	4 9	2 9	3 0	1 6	5 2	4 9	549
101		x		Malý Beranov	the margin of the field above the Jihlava river opposite the factory in the village	4 9	2 3	3 7	1 5	3 8	5	477
102		x		Popice u Jihlavy	0.5 km NW of the church in the village, the balk between fields with broadleaved trees invaded by ruderal vegetation	4 9	2 1	1 2	1 5	3 2	1 6	625
103		x		Petrkov u Zachotína	on the W village margin, the balk between the field and meadow with oak-hornbeam forest invaded by ruderal vegetation	4 9	2 7	1 8	1 5	2 1	2 6	552
104	x			Vsetín, Jasenice	U Valů settlement, the balk between pastures with broadleaved trees	4 9	2 1	6 2	1 8	3	1 4	550
105		x		Květná	0.7 km SW of the church in the village, broad-leaved grassland invaded by mesic scrub	4 9	4 4	3 2	1 6	2 0	2 5	551
106		x*	x	Oldříš	0.5 km SE of the railway-station Oldříš, balk near the arable field	4 9	4 3	5 4	1 6	1 1	1 5	599
107		x		Malochyně	0.5 km NE of the railway-station Malochyně, broad-leaved dry grassland invaded by mesic scrub	4 9	4 2	2 9	1 5	4 4	2 3	508
108		x		Maleč	1.5 km SE of the centre of the village, balks between meadows, and oak-hornbeam forest	4 9	4 5	3 8	1 5	4 1	1 6	420
109		x	x	Třemošnice	1 km S of the town, oak-hornbeam forest on rock blocks along the road to the village of Běstvina	4 9	5 1	4 2	1 5	3 5	9	350
110	x			Nové Dvory u Kutné Hory	2 km N of the village, alluvial forest along the former brook	4 9	5 8	5 6	1 5	1 9	9	207
111		x		Zbraslav u Prahy	Závist hill - 0.05 km of the chapel, oak-hornbeam forest and thermophilous oak forest	4 9	5 8	2	1 4	2 4	9	195
112		x		Dobřichovice	1 km NE of the village, the NE margin of oak-hornbeam forest and acidophilous oak forest	4 9	5 6	3 2	1 4	1 7	3 0	242
113		x		Tobolka	1 km SE of the village - Tobolský hill, oak-hornbeam forest invaded by <i>Pinus nigra</i>	4 9	5 5	3 4	1 4	5	2 2	449
114		x		Tetín	Nature reservation Tetínské skály, broad-leaved dry grassland above the Berounka river	4 9	5 6	5 9	1 4	6	2 0	217
115		x	x*	Srbsko	on the S village margin, the Koda valley, wet oak-hornbeam forest	4 9	5 5	5 7	1 4	7	3 1	331
116	x	x	x	Srbsko	1 km N of the village along the Berounka river, chalk rocks invaded by mesic scrub	4 9	5 6	3 8	1 4	7	5 3	210
117		x		Bítov (u Berouna)	2 km W of the village, the margin of secondary pine forest	4 9	5 5	4 8	1 4	3	2	263
118			x	Počáply	1.5 km E of the village, secondary <i>Robinia pseudacacia</i> forest near the road to the village of Trubín	4 9	5 6	3 1	1 4		2 9	296
119		x	x	Zbiroh	0.3 km N of the village, oak-hornbeam forest along the Zbirohžský brook	4 9	5 2	2 3	1 3	4 5	2 6	400
120		x		Kalínova Ves	near the bridge across the Berounka river in the village, the slope with <i>Robinia pseudacacia</i> trees and mesic scrub	4 9	5 7	4 2	1 3	4 1	5 0	270
121		x		Pitkovičky	0.5 km behind the bridge in the village, acidophilous oak-hornbeam forest	5 0	1	2 8	1 4	3 4	2 2	259
122		x		Vinoř	the W margin of the village, acidophilous hornbeam forest degraded by planting of the evergreens	5 0	8	4 9	1 4	3 4	1 0	248
123	x			Libiš	Nature reservation Černínovsko, alluvial forest	5 0	1 3	5 4	1 4	3 0	1 6	200

124		x		Košátky	near the railway-station in the village, oak-hornbeam forest invaded by <i>Pinus nigra</i>	5 0	1 9	0 4	1 4	4 0	2 9	212
125		x		Bříství	1 km E of the village - 0.3 km of the motorway, the balk invaded by mesic scrub	5 0	7 5	5 4	1 1	5 1	1 1	201
126		x		Přistoupim	0.5 km N of the village under the transmitter, abandoned orchard with mesic <i>Arrhenatherum</i> meadow	5 0	3 8	4 4	1 2	5 5	5 2	237
127		x		Klučov	Klučovský hill, oligotrophic grasslands and pastures	5 0	5 2	5 4	1 4	5 4	3 2	209
128	x			Klučov	Klučovský hill, oak-hornbeam forest	5 0	5 3	5 4	1 4	5 4	3 3	209
129			x	Čichov	the NE margin of the village, oligotrophic grassland, 0.4 km behind the brook	4 9	1 7	1 3	1 5	4 6	1 1	450
130		x	x	Jestřebí u Stonařova	2 km W of the village, ditch and balk	4 9	1 7	1 8	1 5	3 6	5 9	625
131		x	x	Přestavky u Čerčan	the S slope of the Vepří hill above the farm, balks between grasslands with sparse mesic scrub	4 9	5 1	2 1	1 4	4 4	2 7	447
132		x	x	Dobříčkov	1 km NE of the village, near the grade crossing, mesic scrub	4 9	4 5	1 6	1 4	4 6	8 6	462
133		x		Jankov (u Benešova)	0.5 km S of the village, abandoned orchard with <i>Arrhenatherum</i> meadow	4 9	3 9	2 9	1 4	4 3	6 3	550
134	x			Libice n. Cidlinou	Nature reservation Libický luh - the N margin of the reservation, alluvial forest near the motorway	5 0	6 8	5 5	1 0	1 1	1 1	182
135	x	x		Veltruby	Nature reservation Veltrubský luh, wet oak-hornbeam forest	5 0	4 3	3 5	1 0	1 2	1 2	183
136		x		Ratiboř	the balk invaded by mesic scrub above the Skokan pond	4 9	5 8	5 8	1 5	1 0	1 8	273
137		x		Nová Lhota	0.3 km W of the church, former alley with mesic scrub, field margin	4 9	5 3	0 5	1 7	1 7	4 7	340
138			x	Kácov	the E margin of the village, vegetation of spring therophytes and succulents near arable field	4 9	4 6	3 1	1 5	2 6	1 6	378
139	x			Zruč nad Sázavou	on the SW village margin, rocks above the Sázava river bushes by mesic scrub	4 9	4 5	2 5	1 5	5 8	1 8	379
140		x		Ledeč n. Sázavou	chalk rocks under the castle, invaded by secondary <i>Robinia pseudacacia</i> forest	4 9	4 1	4 9	1 5	1 6	5 9	399
141		x		Moravský Krumlov	on the N town margin, 0.7 km of the statue of St. Florián, oak forest with mesic scrub spots	4 9	2 7	5 6	1 9	1 1	1 1	250
142		x		Mohelno	Nature reservation Mohelenská hadcová step, mesic scrub on the foot of the slope invaded by ruderal vegetation	4 9	6 0	2 0	1 6	1 1	2 4	300
143		x		Smrk u Třebíče	0.8 m NW of the village, the slope with secondary <i>Robinia pseudacacia</i> forest and field margin	4 9	1 3	5 5	1 5	5 9	4 9	469
144		x		Miletín	Nature reservation Miletínská rezervace, the margin of oak-hornbeam forest	5 0	2 4	6 5	1 9	3 2	5 2	334
145			x	Jičín	Veliš hill, abandoned orchard with broad-leaved dry grassland vegetation, and mesic scrub	5 0	2 7	1 0	1 5	2 2	2 7	300
146		x		Újezd p. Troskami	1.3 km E of the village, field margin along broad-leaved dry grassland	5 0	3 0	2 6	1 5	1 6	3 6	302
147		x		Trosky	Trosky castle - rocks and steep slopes, oak-hornbeam forest and basalt rock spots	5 0	3 0	5 7	1 5	1 3	5 9	399
148	x	x		Sedliště u Libáně	the E margin of the village, wet oak-hornbeam forest along the brook	5 0	2 3	3 8	1 5	1 3	3 2	262
149	x	x		Žehuň	Kozí hůra hill, oak-hornbeam forest	5 0	7 5	3 5	1 7	1 7	2 7	228
150	x	x		Hradčany	Nature reservation Báň, oak-hornbeam forest	5 0	9 0	3 5	1 6	1 7	4 7	257

151	x	x		Studce u Mcel	on the W village margin near the church, oak forest and scrub	5 0	1 7	3 8	1 5	2 4	4 2	245
152		x	x	Mladá Boleslav	Nature reservation Radouč, chalk steep slopes above the Jizera river, scrub along the forest road	5 0	2 5	5 8	1 4	5 3	5 2	220
153		x		Bělá p. Bezdězem	Velký Bezděz hill, rocks and rock-outcrops under the top of the hill with ravine forest, talus cones and steep phonolite slopes with forest fringe vegetation	5 0	3 2	1 9	1 4	4 3	1 2	525
154		x		Korce	Korecký hill, abandoned pastures invaded by <i>Arrhenatherum elatius</i> , <i>Festuca rubra</i>	5 0	3 2	6 4	1 4	3 6	1 9	358
155			x	Mošnice	road number 269 - diversion to the village of Mošnice, the balk with <i>Robinia pseudoacacia</i> trees along the road	5 0	3 1	4 6	1 4	2 6	5 8	265
156		x		Pokratice	Nature reservation Bílé stráně, mesic scrub, the upper part of the slope near the field	5 0	3 3	2 4	1 4	7 4	5 4	307
157		x		Pokratice	on the N village margin, the hollow way	5 0	3 3	1 0	1 4	7 6	3 6	289
158		x		Třebušín u Úštěka	on the N village margin, ravine forest	5 0	3 6	1 6	1 4	1 2	3 4	499
159		x		Malé Březno	0.5 km E of the village, rock-outcrops with narrow-leaved dry grassland above the valley of the brook	5 0	4 0	1 6	1 4	1 0	3 6	199
160		x		Ústí n. L.	Střekov castle, steep rock-outcrop under the castle	5 0	3 8	2 2	1 4	3 4	2 2	150
161		x		Hostomice	Husův vrch hill, narrow-leaved dry grassland invaded by secondary <i>Robinia pseudoacacia</i> forest	5 0	3 5	2 0	1 3	4 8	4 9	190
162		x		Hostomice	Husův vrch hill, narrow-leaved dry grassland with basalt debris	5 0	3 5	1 9	1 3	4 8	4 8	190
163	x	x		Korozluky	Nature reservation Jánský vrch, narrow-leaved dry grassland with sparse <i>Fraxinus excelsior</i> trees	5 0	2 8	5 8	1 3	4 3	2 9	250
164		x		Hrádek u Rané	1 km E of the village, narrow-leaved dry grassland invaded by shrubs near the field	5 0	2 4	3 6	1 3	4 4	3 9	234
165		x		Chožov	Chožovský vrch hill, secondary <i>Robinia pseudoacacia</i> forest on the slope	5 0	2 4	9 3	1 1	5 9	2 9	453
166		x		Křesín	Rohatec hill, eutrophic mesic scrub under the railway near the field	5 0	2 3	4 4	1 3	5 9	5 3	199
167		x		Klenceč	Nature reservation Klenceč, the margin of the forest invaded by <i>Robinia pseudoacacia</i> under the reservation	5 0	2 3	2 0	1 4	1 5	2 3	204
168		x		Kralupy n. Vl.	0.5 km NE of the church in the town, the margin of mesic <i>Arrhenatherum</i> meadow and mesic scrub on rock-outcrop	5 0	1 4	3 1	1 4	1 8	1 9	171
169		x		Číčovice	Číčovický Kamýk hill, narrow-leaved dry grassland invaded by mesic scrub, the balk under the field	5 0	8 7	3 4	1 4	1 4	5 6	302
170		x	x	Srbeč u Mšec	on the S village margin, mesic scrub and field margin	5 0	1 3	2 3	1 3	5 2	4 0	400
171		x		Milý	Nature reservation Milská stráň, sliding chalk rubble, broad-leaved dry grassland invaded by scrub	5 0	1 4	9 3	1 1	5 8	5 8	449
172	x		x	Děkov	Děkovská stráň hill, broad-leaved dry grassland invaded by scrub	5 0	1 0	9 3	1 3	3 3	3 4	400
173		x	x	Hředle	1.5 km N of the church in the village, the balk between fields and abandoned orchard invaded by mesic scrub	5 0	1 1	5 3	1 3	4 4	3 7	476

174			x	Velký Rybník	on the NE village margin, the balk between fields, grassland invaded by mesic scrub	4 9	2 9	2 5	1 5	1 8	4 1	497
175		x		Velký Rybník	on the NE village margin, the balk between fields, grassland invaded by mesic scrub	4 9	2 9	2 5	1 5	1 8	4 0	497
176		x	x	Pelhřimov	on the N village margin, above the brook near the road to town of Humpolec, oak-hornbeam forest near the field	4 9	2 6	2 0	1 5	1 3	3 4	499
177		x		Vysoká Lhota	0.5 km N of the church in the village, the balk along the road	4 9	2 5	1 4	1 5	2 0	3 0	599
178	x			Ústějov	on the NW village margin, mesic scrub along acidophilous oak-hornbeam forest and mesic <i>Arrhenatherum</i> meadow	4 9	3 0	6 0	1 4	4 9	1 2	514
179			x	Sezimovo Ústí	Nature reservation Luna, steep slopes with rock-outcrops, oligotrophic grasslands, under the slope mesic <i>Arrhenatherum</i> meadow along the brook	4 9	2 3	1 2	1 4	4 2	1 6	406
180			x	Tábor	Granátová skála hill under the Lužnice river under the church in the town, eutrophic ravine forest	4 9	2 4	3 9	1 4	3 9	2 5	402
181		x		Stádlec	rock-outcrop in the village and acidophilous oak-hornbeam forest near the village	4 9	2 2	8 4	1 4	3 0	5 5	369
182		x		Jesenice	0.5 km S of the village, rocky hill between fields, secondary <i>Robinia pseudacacia</i> forest	4 9	3 6	1 8	1 4	2 8	4 5	367
183			x	Nová Ves pod Pleší	1 km SSE of the village, acidophilous hornbeam forest in the mosaic with mesic scrub	4 9	4 9	2 2	1 4	1 6	5 7	408
184		x		Cholín	0.75 km NW of the village, on the left bank of Vltava river, steep slopes with xerophilous oak-hornbeam forest and narrow-leaved rock steppe	4 9	4 3	2 0	1 4	1 9	3 0	263
185			x	Běštín	E margin of the village, the top of the hill above the village, abandoned orchard invaded by shrubs and the orchard with mesic <i>Arrhenatherum</i> meadow	4 9	4 8	3 1	1 4	1 0	2 8	384
186	x		x	Lazsko	1 km S of the diversion to the village of Ostrov, small hills between fields with sparse stands of mesic shrubs	4 9	3 7	3 0	1 4	0 0	3 3	528
187		x		Počáply	on the S village margin, rock-outcrops above the stream, narrow-leaved dry grassland invaded by scrub	4 9	3 2	9 0	1 3	5 8	4 9	469
188		x		Myštice	0.2 km NW of the village, the balk along the road with eutrophic mesic <i>Arrhenatherum</i> meadow	4 9	2 7	2 4	1 3	5 7	5 5	474
189		x		Podhůří	on the S village margin, oak-beach forest	4 9	2 8	1 0	1 3	3 9	5 9	470
190			x	Vrčeň	on the SE village margin, the stony balk above the road	4 9	3 0	3 6	1 3	3 7	3 2	450
191		x		Mítov	1 km W of the village, the margin of the quarry, steep rocky slopes with oak-hornbeam and ravine forest	4 9	3 5	3 1	1 3	3 9	2 0	492
192		x		Mešno	0.5 km W of the village, the balk of the field road, abandoned orchard	4 9	3 9	1 8	1 3	3 6	5 6	473
193			x	Dalešice	0.5 km NW of the village, rocky-outcrops invaded by <i>Robinia pseudacacia</i>	4 9	4 7	2 5	1 4	2 8	3 7	388
194		x	x	Skoupý	Nature monument Kozinec, narrow-leaved dry grassland	4 9	3 4	3 9	1 4	2 0	2 3	500
195			x	Písek	Václavské skály hill, steep slopes above the Otava river, secondary <i>Robinia pseudacacia</i> forest, the top of the hill with oak-hornbeam forest	4 9	1 8	3 8	1 4	7 0	1 2	405



196		x		Čičenice	on the NNW village margin, supporting stone wall between the field and meadow connecting with mesic scrub	4 9	9	2 3	1 4	1 3	4 6	417
197			x	Bechyně	on the E village margin, near the bridge across the Lužnice river, at the foot of rock-outcrop, oak-hornbeam forest and secondary <i>Robinia pseudacacia</i> forest	4 9	1 7	4 5	1 4	2 8	3 8	393
198			x	Soběslav	on the W village margin, along the road to village of Vesec	4 9	1 5	1 7	1 4	4 1	5 0	411
199		x		Mukoděly	on the W village margin, mesic scrub along oak-hornbeam forest	5 0	8 0	5 0	1 3	2 4	2 0	334
200			x	Dvorce	on the NW village margin, broad-leaved dry grasslands	5 0	1 2	2 4	1 3	1 9	2 9	452
201		x		Úhošťany	Nature reservation Úhošť, top of the hill, sparse oak-hornbeam forest and steppe	5 0	2 1	3 8	1 3	1 4	4 4	529
202			x	Úhošťany	on the SE village margin, the field balk	5 0	2 1	1 5	1 3	1 4	5 4	428
203	x			Hasištejn	S margin of the Hasištejn castle, rock-outcrops and rocks under the castle and dry oak forest	5 0	2 6	4 2	1 3	1 5	2 6	515
204		x		Perštejn	near the Perštejn castle, the slope along the road with oligotrophic grassland invaded by mesic scrub	5 0	2 3	1 4	1 3	6 9	1 9	439
205		x		Maroltov	1 km SE of the village, ditch along the road invaded by mesic scrub and ruderal vegetation	5 0	2 0	4 0	1 2	5 9	1 9	489
206		x		Andělská Hora	hill with the ruin of Andělská hora castle, xeric vegetation on rocks	5 0	1 2	1 9	1 2	5 7	5 2	611
207			x	Protivec	100 m NW of the railway-station, mesic <i>Arrhenatherum</i> meadow in the abandoned orchard	5 0	5 4	2 3	1 2	1 4	2 4	474
208		x	x	Bečov n. Teplou	opposite the railway-station, ravine forest	5 0	5 4	4 2	1 9	4 9	4 9	510
209		x		Loket	N of the railway-station, the ruin of the castle wall and rock outcrop in oak-hornbeam forest	5 0	1 4	2 2	1 5	4 9	2 9	449
210			x	Ostroh	under the castle, secondary mixed forest	5 0	8 0	0 2	1 6	1 7	5 7	499
211		x	x	Kynšperk n. Ohří	on the N town margin, steep slope above the road, oak-hornbeam forest	5 0	7 2	3 2	1 2	3 1	5 1	427
212		x	x	Krsy	0.8 km SE of the village along the road, mesic <i>Arrhenatherum</i> meadow invaded by ruderal vegetation	4 9	5 5	4 9	1 3	3 5	5 3	630
213		x		Koterov	under the Koterovská skála hill, balk along the road	4 9	4 2	5 3	1 3	2 6	1 6	332
214		x	x	Radčice	Čertova skála hill, slopes invaded by secondary <i>Robinia pseudacacia</i> forest	4 9	4 5	2 7	1 3	2 0	3 1	324
215			x	Dolní Bělá	Berg hill, mesic grassland and field margin	4 9	5 3	5 6	1 3	1 6	2 0	461
216			x	Plasy	S margin of the village Horní Hradiště, the hollow way - mesic <i>Arrhenatherum</i> meadow	4 9	5 7	6 3	1 2	2 6	3 6	462
217			x	Manětín	0.5 km N of the church in the village, abandoned orchard and mesic <i>Arrhenatherum</i> meadow invaded by mesic scrub	4 9	5 9	4 4	1 3	1 4	2 4	471
218			x	Konstantino vy Lázně	2 km W of the village, ditch with mesic <i>Arrhenatherum</i> meadow invaded by ruderal vegetation and mesic scrub along the road	4 9	5 2	5 2	1 2	5 7	2 5	517
219		x		Josefova Huť	on the N village margin, steep slopes with thermophilous oak-hornbeam forest, open rocky places with broad-leaved dry grassland	4 9	4 9	2 8	1 2	4 7	0 7	450
220		x		Labuť	0.5 km of the church in the village, the hill between pastures	4 9	4 2	3 2	1 2	3 9	4 9	541

221		x		Holubeč	on the S village margin, slopes above the road, abandoned orchard	4 9	3 5	5 9	1 2	4 6	5 4	489
222		x		Tasnovice	0.5 km E of the village, oligotrophic grassland and the margin of mesic scrub	4 9	3 3	5 8	1 2	4 9	3 7	399
223		x		Bukovec	ca 1 km E of the village, meadow invaded by ruderal vegetation, near arable field	4 9	3 5	1 3	1 3	0 3	1 9	425
224		x		Přibylův	on the SW village margin, sliding chalk slopes with broad-leaved dry grassland	4 9	5 1	3 5	1 5	5 8	5 4	356
225	x	x	x	Bitov	0.5 km W of the village, rock-outcrops above the Dyje river, narrow-leaved dry grassland	4 8	5 6	3 2	1 5	4 3	2 2	350
226		x		Bačkovice	on the E village margin, fragments of narrow-leaved dry grassland between the field and road	4 8	5 8	1 4	1 5	3 5	4 5	435
227			x	Toužín	abandoned quarry near the road to town of Dačice, edges with thermophilous vegetation	4 9	4 1	3 5	1 5	2 5	1 0	461
228			x	Hostětice	1 km E of the village, the margin of broad-leaved forest near the field	4 9	1 1	2 9	1 5	2 5	1 5	564
229		x		Řásná	1 km S of the village, field thicket between the field and road	4 9	1 2	5 1	1 5	2 3	3 0	644
230		x	x	Veselá	0.5 km WNW of the village, stony balks	4 9	1 9	8 5	1 3	1 2	1 2	644
231		x		Kamenný Malíkov	N margin of the village, 0.2 km behind the cowshed, the field margin	4 9	1 2	5 8	1 5	7 2	2 5	524
232			x	Plasná	1.5 km N of the village, the hill between the field	4 9	1 1	2 9	1 4	5 3	1 7	462
233			x	Sviny	the cross road of roads to Veselý nad Lužnicí and Kundratice, the wall ruin of chapel	4 9	1 1	0 4	1 8	3 6	4 6	421
234		x	x	Hluboká n. Vltavou	steep slopes under the castle in the park, debris and small rocks with sparse mesic shrubs	4 9	3 4	0 6	1 4	2 6	3 1	373
235			x	Velechvín	1 km SE of the village, balk with oligotrophic grassland and field margin	4 9	2 6	4 4	1 5	3 3	1 3	499
236			x	Domanín	on the S village margin, the field thicket with sparse oak trees	4 8	5 8	7 4	1 4	4 4	1 8	453
237	x			Morávka - Úspolka	near the bus stop in the village, ditch of the road	4 9	3 3	4 3	1 8	3 3	3 3	550
238	x			Velké Karlovice - Tisňavy	0.4 km NE of the bus stop in the village, mesic meadow	4 9	2 1	1 9	1 8	1 9	4 9	600
239		x		Čachnov	0.5 km NW of the Porostliny settlement, abandoned plum alley	4 9	4 5	5 6	1 6	3 6	6 6	545
240			x	Vimperk	rocks under the castle in the town	4 9	3 2	1 3	1 6	4 0	4 0	681
241		x		Víchovská Lhota	on the SE village margin, mesic scrub and balk along the road	5 0	3 8	3 7	1 5	2 9	1 7	514
242			x	Splazy	Nature reservation Betlém (Betlémské skály), the margin of mesic scrub	5 0	3 6	4 4	1 5	1 1	4 9	330
243			x	Splazy	Nature reservation Betlém (Betlémské skály), oak-hornbeam forest	5 0	3 6	4 4	1 5	1 1	4 9	330
244			x	Rakousy	N margin of the village, mesic scrub	5 0	3 7	1 6	1 5	1 0	5 6	320
245			x	Rakousy	N margin of the village, rocks in beech forest	5 0	3 7	1 6	1 5	1 0	5 5	320
246		x	x	Semily	near the Řeky city district, oak-hornbeam forest	5 0	3 6	3 4	1 5	1 9	5 6	330
247		x		Chrastava	on the SE village margin, abandoned orchard and field margin invaded by broad-leaved trees	5 0	4 8	2 6	1 4	5 8	4 0	300
248			x	Lázně Libverda	on the N village margin near the crossroad to town of Nové Město pod Smrkem, the balk between fields with broad-leaved trees	5 0	5 3	2 2	1 5	1 2	4 9	470

249		x		Kunratice	0.5 km S of the village, the field thicked with sparse broadleaved trees	5 0	5 4	3 9	1 5	1 1	5 340	
250			x	Brtníky	0.2 km SW of the church in the village, abandoned orchard	5 0	5 6	5 3	1 4	2 6	1 9	410
251		x	x	Robeč	1 km SW of the village, mesic scrub along the road under abandoned meadow	5 0	4 0	8 0	1 4	2 9	4 3	380
252		x		Provodín	Nature reservation Provodínské kameny, on the top of the basalt rock Lysá skála	5 0	3 7	4 8	1 4	3 6	3 1	419
253			x	Provodín	ditch along the road between the villages of Provodín and Srní	5 0	3 7	2 8	1 4	3 5	5 6	250
254		x	x	Mimoň	on the S town margin near the petrol station, secondary <i>Robinia pseudacacia</i> forest along the road	5 0	4 0	4 0	1 4	4 3	3 9	300
255			x	Žibřidice	1 km W of the church in the village, the balk with rocky ground along the road	5 0	4 4	1 9	1 4	5 2	8 330	
256	x	x		Lohenice	on the W village margin, the margin of the bank along the Labe river	5 0	2 1	4 5	1 5	3 5	2 9	200
257	x	x		Dvakačovice	on the SE village margin, oak-hornbeam forest and mesic <i>Arrhenatherum</i> meadow at the road balk	4 9	5 8	3 9	1 5	5 3	5 6	250
258		x		Litomyšl	on the E town margin along the road to village of Strakov, oak-hornbeam forest and the balk along the forest	4 9	5 2	1 0	1 6	2 0	1 0	360
259		x	x	Dolní Újezd	1 km NE of the village, oak-hornbeam forest	4 9	3 3	1 4	1 7	3 2	5 9	340
260	x		x	Suchov	0.5 km S of the Trnovský Mlýn settlement, the alluvium of the brook, ash-alder forest	4 8	5 3	1 7	1 7	3 4	3 2	390
261	x	x		Suchov	Nature reservation Jazevčí, broad-leaved dry grassland and dry scrub	4 8	5 2	1 9	1 7	3 3	2 8	350
262		x		Kněždub	1.5 km E of the church in the village, ruderal scrub along the field road between fields	4 8	5 3	1 7	1 7	2 5	8 215	
263		x		Točnick	small rocks under Žebrák castle	4 9	5 3	2 1	1 3	5 3	1 4	320
264		x		Prakšice	Prakšický Mlýn settlement, abandoned orchard invaded by ruderal vegetation	4 9	3 0	5 7	1 6	3 6	4 6	270
265	x			Vsetín, Jasenice	Zbrojovka settlement, abandoned pastures and scrub	4 9	2 1	6 2	1 8	3 4	1 4	550
266		x		Landštejn	under the Landštejn castle, broad-leaved forest	4 9	1 4	3 5	1 4	1 4	0 620	
267			x	Stráž n. Nežárkou	1 km E of the town near the crossroad to the village of Příbraz, the field thicket with sparse oak-trees	4 9	3 5	4 4	1 5	5 5	4 452	
268			x	Keblany	on the S village margin, oligotrophic grassland along the road near the field	4 8	4 8	4 3	1 4	3 5	4 0	540
269		x	x	Český Krumlov	on the N town margin, eutrophic mesic scrub along the road to the village of Vyšný	4 8	4 9	2 0	1 4	1 8	4 4	550
270		x		Český Krumlov	Nature reservation Vyšenské kopce, oak-hornbeam forest and the margin of the forest, steppe	4 8	4 9	2 1	1 4	1 8	2 570	
271		x		Kokořov	0.5 km SW of the village, mesic scrub	4 9	2 9	4 3	1 3	2 9	5 5	470
272		x	x	Balkovy	on the W village margin, ash-alder forest in the brook alluvium	4 9	2 6	4 1	1 3	1 2	4 1	400
273		x		Slatina u Klatov	on the E village margin, mesic scrub under oak-hornbeam forest along the road	4 9	2 6	4 8	1 3	1 1	2 8	470
274		x	x	Horšovský Týn	the park castle in the town, sparse oak forest above the small pond	4 9	3 1	4 9	1 2	5 6	2 6	380
275			x	Hluboká u Domažlic	0.5 km NE of the village, abandoned pastures under the forest	4 9	2 2	2 7	1 3	4 1	4 1	550

276		x	x	Strážov	on the N village margin, the field thicket with sparse mesic shrubs	4 9	1 8	2 6	1 3	1 4	3 6	470
277			x	Srbice	1 km N of the village, the field thicket between the pasture and field	4 9	2 1	2 6	1 3	2 0	1 7	450
278		x		Velhartice	on the SE village margin, small rocks in pine forest under the castle	4 9	1 5	5 2	1 3	2 3	4 8	640
279		x		Červené Dvorce	on the W village margin, abandoned pasture invaded by mesic scrub and margin of the arable field	4 9	1 2	4 8	1 3	2 9	5 8	510
280			x	Sušice	on the NE village margin near the petrol station, broad-leaved dry grassland in the lime-pit	4 9	1 2	5 2	1 3	2 9	5 8	500
281		x	x	Malé Hydčice	1 km SW of the village, limestone hills and small rocks under the road to village of Bojanovice	4 9	1 7	5 3	1 3	3 9	6	440
282		x		Střela	on the E village margin, abandoned orchard overgrown with mesic shrubs above the village	4 9	1 6	4	1 3	5 1	1 5	410
283		x	x	Domanice	on the S village margin, broad-leaved dry grassland and mesic scrub margin	4 9	1 7	5 0	1 3	5 5	2 7	450
284		x		Husinec	1.5 km NNW of the village, the balk invaded by eutrophic mesic scrub	4 9	4	0	1 3	5 8	3 1	505
285		x		Smědeč	0.5 km NE of the village, oak-hornbeam forest between pastures	4 8	5 6	2 4	1 4	8 4	4 6	695
286			x	Zlatá Koruna	near the cloister Zlatá Koruna, mesic meadow in the garden and rocks above the Vltava river	4 8	5 1	1 1	1 4	2 2	1 9	350
287	x			Lanžhot	4 km S of the village, alluvial forest	4 8	4 1	4 4	1 6	5 7	1 6	153
288	x			Vsetín	U Maršálů settlement, balk with mesic scrub and the margin of the beech forest	4 9	1 9	5 4	1 8	3 5	1 5	620
289			x	Trutnov-Poříčí	slope near the railway-station, oak-hornbeam forest	5 0	3 4	4 7	1 5	5 8	1	415
290		x	x	Rudník	on the SE village margin, the field road between meadows	5 0	3 4	5 3	1 5	4 4	2 5	420
291		x		Horní Lánov	slope above the lime-pit, meadow	5 0	3 8	5 5	1 4	1 0	1 0	540
292		x		Studnice	on the N village margin, the balk invaded by shrubs	4 9	4 4	3 4	1 5	5 2	2	650
293		x		Blížkov	on the S village margin, the slope under the road, mesic <i>Arrhenatherum</i> meadow	4 9	2 4	6 5	1 5	5 4	3 0	520
294			x	Heřmanov	1.5 km E of the village, the balk between the field and meadow along the road	4 9	2 2	4 5	1 6	1 2	7	575
295		x		Mladeč	Nature reservation Třesín, beech forest	4 9	4 2	3 3	1 6	5 9	4 9	340
296			x	Mikulov	Nature reservation Turoid, oak-hornbeam forest	4 8	4 9	1 8	1 6	3 8	1 8	360
297		x		Vsetín	Zádilský valley, pasture	4 9	2 0	4 3	1 8	1	9	490
298	x			Pražmo	0.5 km W of the village, the balk along the road	4 9	3 6	3 5	1 8	2 8	5 9	430
299		x		Seč	under the Oheb castle, gneiss rocks	4 9	5 0	6	1 5	3 9	5	475
300	x			Dolní Dunajovice	on the W village margin, ditches along the field road	4 8	5 1	2 5	1 6	3 4	1 0	195
301	x			Voletice	broad-leaved dry grassland invaded by mesic scrub and oak-hornbeam forest	4 9	5 4	2 7	1 6	2	9	340
302		x		Střemošice	Nature reservation Střemošická stráž, broad-leaved dry grassland	4 9	5 3	1 7	1 6	4	4 7	380
303	x*		x	Slatinice	1 km W of the church in the village, secondary <i>Robinia pseudacacia</i> forest in the valley of the brook	4 9	3 3	3 8	1 7	5	1 9	270

304	x			Ochoz u Brna - Horní Mlýn	ravine forest in the valley of Říčka brook	4 9	1 4	3 8	1 6	4 4	9	360
305		x		Slaný	Slánská hora hill, oak-hornbeam forest on the upper rocky part of the hill	5 0	1 3	5 1	1 4	5 3	9	325
306	x			Klentnice	1 km N of the village, oak-hornbeam forest	4 8	5 1	2 4	1 6	3 8	3 8	275
307		x		Štítná nad Vláří	on the N village margin, mesic scrub along the railway	4 9	4	4 9	1 7	5 7	4 5	330
308		x		Vojtěchov - Skalka	1 km S of the village, limestone rocks on the top of the hill, oak-hornbeam forest	4 9	3 8	3 3	1 6	5 4	9	460
309	x			Ludmírov	1 km E of the village, limestone small rocks, broad-leaved dry grassland	4 9	3 7	5 4	1 6	5 2	2 1	500
310		x	x	Kostelec na Hané	2 km SE of the railway-station in the village, the alluvial forest along the Romže brook	4 9	2 9	3 6	1 7	4 2	2 1	235
311		x		Hamry	on the S village margin, upper part of the slope with acidophilous oak forest	4 9	2 7	4 3	1 6	5 8	4 7	330
312		x		Štítná nad Vláří	ash-alder forest (spring area) in the middle of secondary spruce forest	4 9	4	5 1	1 7	5 8	5 3	330
313	x			Vlachovice	oak-hornbeam forest invaded by the ash, alder and ruderal vegetation near the field	4 9	7	1 2	1 7	5 6	2 6	400
314			x	Horka nad Moravou	1 km NW of the village, alluvial forest along the Mlýnský potok stream	4 9	3 8	4 8	1 7	1 2	3 7	230
315		x		Malešov u Kutné Hory	1.7 km NNE of the village, rocks above the Velký rybník pond	4 9	5 5	4 3	1 5	1 4	1 7	320
316		x		Rabštejn	rocks, ravine forest and meadow under the Rabštejn castle	4 9	5 6	5 0	1 7	5 8	8	790
317		x		Klentnice	balk near the village	4 8	5 0	4 6	1 6	3 8	2 6	350
318		x		Teplice nad Bečvou	Nature reservation Hůrka, the right bank of Bečva river, oak forest	4 9	3 1	5 5	1 7	4 4	5 9	300
319			x	Nová Hradečná	near the railway-station, the balk invaded by ruderal vegetation	4 9	5 0	9 7	1 7	4 2	1 2	280
320	x			Pitín	0.2 km NW of the church in the village, balk near the railway	4 9	2 5	2 7	1 0	5 2	5 2	360
321		x		Březina	Nature reservation Špraněk, limestone rocks opposite the Zkamenělý zámek castle	4 9	4 0	2 6	1 6	5 4	1 3	470
322	x			Bruntál	Venušina sopka hill, the top of the slope, the edge of the forest and surrounding field	4 9	5 7	3 7	1 7	2 8	1 3	640
323		x		Krnov	ruins of the Cvilín castle, in the moat	5 0	5 5	4 7	1 4	4 2	4 8	420
324		x		Sloup	on the SE village margin, limestone rocks	4 9	2 4	4 1	1 6	4 4	3 3	500
325			x	Točnick	on the N village margin, mesic scrub along the field	4 9	5 3	1 8	1 3	5 3	4	400