

<b>Characteristics</b>	<b>Control n (%)</b>	<b>Case n (%)</b>
<b>Sex</b>		
Male	291 (52.4)	329 (53.9)
Female	264 (47.6)	281 (46.1)
<b>Age</b>		
<45	73 (13.2)	99 (16.2)
45-64	226 (40.7)	292 (47.9)
65+	256 (46.1)	219 (35.9)
<b>Study Center</b>		
Detroit	56 (10.1)	73 (12.0)
Iowa	225 (40.5)	235 (38.5)
Los Angeles	71 (12.8)	96 (15.7)
Seattle	203 (36.6)	206 (33.8)
<b>Education</b>		
<12 years	47 (8.5)	43 (7.0)
12-15 years	326 (58.7)	400 (65.6)
16+ years	182 (32.8)	167 (27.4)
<b>NHL Subtype</b>		
DLBCL	-	171 (28.0)
Follicular	-	168 (27.5)
CLL/SLL	-	86 (14.1)
Marginal zone	-	50 (8.2)
Mantle cell	-	27 (4.4)
Mycosis		
Fungoides	-	14 (2.3)
Burkitt	-	10 (1.6)
Peripheral T	-	8 (1.3)
T/NK-other	-	17 (2.8)
NOS	-	59 (9.7)

*Abbreviations:*

*NHL, non-Hodgkin lymphoma*

*NCI, National Cancer Institute*

*SEER, Surveillance, Epidemiology and End Results*

*HLA, human leukocyte antigen*

*DLBCL, diffuse large B-cell lymphoma*

*CLL/SLL, chronic lymphocytic leukemia/small lymphocytic lymphoma*

*NK, natural killer*

*NOS, not otherwise specified*