

**Supplementary Table 3: primers used for RT-PCR analysis**

---

<b>Systematic</b>		
<b>name</b>	<b>Forward</b>	<b>Reverse</b>
<b>17.h22</b>	TCACCATGTCTTCCA CTGTC	TTGCAGTTTGGGTCG TTC
<b>15.b11</b>	AAAACATGGCACGATAGAAA	CGGGGTCCTTCAAATACTCA
<b>15.h22</b>	GGGCGTCTGCAACTACAAGT	GCAAGGAAGATCAGGCTTTTC
<b>10.b16</b>	CCGACATTTTCCCTGAGATG	GCTCCTGTTTCACCAGATCC
<b>5.m20</b>	AAGGTTGCTGGGCAGTTCCA	ATCTAGCCCCACGAGTCAGA
<b>10.d17</b>	AGGGGCGTCTCTACCAAGTT	CAGGCATCTCATT TCCCATT
<b>13.i2</b>	ACCCAAATCAGCAGCAAGTC	AAGCCAACCAGGCATGTAAC
<b>13.i2</b>	GCACGAGGAAGAGCTTGAAC	ATCCCAGACTTGCTGCTGAT
<b>10.b7</b>	CAACCAACCATCTGTCATGC	ATCTAGCCCCACGAGTCAGA

---