

## Petunia nectar proteins have ribonuclease activity

Melissa S. Hillwig, Xiaoteng Liu, Guangyu Liu, Robert W. Thornburg,  
and Gustavo C. MacIntosh

### Supplemental Table 1. Primers used in this work

Cloning / RT-PCR	5' -> 3'
<i>RNase Phy1</i> -Forward	GGCGTCAATATTTGCCACTTCTATG
<i>RNase Phy1</i> -Reverse	CGATTCCAGGAGTAAATCCAGTTG
<i>RNase Phy3</i> -Forward	CTGAATTGCTCGGAACCAAAATTAAC
<i>RNase Phy3</i> -Reverse	TGACAATATTTTTGGGGGACGGC
<i>RNase Phy4</i> -Forward	GTAGTAAGCCGGACACAAAGTCATGC
<i>RNase Phy4</i> -Reverse	CCTGTTAGTTGTACCTGTCCCGTTC
<i>RNase Phy5</i> -Forward	ATTGTGATACAAGGCGTAGTTGCTG
<i>RNase Phy5</i> -Reverse	GAGAAAGGAGGGAATTCAATCTTAG
18s - Forward	ACTAATTCAGACTGTGAAACTGCCA
18s - Reverse	CTTGCTTTGAGCACTCTAATTTCT

RACE	5' -> 3'
<i>RNase Phy3</i> -Forward	TGGTACGGATGAGGGTCTGGATACATG
<i>RNase Phy3</i> -Reverse	GGACGGCCACAACCTCTATTAGCATGAG
<i>RNase Phy4</i> -Forward	GGCCAGCAAATGCATACGCGAACAGTTTG
<i>RNase Phy4</i> -Reverse	CCAAGGGGTTGAGAGCTCTCCCAAGTTGAC