

**Synthesis of Reblastatin, Autolytimycin, Non-Benzoquinone Analogs:
Potent Inhibitors of Heat Shock Protein 90 (Hsp90)**


Iwona E. Wrona,[†] Alexander Gozman,[‡] Tony Taldone,[‡] Gabriela Chiosis[‡] and James S. Panek^{*†}

*Department of Chemistry and Center for Chemical Methodology and Library Development (CMLD-BU),
Metcalf Center for Science and Engineering, 590 Commonwealth Avenue, Boston University, Boston,
Massachusetts 02215, and Department of Medicine and Program in Molecular Pharmacology and Chemistry,
Memorial Sloan-Kettering Cancer Center, 1275 York Avenue, New York, New York 10021.*


Table of Contents


¹ H and ¹³ C NMR Spectra of intermediate 11b	SI-30,31
¹ H and ¹³ C NMR Spectra of intermediate 15b	SI-32,33
¹ H and ¹³ C NMR Spectra of intermediate 17b	SI-34,35
¹ H and ¹³ C NMR Spectra of intermediate 19b	SI-36,37
¹ H and ¹³ C NMR Spectra of intermediate 20b	SI-38,39
¹ H and ¹³ C NMR Spectra of intermediate 21b	SI-40,41
¹ H and ¹³ C NMR Spectra of intermediate 22b	SI-42,43
¹ H and ¹³ C NMR Spectra of intermediate 31	SI-44,45
¹ H and ¹³ C NMR Spectra of intermediate 32	SI-46,47
¹ H and ¹³ C NMR Spectra of intermediate 33b	SI-48,49
¹ H and ¹³ C NMR Spectra of intermediate 34b	SI-50,51
¹ H and ¹³ C NMR Spectra of intermediate 35	SI-52,53
¹ H and ¹³ C NMR Spectra of (2 <i>E</i> ,4 <i>Z</i> ,6 <i>S</i> ,7 <i>S</i> ,8 <i>E</i> ,10 <i>S</i> ,11 <i>R</i> ,12 <i>S</i> ,14 <i>R</i>)-15-(3-(benzyloxy)-5-bromo-2-methoxyphenyl)-7-(<i>tert</i> -butyldimethylsilyloxy)-6,12-dimethoxy-11-(methoxymethoxy)-2,8,10,14-tetramethylpentadeca-2,4,8-trienamide	SI-54,55
¹ H and ¹³ C NMR Spectra of (2 <i>E</i> ,4 <i>Z</i> ,6 <i>S</i> ,7 <i>S</i> ,8 <i>E</i> ,10 <i>S</i> ,11 <i>R</i> ,12 <i>S</i> ,14 <i>R</i>)-ethyl 15-(3-(benzyloxy)-5-bromo-2-methoxyphenyl)-7-(<i>tert</i> -butyldimethylsilyloxy)-6,12-dimethoxy-11-(methoxymethoxy)-2,8,10,14-tetramethylpentadeca-2,4,8-trienoate	SI-56,57
¹ H and ¹³ C NMR Spectra of intermediate 36	SI-58,59

¹ H and ¹³ C NMR Spectra of 1-(benzyloxy)-3-bromo-5-((2 <i>R</i> ,4 <i>S</i> ,5 <i>R</i> ,6 <i>S</i>)-4-methoxy-5-(methoxymethoxy)-2,6-dimethyloct-7-enyl)benzene	SI-60,61
¹ H and ¹³ C NMR Spectra of 1-(benzyloxy)-3-bromo-5-((2 <i>R</i> ,4 <i>S</i> ,5 <i>R</i> ,6 <i>S</i>)-4-methoxy-5-(methoxymethoxy)-2,6-dimethyloct-7-ynyl)benzene	SI-62,63
¹ H and ¹³ C NMR Spectra of (2 <i>E</i> ,6 <i>S</i> ,7 <i>S</i> ,8 <i>E</i> ,10 <i>S</i> ,11 <i>R</i> ,12 <i>S</i> ,14 <i>R</i>)-15-(3-(benzyloxy)-5-bromophenyl)-7-(<i>tert</i> -butyldimethylsilyloxy)-6,12-dimethoxy-11-(methoxymethoxy)-2,8,10,14-tetramethylpentadeca-2,8-dienamide	SI-64,65
¹ H and ¹³ C NMR Spectra of (4 <i>E</i> ,8 <i>S</i> ,9 <i>S</i> ,10 <i>E</i> ,12 <i>S</i> ,13 <i>R</i> ,14 <i>S</i> ,16 <i>R</i>)- carbamic acid 20-(benzyloxy)-8,14-dimethoxy-13-(methoxymethoxy)-4,10,12,16-tetramethyl-3-oxo-2-aza-bicyclo[16.3.1]docosa-1(21),4,10,18(22),19-pentaen-9-yl ester	SI-66,67
¹ H and ¹³ C NMR Spectra of (2 <i>S</i> ,3 <i>S</i> ,5 <i>S</i> ,6 <i>S</i>)-methyl 6-(3-(benzyloxy)-5-bromophenyl)-3-methoxy-5-methyltetrahydro-2 <i>H</i> -pyran-2-carboxylate	SI-68,69
¹ H and ¹³ C NMR Spectra of (2 <i>E</i> ,6 <i>S</i> ,7 <i>S</i> ,8 <i>E</i> ,10 <i>S</i> ,11 <i>R</i> ,12 <i>S</i> ,14 <i>R</i>)-ethyl 15-(3-(benzyloxy)-5-bromophenyl)-7-(<i>tert</i> -butyldimethylsilyloxy)-6,12-dimethoxy-11-(methoxymethoxy)-2,8,10,14-tetramethylpentadeca-2,8-dienoate	SI-70,71
¹ H and ¹³ C NMR Spectra of Reblastatin (1)	SI-72,73
¹ H and ¹³ C NMR Spectra of Autolytimycin (2)	SI-74,75
¹ H and ¹³ C NMR Spectra of Analog (6)	SI-76,77
¹ H and ¹³ C NMR Spectra of Analog (7)	SI-78,79
¹ H and ¹³ C NMR Spectra of Analog (8)	SI-80,81
¹ H and ¹³ C NMR Spectra of Analog (9)	SI-82,83
¹ H and ¹³ C NMR Spectra of Compound (15a)	SI-84,85
¹ H and ¹³ C NMR Spectra of Compound (26)	SI-86,87
¹ H and ¹³ C NMR Spectra of Compound (27)	SI-88,89
¹ H and ¹³ C NMR Spectra of Compound (28)	SI-90,91
¹ H and ¹³ C NMR Spectra of Compound (33a)	SI-92,93
¹ H and ¹³ C NMR Spectra of Compound (34a)	SI-94,95





11b







11b








15b







15b










17b








19b







19b















20b






























32







33b








33b







34b











35











35



























36














































Reblastatin (1)
300 MHz, d_6 -DMSO







Reblastatin (1)
300 MHz, d_6 -DMSO







Autolytmycin (2)
 300 MHz, d_6 -DMSO, 50 °C






Autolytmycin (2)
75 MHz, d_6 -DMSO, 50 °C








6

400 MHz, CDCl₃









7

300 MHz, d₆-DMSO, 50 °C







7

75 MHz, *d*₆-DMSO, 50 °C


SI-79






8


300 MHz, d_6 -DMSO, 50 °C






8


75 MHz, *d*₆-DMSO, 50 °C






9


400 MHz, d_6 -DMSO, 50 °C







9


75 MHz, *d*₆-DMSO, 50 °C







15a







15a







26







26








27






27







28

