

Mouse genotype	Anti-P-sel	Anti- β 2	PTx	Mice (n)	Venules (n)	Diameter (μ m)	Centerline velocity (μ m/s)	Wall shear rate (s^{-1})
WT	-	-	-	18	43	34 \pm 4	2,100 \pm 100	650 \pm 30
	+	-	-	18	40	34 \pm 6	2,100 \pm 200	680 \pm 50
	+	+	-	17	38	33 \pm 4	2,100 \pm 150	680 \pm 40
	+	-	+	13	32	33 \pm 3	2,000 \pm 200	640 \pm 30
	+	+	+	12	31	32 \pm 3	1,900 \pm 100	630 \pm 30
CD44 ^{-/-}	-	-	-	5	19	29 \pm 3	1,800 \pm 150	660 \pm 40
	+	-	-	5	18	28 \pm 4	2,000 \pm 150	700 \pm 40
	+	+	-	5	17	28 \pm 3	1,800 \pm 150	680 \pm 50
PSGL-1 ^{-/-}	-	-	-	6	23	32 \pm 4	1,900 \pm 200	630 \pm 60
	+	-	-	5	22	33 \pm 4	1,900 \pm 100	620 \pm 30
	+	+	-	5	19	34 \pm 4	2,000 \pm 150	630 \pm 40
PSGL-1 ^{-/-} /CD44 ^{-/-}	-	-	-	5	21	38 \pm 4	2,200 \pm 100	620 \pm 50
	+	-	-	4	18	40 \pm 5	2,500 \pm 200	660 \pm 50
	+	+	-	4	17	39 \pm 5	2,300 \pm 150	630 \pm 40
Btk ^{-/-}	-	-	-	5	20	35 \pm 5	2,200 \pm 100	670 \pm 40
	+	-	-	4	18	35 \pm 5	2,100 \pm 100	640 \pm 30
	+	+	-	4	16	34 \pm 4	2,200 \pm 200	690 \pm 60

Diameter, centerline velocity, and wall shear rate are presented as mean \pm SEM of all investigated venules.