

Characteristic	Total cases	Wildtype (%)	Mutation (%)	P-value	Test used
<b>All patients</b>	172	160 (93)	12 (7)		
<b>Gender</b>				0.76	Fisher's exact
Male	89	84 (94)	5 (6)		
Female	81	75 (93)	6 (7)		
missing	2	1	1		
<b>Age</b>				0.02	T-test
Mean (SD)	52 (14.5)	51 (14.5)	62 (10.5)		
60 and under	116	112 (97)	4 (3)		
Over 60 years	55	48 (87)	7 (13)		
missing	1	0	1		
<b>Tumour grade</b>				0.03	Mann-Whitney U
I	71	70 (99)	1 (1)		
II	56	49 (87)	7 (13)		
III (a or b)	39	35 (90)	4 (10)		
missing	6	6	0		
<b>LDH (Ratio)</b>				0.93	Mann-Whitney U
Median	0.96	0.96	0.74		
(Interquartile range)	(0.73,1.18)	(0.73,1.18)	(0.70,1.47)		
<b>Stage</b>				0.95	Mann-Whitney U
I / Ie	18	18 (100)	0 (0)		
II / Iie	29	26 (90)	3 (10)		
III / IIIe	56	52 (93)	4 (7)		
IV	67	63 (94)	4 (6)		
missing	2	1	1		
<b>IPI</b>				0.04	Mann-Whitney U
Median	1(1,2)	1(1,2)	2 (1,3)		
(Interquartile range)					
Low (0-2)	138	132 (96)	6 (4)		
High (3-5)	26	22 (85)	4 (15)		
missing	8	6	2		
<b>B-symptoms</b>				0.45	Fisher's exact
Absent	137	129 (94)	8 (6)		
Present	33	30 (91)	3 (9)		
missing	2	1	1		
<b>BM infiltration</b>				0.37	Fisher's exact
Absent	105	96 (91)	9 (9)		
Present	67	64 (96)	3 (4)		
<b>Transformation</b>				1.00	Fisher's Exact
None	103	95 (92)	8 (8)		
Clinical	12	11 (92)	1 (8)		
Pathological	27	25 (93)	2 (7)		
missing	30	29	1		
<b>Initial Treatment</b>				0.23	Fisher's Exact
Expectant management	17	16 (94)	1 (6)		
Chemotherapy	107	102 (95)	5 (5)		
Radiotherapy	15	13 (87)	2 (13)		
both	32	28 (87)	4 (13)		
missing	1	1	0		