

Table S5. Event Rates and Amplitudes by Subject

| Sub. | Macro Event Rate (x10-3 events/s) | Micro Event Rate (x10-3 events/sec) | Macro Event RMS Amplitude (µV) | Micro Event RMS Amplitude (µV) |
|--------------|--|--|---|---|
| CT 01 | (16, 2.69, 1.77) | (128, 1.43, 1.97) | (1334, 22, 50) | (7894, 67, 105) |
| CT 02 | (24, 1.35, 0.87) | (104, 0.87, 1.13) | (1657, 49, 158) | (6157, 56, 148) |
| SZ 01 | (39, 0.26, 0.44) | (6, 1.17, 0.81) | (2300, 37, 37) | (252, 48, 42) |
| SZ 02 | (23, 1.33, 1.26) | (103, 1.11, 1.09) | (2051, 18, 22) | (7854, 87, 192) |
| SZ 03 | (36, 3.03, 1.25) | (33, 3.78, 2.96) | (6249, 24, 22) | (6055, 43, 91) |
| SZ 04 | (62, 1.87, 0.71) | (28, 0.94, 0.85) | (10393, 23, 23) | (2024, 21, 36) |
| SZ 05 | (56, 1.95, 0.75) | (28, 4.28, 1.23) | (25885, 22, 19) | (26592, 105, 184) |
| SZ 06 | (23, 0.40, 0.50) | (92, 0.82, 0.74) | (3087, 27, 55) | (25883, 72, 127) |
| SZ 07 | (64, 2.45, 1.33) | (22, 0.00, 0.83) | (52232, 22, 74) | (783, 135, 285) |
| SZ 08 | (48, 0.56, 0.22) | (56, 4.00, 5.57) | (917, 208, 851) | (7345, 83, 233) |
| SZ 09 | (88, 0.24, 0.12) | (22, 0.00, 0.16) | (507, 231, 259) | (78, 11, 487) |

Entries in columns "Macro Event Rate" and "Micro Event Rate" are (number of electrodes, median, interquartile range). Entries in columns "Macro Event RMS" and "Micro Event RMS" are (number of events, median, interquartile range). Putative artifact cluster (i.e. cluster 2) events are excluded from the table.