

SUPPLEMENTAL TABLE S1. TEST (OF PROPORTIONS) FOR ASSOCIATION BETWEEN RESPONSE RATE AND RESPONSE

<i>Independent variable</i>	<i>Sample population (n = 446)</i>	<i>Respondents (n = 105)</i>	<i>Response rate (95% credible interval)</i>	<i>p-Value</i>
Inclusion of minors				
Yes	99	29	0.29 (0.21, 0.38)	0.31
No	344	76	0.22 (0.18, 0.27)	
Disease type				
Neoplasms	79	24	0.30 (0.20, 0.40)	0.13
Endocrine	70	11	0.15 (0.08, 0.24)	
Blood	40	12	0.30 (0.17, 0.44)	
Mental	35	8	0.22 (0.10, 0.36)	
Nervous system	33	17	0.52 (0.35, 0.68)	
Circulatory	59	16	0.27 (0.16, 0.38)	
Respiratory	27	7	0.26 (0.11, 0.42)	
Musculoskeletal	19	9	0.47 (0.26, 0.68)	
Other	84	15	0.18 (0.10, 0.26)	
Degree				
Ph.D.	220	67	0.30 (0.25, 0.37)	0.03
M.D.	320	67	0.21 (0.17, 0.25)	
M.D./Ph.D.	148	32	0.22 (0.15, 0.28)	

p-Values are tests of the null hypothesis that the response rate does not vary by responder category.