Electronic supplementary material

| ESM Table 2 Discrimination and calibration of the UKPDS risk engine for calculated risk | |
|--|--|
| periods of 4, 5, 6 and 8 years with CHD as outcome for the patient group with diagnosed | |
| diabetes for up to 10 years | |

| Calculated risk period (years) | First analysis | | | Second analysis | | |
|--------------------------------------|----------------|---------------------------------|----------------------------|-----------------|---------------------------------|-----------------------------|
| | Cases/n | <i>c</i> -statistic (95% CI) | χ^2 statistic | Cases/n | <i>c</i> -statistic (95% CI) | χ^2 statistic |
| 4 | 30/1,093 | 0.64 (0.45–0.85) | 33.2 (<i>p</i> <0.001) | 30/1,170 | 0.64 (0.44–0.84) | 37.9 (<i>p</i> <0.001) |
| 5 | 30/1,066 | 0.66 (0.48–0.84) | 46.6 (<i>p</i> <0.001) | 33/1,170 | 0.65 (0.47–0.84) | 56.0 (<i>p</i> <0.001) |
| 6 | 36/1,037 | 0.66 (0.48–0.83) | 60.6 (<i>p</i> <0.001) | 36/1,170 | 0.65 (0.47–0.83) | 77.2 (<i>p</i> <0.001) |
| 8 | 49/802 | 0.65 (0.50–0.80) | 56.5 (<i>p</i> <0.001) | 49/1,170 | 0.64 (0.49–0.79) | 118.8 (<i>p</i> <0.001) |

First analysis: censored cases excluded Second analysis: censored cases included