

TABLE S1. Raw threshold cycle (Ct) values for efflux pump genes

Strain	NOR MIC ($\mu\text{g/ml}$)	Ct						
		<i>rpsL</i>	<i>tolC</i>	<i>acrA</i>	<i>acrB</i>	<i>mdfA</i>	<i>norE</i>	
ELZ4009	0.047	18.817	19.061	20.685	21.253	23.475	23.493	
ELZ4017	0.094	17.974	18.344	20.077	21.301	22.746	23.305	
ELZ4018	0.068	18.411	19.413	19.799	20.623	22.258	22.894	
ELZ4019	0.053	19.375	19.047	20.743	21.550	24.019	24.362	
ELZ4020	0.040	16.306	17.623	19.573	19.932	22.575	22.779	
ELZ4021	0.079	17.705	17.929	19.923	19.967	21.845	23.534	
ELZ4022	0.063	17.968	18.390	19.376	19.986	22.134	23.077	
ELZ4023	0.047	17.058	17.798	20.120	20.210	23.212	23.991	
ELZ4032	0.064	18.033	19.257	19.414	20.594	22.016	23.110	
ELZ4040	0.064	18.001	18.169	19.957	19.828	23.111	23.776	
ELZ4041	0.115	18.812	17.640	20.181	21.381	22.689	23.148	
ELZ4042	0.197	16.810	17.956	19.982	19.795	22.456	23.008	
ELZ4043	0.056	17.554	17.474	20.453	20.697	22.861	22.938	
ELZ4044	0.079	17.467	17.981	19.922	20.165	24.220	23.192	
ELZ4045	0.042	16.759	18.096	20.152	19.813	22.522	23.111	
ELZ4046	0.058	18.263	19.204	20.417	21.332	22.607	22.800	
ELZ4047	0.079	17.100	19.770	20.789	20.813	22.894	22.996	
ELZ4048	0.338	17.359	18.223	20.423	20.664	22.588	24.562	
ELZ4056	0.064	17.938	17.183	20.444	20.972	22.411	23.121	
ELZ4098	0.056	16.515	19.620	19.608	19.592	22.931	23.059	
ELZ4104	0.047	16.429	19.402	19.659	20.250	21.614	22.848	
ELZ4234	0.079	17.549	18.184	20.182	19.948	23.298	24.474	
ELZ4244	0.032	16.720	20.064	19.984	19.037	23.186	22.643	
ELZ4264	0.023	15.293	20.174	20.954	20.317	21.005	23.662	
		17.509	18.583	20.117	20.418	22.695	23.329	Average

Ct values were measured thrice; shown are the raw values for one replicate.