



D

Table. Adult lifespans of insulin mutants

Strain	Mean Lifespan \pm SEM (Days)	75 th Percentile (Days)	No. Animals Observed / Total Initial Animals	% Wild Type	<i>P</i> Value Against Wild Type (Logrank)
<u>25°C</u>					
Wild Type	13.0 \pm 0.1	17	1177/1389 (10)		
<i>ins-6(tm2416)</i>	14.5 \pm 0.3	19	483/597 (6)	+12	< 0.0001
<i>daf-28(tm2308)</i>	13.9 \pm 0.2	18	570/700 (7)	+7	< 0.0001
<i>ins-1(nr2091)</i>	12.6 \pm 0.3	16	279/397 (4)	-3	0.35
<i>ins-6(tm2416); daf-28(tm2308)</i>					
continuously well-fed adults	13.9 \pm 0.4	18	208/299 (3)	+7	< 0.0001
post-dauer adults	15.4 \pm 0.4	21	207/300 (3)	+19	< 0.0001
] +11 (<i>P</i> = 0.01)
<u>20°C \rightarrow 25°C</u>					
Wild Type	13.3 \pm 0.4	17	170/200 (2)		
<i>ins-6(tm2416)</i>	13.6 \pm 0.4	19	150/200 (2)	+3	0.38
<i>daf-28(tm2308)</i>	12.8 \pm 0.5	17	82/100 (1)	-4	0.33
<i>ins-1(nr2091)</i>	12.2 \pm 0.5	16	71/100 (1)	-8	0.03
<i>daf-2(e1368)</i>	22.1 \pm 0.6	29	152/100 (2)	+66	< 0.0001