

Probe	CRBLM		FCTX		PONS		TCTX	
	T-statistic	P-value	T-statistic	P-value	T-statistic	P-value	T-statistic	P-value
<i>cg06144905</i>	15.44814	6.71E-29	19.1032	1.09E-39	14.37545	3.51E-28	28.82641	2.56E-57
<i>cg06993413</i>	15.54651	4.20E-29	19.20717	6.47E-40	14.41989	2.76E-28	28.83492	2.48E-57
<i>cg10523019</i>	15.47171	6.00E-29	19.14374	8.91E-40	14.5209	1.60E-28	28.843	2.40E-57
<i>cg14424579</i>	15.59642	3.31E-29	19.06795	1.31E-39	14.44197	2.45E-28	28.83559	2.47E-57
<i>cg15201877</i>	15.53658	4.40E-29	19.19907	6.74E-40	14.6588	7.60E-29	29.04429	1.12E-57
<i>cg18108623</i>	15.48166	5.72E-29	19.15707	8.33E-40	14.57526	1.19E-28	28.92424	1.77E-57
<i>cg18555440</i>	15.42125	7.63E-29	19.12717	9.69E-40	14.38502	3.33E-28	28.84498	2.38E-57
<i>cg19945840</i>	15.49883	5.27E-29	19.04478	1.47E-39	14.4741	2.06E-28	28.83258	2.50E-57
<i>cg21589115</i>	15.50814	5.04E-29	19.19714	6.81E-40	14.63515	8.63E-29	28.85745	2.27E-57
<i>cg27529628</i>	15.64899	2.58E-29	19.40868	2.35E-40	14.74009	4.90E-29	28.93544	1.69E-57