













**C**










A




Isotype

Tcon


Treg






B



C







**Supplementary Table 1.** Concentration of Cytokines in BMM Conditioned Media

		Conditioned Medium 1 (pg/ml)						Conditioned Medium 2 (pg/ml)							
		IL-12 <sup>a</sup>	TNF- $\alpha^a$	IFN- $\gamma^a$	MCP-1 <sup>a</sup>	IL-10 <sup>a</sup>	IL-6 <sup>a</sup>	HIV-1 p24 <sup>b</sup>	IL-12 <sup>a</sup>	TNF- $\alpha^a$	IFN- $\gamma^a$	MCP-1 <sup>a</sup>	IL-10 <sup>a</sup>	IL-6 <sup>a</sup>	HIV-1 p24 <sup>b</sup>
Control		32	41	4	259	42	3	0	25	6	2	39	30	5	0
HIV-1/VSV		111	164	68	1626	14	16	249,000	46	29	14	252	12	12	190,000
	+ Tcon	184	362	696	3,048	1,502	43	130,000	100	64	88	675	49	21	112,000
	+ Treg	23	11	12	103	5111	2	46,000	6	4	3	46	118	3	21,000

*a* = Cytokines were detected by cytometric bead array. *b* = HIV-1p24 were detected by ELISA.