

Table S6. ISH and qPCR analysis of potential zebrafish cyclic gene

	Mouse gene	Zebrafish gene	On ZF chip	Expressed in post. PSM	Checked by ISH	Checked by qPCR	Ref. for post. PSM expression	
Notch	<i>Hes1, Hes5, Hes7</i>	<i>her1, her2, her4, her7, her12, her15</i>	Yes	Yes	Yes	Yes (<i>her1, her7</i>)	(Holley et al., 2000; Oates and Ho, 2002)	
	<i>Hey1</i>	<i>hey1</i>	Yes	No	No	No	(Thisse and Thisse, 2005)	
	<i>Dll1, Dll3</i>	<i>dlc</i>	Yes	Yes	Yes	No	(Jiang et al., 2000)	
	<i>Lfng</i>	<i>lfng</i>	Yes	No	No	No	(Leve et al., 2001)	
	<i>Nrarp</i>	<i>nrarpa</i>		Yes	Yes	Yes	Yes	(Topczewska et al., 2003)
		<i>nrarpb</i>		Yes	No	No	No	
	<i>Nkd1</i>	<i>nkd1</i>		No	Yes	No	No	(Van Raay et al., 2007)
	<i>nkd2</i>		No	No	No	No		
<i>Id1</i>	<i>id1</i>		Yes	Yes	No	No	(Thisse et al., 2001)	
FGF	<i>Spry2</i>	<i>spry2</i>	Yes	Yes	Yes	No	This study	
		<i>spry4</i>	Yes	Yes	No	Yes	(Thisse et al., 2001)	
	<i>Snai1</i>	<i>snai1a</i>		Yes	Yes	No	Yes	(Hammerschmidt and Nusslein-Volhard, 1993)
		<i>snai1b</i>		Yes	No	No	No	
	<i>Dsp6</i>	<i>dusp6</i>		Yes	Yes	No	Yes	(Plaster et al., 2007)
	<i>Efna1</i>	<i>efna1</i>		No	No	No	No	(Barrios et al., 2003)
Wnt	<i>Dkk1</i>	<i>dkk1</i>	Yes	No	Yes	No	This study	
	<i>Axin2</i>	<i>axin2</i>	Yes	Restricted to tailbud	No	No	(Thisse et al., 2001)	
	<i>Dact1</i>	<i>dact1</i>		No	Yes	Yes	Yes	(Waxman et al., 2004)
		<i>dact2</i>		Yes	Yes	Yes	No	
	<i>Sp5</i>	<i>sp5</i>		Yes	Restricted to tailbud	Yes	Yes	(Tallafuss et al., 2001)
		<i>sp5l</i>		Yes	Yes	Yes	Yes	
	<i>c-Myc</i>	<i>myc-a</i>		Yes	Yes	Yes	No	This study
		<i>myc-b</i>		Yes	Not known	No	Yes	
<i>Tnfrsf19</i>	<i>tnfrsf19</i>		Yes	No	Yes	Yes	This study	
Other	<i>Has2</i>	<i>has2</i>	Yes	Yes	Yes	No	This study	
	<i>Phlda1</i>	ENSDARG00000039714	No	No	No	No	(Thisse and Thisse, 2004)	
Chicken gene	<i>gpr177</i>		Yes	Yes	Yes	No	(Jin et al., 2010), this study	
Genes from zebrafish cyclic candidate list	<i>fbn1</i>		Yes	Yes	Yes	Yes	(Rauch et al., 2003)	
	<i>tbx16</i>		Yes	Yes	Yes	Yes	(Thisse et al., 2001)	
	<i>rhov</i>		Yes	Yes	Yes	No	(Thisse et al., 2001)	
	<i>angpt17</i>		Yes	Yes	Yes	No	(Thisse and Thisse, 2004)	

ISH and qPCR studies of zebrafish cyclic gene candidates inferred from orthology to mouse (Dequeant et al., 2006) and chicken cyclic genes or from the zebrafish cyclic candidate list (Fig. 2).

References

- Barrios, A., Poole, R. J., Durbin, L., Brennan, C., Holder, N. and Wilson, S. W. (2003). Eph/Ephrin signaling regulates the mesenchymal-to-epithelial transition of the paraxial mesoderm during somite morphogenesis. *Curr. Biol.* **13**, 1571-1582.
- Hammerschmidt, M. and Nusslein-Volhard, C. (1993). The expression of a zebrafish gene homologous to Drosophila snail suggests a conserved function in invertebrate and vertebrate gastrulation. *Development* **119**, 1107-1118.
- Jin, J., Morse, M., Frey, C., Petko, J. and Levenson, R. (2010). Expression of GPR177 (Wntless/Evi/Sprinter), a highly conserved Wnt-transport protein, in rat tissues, zebrafish embryos, and cultured human cells. *Dev. Dyn.* **239**, 2426-2434.
- Leve, C., Gajewski, M., Rohr, K. B. and Tautz, D. (2001). Homologues of c-hairy1 (her9) and lunatic fringe in zebrafish are expressed in the developing central nervous system, but not in the presomitic mesoderm. *Dev. Genes Evol.* **211**, 493-500.
- Li, W. and Cornell, R. A. (2007). Redundant activities of Tfap2a and Tfap2c are required for neural crest induction and development of other non-neural ectoderm derivatives in zebrafish embryos. *Dev. Biol.* **304**, 338-354.
- Liedtke, D. and Winkler, C. (2008). Midkine-b regulates cell specification at the neural plate border in zebrafish. *Dev. Dyn.* **237**, 62-74.
- Lister, J. A., Cooper, C., Nguyen, K., Modrell, M., Grant, K. and Raible, D. W. (2006). Zebrafish Foxd3 is required for development of a subset of neural crest derivatives. *Dev. Biol.* **290**, 92-104.
- Montero-Balaguer, M., Lang, M. R., Sachdev, S. W., Knappmeyer, C., Stewart, R. A., De La Guardia, A., Hatzopoulos, A. K. and Knapik, E. W. (2006). The mother superior mutation ablates foxd3 activity in neural crest progenitor cells and depletes neural crest derivatives in zebrafish. *Dev. Dyn.* **235**, 3199-3212.
- Plaster, N., Sonntag, C., Schilling, T. F. and Hammerschmidt, M. (2007). REREa/Atrophin-2 interacts with histone deacetylase and Fgf8 signaling to regulate multiple processes of zebrafish development. *Dev. Dyn.* **236**, 1891-1904.
- Rauch, G. J., Lyons, D. A., Middendorff, I., Friedlander, B., Arana, N., Reyes, T. and Talbot, W. S. (2003). Submission and curation of gene expression data. *ZFIN Direct Data Submission*, ZFIN ID: ZDB-PUB-031103-24.
- Tallafuss, A., Wilm, T. P., Crozatier, M., Pfeffer, P., Wassef, M. and Bally-Cuif, L. (2001). The zebrafish buttonhead-like factor Bts1 is an early regulator of pax2.1 expression during mid-hindbrain development. *Development* **128**, 4021-4034.
- Thisse, B. and Thisse, C. (2004). Fast release clones: a high throughput expression analysis. *ZFIN Direct Data Submission*, ZFIN ID: ZDB-PUB-040907-1.
- Thisse, C. and Thisse, B. (2005). High throughput expression analysis of ZF-Models Consortium clones. *ZFIN Direct Data Submission*. ZFIN ID: ZDB-PUB-051025-1.
- Thisse, B., Pflumio, S., Fürthauer, M., Loppin, B., Heyer, V., Degrave, A., Woehl, R., Lux, A., Steffan, T., Charbonnier, X. Q. et al. (2001). Expression of the zebrafish genome during embryogenesis (NIH R01 RR15402). *ZFIN Direct Data Submission*, ZFIN ID: ZDB-PUB-010810-1.
- Topczewska, J. M., Topczewski, J., Szostak, A., Solnica-Krezel, L. and Hogan, B. L. (2003). Developmentally regulated expression of two members of the Nrarp family in zebrafish. *Gene Expr. Patterns* **3**, 169-171.
- Van Raay, T. J., Coffey, R. J. and Solnica-Krezel, L. (2007). Zebrafish Naked1 and Naked2 antagonize both canonical and non-canonical Wnt signaling. *Dev. Biol.* **309**, 151-168.
- Waxman, J. S., Hocking, A. M., Stoick, C. L. and Moon, R. T. (2004). Zebrafish Dapper1 and Dapper2 play distinct roles in Wnt-mediated developmental processes. *Development* **131**, 5909-5921.