

## Supporting Information for:

**Phylogeny of parasitic Parabasalia and free-living relatives inferred from conventional markers vs. *Rpbl*, a single-copy gene**

(*PLOS One*, 2011. doi:10.1371/journal.pone.0020774)

**Shehre-Banoo Malik<sup>1,2\*§</sup>, Cynthia D. Brochu<sup>2</sup>, Ivana Bilic<sup>3</sup>, Jing Yuan<sup>2</sup>, Michael Hess<sup>3</sup>, John M. Logsdon Jr.<sup>2</sup>, and Jane M. Carlton<sup>1§</sup>**

<sup>1</sup> Department of Microbiology – Division of Medical Parasitology, New York University Langone Medical Center, New York NY, United States of America.

<sup>2</sup> Department of Biology – Roy J. Carver Center for Comparative Genomics, University of Iowa, Iowa City IA, United States of America.

<sup>3</sup> Department for Farm Animals and Veterinary Public Health – Clinic for Avian, Reptile and Fish Medicine, University of Veterinary Medicine, Vienna, Austria.

\* current address:

Department of Biochemistry and Molecular Biology – Center for Comparative Genomics and Evolutionary Bioinformatics, Dalhousie University, Halifax NS, Canada.

§ Corresponding Authors

E-mail addresses:

SBM: sbmalik@dal.ca

CDB: cindy-brochu@uiowa.edu

IB: Ivana.Bilic@vetmeduni.ac.at

JY: yuanjing2003@hotmail.com

MH: Michael.Hess@vetmeduni.ac.at

JML: john-logsdon@uiowa.edu

JMC: jane.carlton@nyumc.org

**Table S2:** Primers used to amplify and sequence fragments of *Parabodo caudatus*, *Diplonema* sp. 2, *Percolomonas cosmopolitus*, *Jakoba libera* and *Malawimonas Rpb1* genes, listed from 5' to 3' positions within the gene.

	Forward primer (5' – 3')	Reverse primer (5' – 3')
<b>General degenerate oligos</b>		
Rpb1AF1 (ECPGHFG) [56]	GAGTGTCCAGGNCA YTTYGG	
Rpb1BF2 (RGNLMGK)	AGAGGTA ACTTRATGCNAA	
Rpb1DF3 (PYNADFG)	CCGTACAATGCAGAYTTYGAYGG	
Rpb1DF4 (ADFDGDEM)	GCAGACTTCGATGGNGAYGARATG	
Rpb1EF5 (P(L/I)WTGKQ)	CCACTGTGGACNGGNAARCA	
Rpb1DR7 (PYNADFD)		GTCGAAGTCTGCRTTRTANGG
Rpb1FR5 (FH(A/T)M(G/A)GRE)		ACGACCTGCCATNGYRTGRAA
Rpb1GR2 (MTLNTFH) [56]		GTGGAACGTGTTNARNGTCAT
Rpb1GR9 (VTLGVPR)		TCTAGGCACTCCGARNGTNAC
<b><i>Parabodo caudatus</i></b>		
37BodoRpb1R1		CAAAGTACTTGTGCGAGGAAGAC
<b><i>Diplonema</i> sp. 2</b>		
34Rpb1F1	CTACACAGAATGAGTATGATGGG	
34Rpb1F2	TGTTCCCTTAATCAA ACTAGATCC	
41Rpb1R1		GTTGACCGCTTTGTGAGCAGATG
<b><i>Percolomonas cosmopolitus</i></b>		
PerRpb1F1	GGTCAACAGAATATTGAAGG	
PerRpb1F2	AGACGATGGTTGTTGGTGG	
PerRpb1R1		AGTGCATCTTGACGATAGC
PerRpb1R2		GCTCACCACGACTGATGACG
PerRpb1R3		TCAACGGATGTCCCATCTTTGTG
<b><i>Jakoba libera</i></b>		
28Rpb1F0	TTGCTGAACCCGCTCATGTCA	
28Rpb1F1	CATTTCCGCCAGGAGAACTATG	
28Rpb1F2	GATTGGTGAAAGCCATGGAGGA	
28Rpb1SF3	GTCGGTTAGTTTGTGACT	
28Rpb1F5	GTCCATGTCCCAGAATGCA	
28Rpb1SF6	GTATGCGTTGTTCCAAACT	
28Rpb1SF7	GACATTGACCATGGGT	
28Rpb1R0		GACCGTCAGAAGCCAGTAGTTG
28Rpb1R1		GACACCAGAGTGTCTCCGAG
28Rpb1R2		CAACTCTCCTCGACCTGAACTA
28Rpb1SR3		CAGATATGCAGCACACATG
28Rpb1SR4		CAACCATACATGCAAACGAG
28Rpb1R5		ACGCACCTCTTGATGTTGA
28Rpb1R6		CATTGCATGTGGAGTACCAAG
28Rpb1R8		CTCGAAGAGGTAGGTGGCATT
28Rpb1R9		GAAGCTGACCCTTTCCAAG
<b><i>Malawimonas jakobiformis</i></b>		
MjakRpb1SF1	GATGATGAAGCACAGCCGCG	

MjakRpb1PCRF1  
MjakRpb1SF2  
MjakRpb1SF3  
MjakRpb1SF4  
MjakRpb1DSR1  
MjakRpb1GSR2

CGTGTGCTTCCGTACTCCACC  
CCCAAGCCGGCTATTCTCAAGCC  
GATGATTGCTTGTGTCGGCC  
CCGCATCGACGTGCGTGTCGG

GCTTCCGTACTCCACCTTCCG  
CGACCGAGCGCGATGAAGTG

---

*'Malawimonas californiana'*

47Rpb1SF1  
47Rpb1SF2  
47Rpb1SF5  
47Rpb1SF6  
47Rpb1SF7  
47Rpb1SR1  
47Rpb1SR2

GGAACGTGCAGCCCAAGATT  
CACATTGATGGAAACGTTCGAGA  
CTGCATCTCGATTACGGATAC  
CATGTTGCCCCATCGCGTT  
CACGCGTTTTTCATGAATGCT

CATGGAATGCGATATTGTGCCT  
GGCAGAGATTGAGGAGATT