

Table S4. Semi-quantitative and quantitative PCR primers

Gene	Sequence (5' to 3')		PCR cycle number
	Forward	Reverse	
<i>LM12*</i>	(P1) TCATTGCTTCCTTTGGCTTT	(P2) CTCATCTTCTTCAGGCGTCC	32
<i>LM12*</i>	(P3) GACGCCTGAAGAAGATG AGG	(P4) TGTGGCGAGTTGTTGGTGA AGAT	32
<i>EIF4A[†]</i>	AAACTCAATGAAGTACTTGAGGGACA	TCTCAAAACCATAAGCATAAATACCC	24
<i>EIF4A1[†]</i>	GCCATGGGTCTTCAAGAGAA	CCCTTACAGAAGGGGACGAT	NA
<i>AP1[†]</i>	GAAGGCCATACAGGAGCAAA	ACTGCTCCTGTTGAGCCCTA	NA
<i>AP1[†]</i>	AGGGAAAAAATTCTTAGGGCTCAACAG	GCGGCGAAGCAGCCAAGGTTGCAGTTG	NA
<i>AP3</i>	GCCCTAACACCACAACGAAGG	CTCACCTAGCCTCTGCTTGATC	NA
<i>CAL</i>	CATTTCAACACCCCATCTT	GCCGTTTGGTCTTCTTCTTG	NA
<i>FUL</i>	TTGCAAGATCACAACAATTCGCTTCT	GAGAGTTTGGTCCGTCAACGACGAT	NA
<i>LFY</i>	ACGCCGTCATTTGCTACTCT	CTTTCTCCGTCTCTGCTGCT	NA
<i>LM11</i>	ATGGCCGGAGTCTAGTTCCT	GTTGTTCCGAAATCGGTACG	NA
<i>LM12</i>	GACGCCTGAAGAAGATGAGG	GAATGGCATGAAGCTGGATAA	NA
<i>LM13</i>	GAACGAATGGGACACGTTAT	CAGACAATTCAGGATTGCCAG	NA
<i>LM14</i>	AATGGTGTCCGGTGAGATT	CATAACCACCGAATCCAACC	NA
<i>LM15</i>	AACTGGTGGTCGAACAGCTC	AAGTGCATCTTCCCACATCC	NA

NA, not applicable (primers used for quantitative PCR).

*Primers used for T-DNA allele analysis.

[†]Primer sets used interchangeably for quantitative PCR. Both sets give similar results.