

Supplementary Table S1; Muntner et al, *AJKD*, "Development and Validation of a Self-Assessment Tool for Albuminuria: Results From the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study"

Table S1. Characteristics of the National Health and Nutrition Examination Survey 1999-2004 study participants ≥ 45 years of age.

Candidate item	Overall	Albuminuria		p-value
		No (n=5,959)	Yes (n=1,209)	
Age, years	59.6 (0.3)	58.8 (0.3)	65.2 (0.5)	<0.001
African-American Race				
No, %	91.0%	88.8%	11.2%	<0.001
Yes, %	9.0%	81.6%	18.4%	
Gender				
Women, %	53.3%	87.9%	12.1%	0.338
Men, %	46.7%	87.1%	12.9%	
Smoking				
Not current	82.8%	88.0%	12.6%	0.600
Current	17.2%	87.4%	12.0%	
Self-rated health				
Excellent	18.7%	91.5%	8.5%	<0.001
Very good	29.2%	91.8%	8.2%	
Good	30.8%	86.0%	14.0%	
Fair	16.4%	81.0%	19.0%	
Poor	4.9%	78.2%	21.8%	
Self-report of hypertension				
No	39.9%	90.4%	9.6%	<0.001
Yes	60.1%	83.2%	16.8%	
Self-report of stroke				
No	96.2%	88.1%	11.9%	<0.001
Yes	3.8%	72.4%	27.6%	
Self-report of diabetes				
No	88.7%	89.8%	10.2%	<0.001
Yes	11.3%	69.4%	30.6%	