

Supporting Information For the Manuscript:

Evaluation of Several Two-Step Scoring Functions Based on Linear Interaction Energy, Effective Ligand Size, and Empirical Pair Potentials for Prediction of Protein-Ligand Binding Geometry and Free Energy.

Obaidur Rahaman,¹ Trilce P. Estrada², Douglas J. Doren,¹ Michela Taufer,² Charles L. Brooks III³ and Roger S. Armen^{4*}

¹Department of Chemistry and Biochemistry, University of Delaware, Newark, Delaware 19716

²Department of Computer and Information Sciences, University of Delaware, Newark, Delaware

19716 ³Department of Chemistry, 930 N. University Ave, University of Michigan, Ann Arbor,

MI 48109 ⁴Department of Pharmaceutical Sciences, School of Pharmacy, Thomas Jefferson University, 130 S. 9th St, Ste 1510, Philadelphia, PA 19107.

Page S2. Cross-validation groups for the dataset LPDB259 and LPDB160.

Page S3. Table S1. Data look-up tables for distance dependent pair potentials $W_{\text{pair}}(r)$.

Page S4. Table S2. Weights λ_{pair} for the scoring function S3w fit to LPDB259.

Page S5. Table S3. Enrichment Factors and ROC curves.

Page S6. Figure S1. Performance of S1, S2, S2h as a function of cutoff distance.

Page S7. Figure S2. distance dependent pair potentials $W_{\text{pair}}(r)$.

Cross-validation groups for the dataset LPDB259 and LPDB160.

LPDB259:

(group1): 1a9m, 1abe, 1adb, 1adc, 1aeq, 1aet, 1avn, 1b6k, 1b6m, 1ba8, 1bai, 1bid, 1cil, 1cnx, 1did, 1dif, 1dwc, 1etr, 1fkf, 1fkg, 1flr, 1g2k, 1hhg, 1hhi, 1hpo, 1hsg, 1hsh, 1htf, 1hvh, 1hwr, 1ivp, 1mcf, 1mch, 1nnb, 1okl, 1ppc, 1tnh, 1tni, 1vac, 1xig, 2dbl, 2er7, 2web, 2wec, 2xis, 3ptb, 4er2, 4er4, 5cpp, 5hvp, 5tmn, 8abp.

(group2): 1a30, 1a4k, 1a50, 1aaq, 1ac4, 1ae8, 1aed, 1aek, 1aer, 1afl, 1atl, 1bwa, 1bwb, 1bxo, 1bzm, 1c83, 1c87, 1c8k, 1cbs, 1cbx, 1cny, 1cvu, 1d3h, 1dbb, 1dbk, 1dbm, 1die, 1dwd, 1ela, 1ets, 1g35, 1hii, 1hiv, 1hps, 1hvp, 1hpx, 1hvj, 1hvk, 1k6p, 1ldm, 1lyb, 1pph, 1rne, 1sre, 2cpp, 2ifb, 3tmn, 4tln, 6abp, 6tmn, 7abp, 7hvp.

(group3): 1aeb, 1aee, 1aes, 1aeu, 1aev, 1anf, 1apu, 1apv, 1b6j, 1b6l, 1bim, 1bmn, 1bto, 1bv9, 1byg, 1cin, 1cpi, 1ctr, 1d3p, 1d4l, 1d4p, 1dbj, 1ent, 1fax, 1fkn, 1gno, 1hbv, 1hge, 1hhk, 1hii, 1hld, 1hxb, 1hxw, 1mcj, 1mcs, 1nsc, 1rbp, 2tsc, 2upj, 2wea, 3er3, 3er5, 4dfr, 4er1, 4hmg, 4tmn, 5abp, 5cna, 5tln, 9aat, 9abp, 9hvp.

(group4): 1a4w, 1abf, 1aeg, 1aeh, 1aen, 1afk, 1ajv, 1aoe, 1apw, 1b38, 1bap, 1bdr, 1bmm, 1c84, 1c88, 1cnw, 1ctt, 1dog, 1dwb, 1ebg, 1eed, 1ejn, 1ett, 1hdt, 1hew, 1hgj, 1hhj, 1hos, 1hrn, 1htg, 1ida, 1k6c, 1ldy, 1lgr, 1mcb, 1nsd, 1ppl, 1pso, 1sbp, 1tmn, 1tng, 1tnj, 2ctc, 2gbp, 2phh, 2vaa, 2vab, 3bto, 4hvp, 4ts1, 6cpa, 8cpp.

(group5): 1a07, 1ac0, 1ac8, 1add, 1adf, 1aef, 1aem, 1ajx, 1apb, 1apt, 1b39, 1bil, 1bra, 1bv7, 1c2t, 1cim, 1d3d, 1d4y, 1dih, 1dmp, 1elc, 1epo, 1epp, 1hgh, 1hsl, 1hte, 1hvi, 1hvl, 1hvr, 1lde, 1mnc, 1pgp, 1ppk, 1ppm, 1stp, 1tnk, 1tnl, 1tpp, 1ulb, 1uvs, 2acs, 2er6, 2ypi, 3cpa, 4phv, 5er2, 5tim, 6cpp, 7cpa, 7cpp, 7upj.

LPDB160:

(group1): 1aaq, 1adc, 1aee, 1aek, 1ajv, 1apu, 1avn, 1elc, 1ets, 1ets, 1hhg, 1hhj, 1hii, 1hvi, 1hvl, 1nsc, 1pgp, 1ppl, 1rbp, 1rne, 2cpp, 2ctc, 2er6, 2phh, 4er2, 4er4, 5cna, 5er2, 5hvp, 7hvp, 7upj, 9aat, 9hvp.

(group2): 1abe, 1abf, 1aev, 1bap, 1bra, 1ctt, 1dbb, 1dif, 1dih, 1dog, 1dwc, 1eed, 1epo, 1etr, 1ett, 1hvp, 1mcf, 1mch, 1mcj, 1ppc, 1pso, 1sre, 1tnk, 2acs, 2er7, 2tsc, 2upj, 2ypi, 3tmn, 4dfr, 4hmg, 6abp.

(group3): 1a4w, 1ac8, 1adf, 1aed, 1aeg, 1aen, 1aes, 1ajx, 1apb, 1apt, 1apv, 1dwd, 1ebg, 1hdt, 1hhk, 1hos, 1hps, 1hvk, 1ldm, 1lgr, 1nsd, 1ppk, 1stp, 1tnh, 2ifb, 3ptb, 4phv, 5abp, 5cpp, 5tim, 7cpp, 8abp.

(group4): 1add, 1aeb, 1aeh, 1aeq, 1aet, 1bid, 1bmn, 1dbm, 1dwb, 1ela, 1ent, 1hii, 1hsg, 1hsl, 1htf, 1hvj, 1hvr, 1lyb, 1mcs, 1nnb, 1pph, 1ppm, 1tni, 1tnj, 1ulb, 1uvs, 1xig, 2xis, 4er1, 4hvp, 6cpp, 7abp.

(group5): 1ac4, 1ae8, 1aef, 1aem, 1aer, 1aeu, 1apw, 1bmm, 1dbj, 1dbk, 1epp, 1fkf, 1gno, 1hbv, 1hpx, 1hte, 1htg, 1mcb, 1tng, 1tnl, 1tpp, 1vac, 2dbl, 2gbp, 2wea, 2web, 2wec, 3er3, 3er5, 4ts1, 8cpp, 9abp.

Table S1. Data look-up tables for distance dependent pair potentials $W_{\text{pair}}(r)$.

Distance	OH	CH	HH	NH	CC	ON	OC	NC	OO	other
1.00										
1.25										
1.50										
1.75	-2.25		0.61							
2.00	-2.27		0.87	2.00						2.00
2.25	-1.40		-0.80	1.56						-0.37
2.50	-0.92	2.00	-1.01	1.60						0.94
2.75	-1.06	0.99	-0.70	0.42		-0.69			-0.17	0.48
3.00	-0.57	0.11	-0.34	0.06		-1.49	2.00		-1.36	0.36
3.25	-0.25	-0.20	-0.15	0.10	2.00	-0.82	0.31	1.93	-0.68	0.07
3.50	-0.13	-0.16	-0.08	0.05	1.80	-0.07	-0.37	1.08	-0.44	0.12
3.75	0.06	-0.06	-0.03	0.03	0.51	0.18	-0.44	0.28	-0.16	0.06
4.00	0.16	0.00	-0.02	0.02	0.07	0.26	-0.33	0.05	0.08	-0.03
4.25	0.11	-0.03	0.02	-0.03	-0.01	0.14	-0.10	0.07	0.18	-0.07
4.50	0.10	-0.04	0.03	-0.01	-0.08	0.09	0.03	0.13	0.21	-0.01
4.75	0.10	-0.01	0.02	0.01	-0.12	0.00	0.05	0.06	0.22	-0.15
5.00	0.11	0.02	0.01	0.06	-0.17	-0.03	0.07	-0.10	-0.16	-0.05
5.25	0.09	0.02	0.02	0.00	-0.14	-0.12	0.08	-0.16	-0.04	-0.03
5.50	0.02	0.00	0.06	-0.04	-0.10	0.10	0.04	-0.18	0.09	0.10
5.75	0.03	-0.01	0.07	-0.05	-0.10	0.19	-0.01	-0.15	0.18	0.02
6.00	0.03	0.00	0.06	-0.05	-0.11	0.22	0.01	-0.14	0.19	-0.02

Table S2. Weights λ_{pair} for the scoring function S3w fit to LPDB259.

OH	CH	HH	NH	CC	ON	OC	NC	OO
0.380	3.994	0.000	7.727	0.00	1.428	0.00	0.00	0.456

Table S3. Enrichment Factors and ROC curves.

all poses	re-rank	LPDB	Rank	all MW	True EF	Low MW	Low MW	High MW	all MW	True AUC	Low MW	Low MW	High MW
	top5	DP		180-700	320-450	180-375	320-375	375-450	180-700	320-450	180-375	320-375	375-450
Step1	Step1	Step1	Step2	<EF>	<EF>	<EF>	<EF>	<EF>	AUC	AUC	AUC	AUC	AUC
LIE(Rdie)	LIE(Rdie)	-1.53	LIE(GBMV)	7.1	1.0	0.6	0.9	1.1	0.53	0.54	0.51	0.58	0.53
LIE(Rdie)	LIE(GBMV)	-1.62	LIE(GBMV)	7.3	1.4	1.1	1.6	1.2	0.54	0.55	0.49	0.57	0.60
Rdie	Rdie	-1.21	LIE(GBMV)	5.9	1.2	1.2	1.5	1.0	0.60	0.60	0.60	0.64	0.57
Rdie	LIE(GBMV)	-1.62	LIE(GBMV)	7.2	1.8	1.4	2.1	1.3	0.59	0.60	0.55	0.62	0.62
LIE(Rdie)	LIE(Rdie)	-1.53	S1	11.6	7.9	1.4	2.1	17.0	0.50	0.57	0.44	0.52	0.75
LIE(Rdie)	LIE(GBMV)	-1.62	S1	11.9	8.0	1.9	2.8	16.7	0.52	0.59	0.45	0.53	0.80
Rdie	Rdie	-1.21	S1	10.7	4.6	1.5	1.6	9.4	0.60	0.63	0.52	0.60	0.78
Rdie	LIE(GBMV)	-1.62	S1	11.2	6.8	1.7	1.8	14.4	0.55	0.62	0.49	0.57	0.82
LIE(Rdie)	LIE(Rdie)	-1.53	S2	4.6	5.9	6.2	8.6	3.2	0.66	0.72	0.69	0.78	0.64
LIE(Rdie)	LIE(GBMV)	-1.62	S2	5.1	6.6	6.3	8.8	4.1	0.68	0.75	0.69	0.77	0.73
Rdie	Rdie	-1.21	S2	3.8	3.4	4.8	6.1	0.7	0.64	0.67	0.61	0.66	0.72
Rdie	LIE(GBMV)	-1.62	S2	3.8	4.5	5.4	7.5	1.4	0.66	0.71	0.65	0.72	0.71
LIE(Rdie)	LIE(Rdie)	-1.53	S2h	2.1	1.0	1.4	1.5	0.6	0.62	0.61	0.63	0.65	0.58
LIE(Rdie)	LIE(GBMV)	-1.62	S2h	2.6	1.6	1.8	2.2	1.1	0.64	0.65	0.63	0.66	0.64
Rdie	Rdie	-1.21	S2h	1.4	0.8	0.7	0.9	0.7	0.60	0.59	0.59	0.60	0.60
Rdie	LIE(GBMV)	-1.62	S2h	2.6	1.6	1.8	2.2	1.1	0.64	0.65	0.63	0.66	0.64
LIE(Rdie)	LIE(Rdie)	-1.53	S3	1.2	0.5	0.0	0.0	1.3	0.44	0.43	0.36	0.36	0.59
LIE(Rdie)	LIE(GBMV)	-1.62	S3	1.8	1.0	0.3	0.4	1.9	0.46	0.43	0.39	0.39	0.54
Rdie	Rdie	-1.21	S3	1.0	0.8	0.2	0.3	1.8	0.41	0.40	0.36	0.36	0.48
Rdie	LIE(GBMV)	-1.62	S3	1.8	1.0	0.3	0.4	1.9	0.46	0.43	0.39	0.39	0.54
LIE(Rdie)	LIE(Rdie)	-1.53	S4	1.2	0.8	1.5	1.2	0.2	0.60	0.61	0.64	0.66	0.54
LIE(Rdie)	LIE(GBMV)	-1.62	S4	1.1	0.7	1.3	1.1	0.0	0.56	0.57	0.60	0.62	0.50
Rdie	Rdie	-1.21	S4	0.4	0.2	0.4	0.3	0.3	0.49	0.50	0.52	0.51	0.48
Rdie	LIE(GBMV)	-1.62	S4	1.1	0.7	1.3	1.1	0.0	0.56	0.57	0.60	0.62	0.50

Figure S1. Performance of S1, S2, S2h as a function of cutoff distance.




Figure S2. distance dependent pair potentials $W_{\text{pair}}(r)$.

