

Table 1A, pH value 3.9

Sample	Size^a (SE) [nm]	PDI^b (SE)
100 mg 5min	101 (2)	0.286 (0.002)
200 mg 5min	103 (1)	0.286 (0.009)
400 mg 5min	114 (2)	0.294 (0.002)
600 mg 5min	108 (1)	0.39 (0.01)
800 mg 5min	108 (1)	0.32 (0.05)
100 mg 1-2h	136 (5)	0.449 (0.008)
200 mg 1-2h	137 (2)	0.41 (0.02)
400 mg 1-2h	151 (1)	0.303 (0.002)
600 mg 1-2h	182 (1)	0.306 (0.005)
800 mg 1-2h	204 (4)	0.286 (0.008)
100 mg 24h	143 (1)	0.482 (0.006)
200 mg 24h	158 (9)	0.45 (0.04)
400 mg 24h	210 (4)	0.39 (0.06)
600 mg 24h	269 (3)	0.386 (0.008)
800 mg 24h	311 (9)	0.30 (0.01)

^{a)} Peak position of the major peak in the DLS distribution (Standard Error)

^{b)} Polydispersity index calculated by the Malvern Dispersion Software (Standard Error)

Table 1B, pH value 6.9

Sample	Size^a (SE) [nm]	PDI^b (SE)
100 mg 5min	111 (6)	0.38 (0.06)
200 mg 5min	106 (3)	0.42 (0.02)
400 mg 5min	111 (3)	0.42 (0.01)
600 mg 5min	116 (9)	0.43 (0.03)
800 mg 5min	138 (14)	0.46 (0.03)
100 mg 1-2h	137 (4)	0.498 (0.004)
200 mg 1-2h	148 (8)	0.507 (0.004)
400 mg 1-2h	170 (3)	0.55(0.008)
600 mg 1-2h	165 (1)	0.53(0.01)
800 mg 1-2h	193 (4)	0.58 (0.01)
100 mg 24h	170 (15)	0.6 (0.2)
200 mg 24h	205 (21)	0.54 (0.04)
400 mg 24h	202 (16	0.58 (0.05)
600 mg 24h	260 (29)	0.554 (0.008)
800 mg 24h	196 (7)	0.62 (0.09)

^{a)} Peak position of the major peak in the DLS distribution

^{b)} Polydispersity index calculated by the Malvern Dispersion Software