

Web Table 1. Adjusted Relative Risks for All-Site Cancer Mortality, by Total Alcohol Consumption and Age Strata, in a Pooled National Health Interview Survey Cohort (1988,1990,1991,1997–2004) Through 2006, United States^a

Age Strata Drinking Status Drinking Level	All			Men			Women		
	Deaths	RR	95% CI	Deaths	RR	95% CI	Deaths	RR	95% CI
Age <65									
Never drinker	431	1		109	1		322	1	
Former drinker	366	1.03	0.87, 1.21	210	1.17	0.90, 1.53	156	0.91	0.73, 1.13
Lifetime infrequent drinker	385	0.87	0.74, 1.03	113	0.90	0.67, 1.22	272	0.86	0.71, 1.05
Current drinker									
Light drinker	609	0.70	0.60, 0.81	290	0.80	0.63, 1.03	319	0.64	0.52, 0.77
Moderate drinker	307	0.70	0.57, 0.85	222	0.77	0.58, 1.01	85	0.70	0.52, 0.93
Heavier drinker	240	1.11	0.91, 1.36	156	1.27	0.95, 1.70	84	0.96	0.71, 1.30
<i>P trend</i> ^b		<0.001			0.001			0.13	
Age 65 - 79									
Never drinker	773	1		187	1		586	1	
Former drinker	710	1.07	0.94, 1.22	449	1.19	0.97, 1.48	261	0.98	0.82, 1.16
Lifetime infrequent drinker	591	0.91	0.81, 1.03	218	1.00	0.79, 1.26	373	0.87	0.75, 1.01
Current drinker									
Light drinker	652	0.86	0.75, 0.98	367	0.95	0.77, 1.18	285	0.79	0.66, 0.94
Moderate drinker	518	1.03	0.90, 1.18	384	1.09	0.89, 1.34	134	1.06	0.84, 1.34
Heavier drinker	290	1.25	1.07, 1.46	179	1.34	1.06, 1.69	111	1.26	1.00, 1.58
<i>P trend</i> ^b		<0.001			<0.001			<0.001	
Age ≥80									
Never drinker	754	1		164	1		590	1	
Former drinker	496	1.28	1.11, 1.48	291	1.41	1.13, 1.77	205	1.25	1.03, 1.52
Lifetime infrequent drinker	474	1.08	0.95, 1.23	162	1.21	0.96, 1.53	312	1.00	0.85, 1.18
Current drinker									
Light drinker	408	1.06	0.92, 1.21	217	1.30	1.04, 1.63	191	0.86	0.71, 1.04
Moderate drinker	266	1.15	0.96, 1.38	198	1.38	1.09, 1.76	68	0.91	0.68, 1.22
Heavier drinker	92	1.32	1.02, 1.71	42	1.27	0.87, 1.87	50	1.45	1.02, 2.07
<i>P trend</i> ^b		0.03			0.20			0.06	

Abbreviations: RR, relative risk CI, confidence interval.

a. Analyses were adjusted for race/ethnicity, education, region, marital status, smoking status (including tertiles of smoking intensity for current smokers), body mass index, and gender as appropriate.

b. *P* values are for linear trend and do not include lifetime infrequent drinkers and former drinkers.