Supplementary Data for

Bisubstrate analogue inhibitors of 6-hydroxymethyl-7,8-dihydropterin pyrophosphokinase: New design with improved properties

Genbin Shi^a, Gary Shaw^a, Yu-He Liang^a, Priadarsini Subburaman^a, Yue Li^b, Yan Wu^b, Honggao Yan^b, and Xinhua Ji^{a,*} ^a Macromolecular Crystallography Laboratory, National Cancer Institute, Frederick, MD 21702, USA

^b Department of Biochemistry and Molecular Biology, Michigan State University, East Lansing, MI 48824, USA

* Corresponding author. Tel: +1 (301) 846-5035; Fax: +1 (301) 846-6073.


E-mail address: jix@mail.nih.gov (X. Ji).

Keywords: Antibacterial; Bisubstrate; Folate; HPPK; Pterin


Table of Contents

Figure S1. ¹ H NMR Spectrum of Compound 7 at 400 MHz in CD ₃ OD	S3
Figure S2. ¹³ C NMR Spectrum of Compound 7 at 400 MHz in CD ₃ OD	S4
Figure S3. ¹ H NMR Spectrum of Compound 8 at 400 MHz in CD ₃ OD	S5
Figure S4. ¹³ C NMR Spectrum of Compound 8 at 400 MHz in CD ₃ OD	S6
Figure S5. ¹ H NMR Spectrum of Compound 16 at 400 MHz in CD ₃ OD	S7
Figure S6. ¹³ C NMR Spectrum of Compound 16 at 400 MHz in CD ₃ OD	S8
Figure S7. ¹ H NMR Spectrum of Compound 17 at 400 MHz in CD ₃ OD	S9
Figure S8. ¹³ C NMR Spectrum of Compound 17 at 400 MHz in DMSO- d_6	S10
Figure S9. ¹ H NMR Spectrum of Compound 19 at 400 MHz in CD ₃ OD	······ S11
Figure S10. ¹³ C NMR Spectrum of Compound 19 at 400 MHz in DMSO- d_6 ······	•••••• S12


































S9

Figure S8. ¹³C NMR Spectrum of Compound 17 at 400 MHz in DMSO- d_6

